



# Oregon

Kate Brown, Governor



550 Capitol St. NE  
Salem, OR 97301  
Phone: 503-378-4040  
Toll Free: 1-800-221-8035  
FAX: 503-373-7806  
[www.oregon.gov/energy](http://www.oregon.gov/energy)

**To:** Energy Facility Siting Council

**From:** Sarah Esterson, Senior Policy Advisor

**Date:** November 4, 2022

**Subject:** Agenda Item D (Action Item):  
Appointment of EFSC Rules Coordinator for the November 17-18 EFSC Meeting

**Attachments:** Attachment 1: Secretary of State Rules Coordinator and Delegation of Rulemaking Authority Form

---

## STAFF RECOMMENDATION

Staff recommends that Council appoint Thomas Jackman as rules coordinator and Christopher Clark, Senior Siting Analyst and Sarah Esterson, Senior Policy Advisor as back up rules coordinators, in accordance with ORS 183.330(2).

## BACKGROUND

Under ORS 183.330(2), every agency that engages in rulemaking must appoint a rules coordinator, and a copy of the appointment must be filed with the Oregon Secretary of State using the form provided as Attachment 1. The rules coordinator is responsible for maintaining the agency's rules and rulemaking mailing list and ensuring that rulemaking proceedings comply with the Administrative Procedures Act. The rules coordinator must also be able to provide information to the public about the agency's rulemaking proceedings and the status of its rules.

Currently, Christopher Clark is appointed as the Council's rules coordinator, with Jason Sierman serving as a back up coordinator. The Department recently hired Thomas Jackman to serve as the Council's new rules coordinator. Staff recommends the Council appoint him as the primary rules coordinator, and appoint Christopher Clark, Senior Siting Analyst, and Sarah Esterson, Senior Policy Advisor, as back up rules coordinators.

Appointment of a rules coordinator does not delegate rulemaking authority to that person and any rulemaking action must be authorized by the Council. The Council may delegate rulemaking authority to an officer or employee, but staff does not recommend doing so at this time.