



Resources

A resource packet for yellow floating heart and water primrose management is available here:

<http://www.oregon.gov/ODA/programs/Weeds/Meetings/Pages/WeedForums.aspx>

Research:

Yellow Floating Heart

- 1) Shaker, R.R., Yakubov, A.D., Nick, S.M., Vennie-Vollrath, E., Ehlinger, T.J., Forsythe, K.W. *Predicting aquatic invasion in Adirondack lakes: A spatial analysis of lake and landscape characteristics* (2017) *Ecosphere*, 8 (3), art. no. e01723,
- 2) Tippery, N.P., Les, D.H., Peredo, E.L. *Nymphoides grayana (Menyanthaceae) in Florida verified by DNA and morphological data* (2015) *Journal of the Torrey Botanical Society*, 142 (4), pp. 325-330.
- 3) Darbyshire, S.J., Francis, A. *The biology of invasive alien plants in Canada. 10. Nymphoides peltata (S. G. Gmel.) Kuntze* (2008) *Canadian Journal of Plant Science*, 88 (4), pp. 811-829.
- 4) Carlsson, F., Kataria, M. *Assessing management options for weed control with demanders and non-demanders in a choice experiment* (2008) *Land Economics*, 84 (3), pp. 517-528.

Water Primrose

- 1) Gillard, M.a , Thiébaut, G.a , Rossignol, N.a , Berardocco, S.b , Deleu, C.b *Impact of climate warming on carbon metabolism and on morphology of invasive and native aquatic plant species varies between spring and summer* (2017) *Environmental and Experimental Botany*, 144, pp. 1-10.
- 2) Nicol, J.M.a c , Ganf, G.G.a , Walker, K.F.a , Gawne, B.b *Response of three arid zone floodplain plant species to inundation* (2017) *Plant Ecology*, pp. 1-11. Article in Press.
- 3) Gillard, M.a , Grewell, B.J.b , Futrell, C.J.b , Deleu, C.c , Thiébaut, G.a *Germination and seedling growth of water primroses: A cross experiment between two invaded ranges with contrasting climates* (2017) *Frontiers in Plant Science*, 8, art. no. 1677
- 4) Enloe, S.F.a , Lauer, D.K.b

Uruguay waterprimrose control with herbicides (2017) Journal of Aquatic Plant Management, 55 (July), pp. 71-75.

5) Harms, N.E.a , Shearer, J.F.a , Grodowitz, M.J.b

Folivory and disease occurrence on Ludwigia hexapetala in Guntersville Reservoir, Alabama (2017) Journal of Aquatic Plant Management, 55 (January), pp. 19-25.

6) Pérez, D.J.a b , Okada, E.a b , Menone, M.L.c , Costa, J.L.b

Can an aquatic macrophyte bioaccumulate glyphosate? Development of a new method of glyphosate extraction in Ludwigia peploides and watershed scale validation (2017)

Chemosphere, 185, pp. 975-982

7) Pérez, D.J.a b , Okada, E.a b , Menone, M.L.c , Costa, J.L.b

Can an aquatic macrophyte bioaccumulate glyphosate? Development of a new method of glyphosate extraction in Ludwigia peploides and watershed scale validation (2017)

Chemosphere, 185, pp. 975-982

8) Pérez, D.J.a b , Okada, E.a b , Menone, M.L.c , Costa, J.L.b

Can an aquatic macrophyte bioaccumulate glyphosate? Development of a new method of glyphosate extraction in Ludwigia peploides and watershed scale validation (2017)

Chemosphere, 185, pp. 975-982

9) Haury, J., Druel, A., Cabral, T., Paulet, Y., Bozec, M., Coudreuse, J.

Which adaptations of some invasive Ludwigia spp. (Rosidae, Onagraceae) populations occur in contrasting hydrological conditions in Western France? (2014) Hydrobiologia, 737 (1), pp. 45-56.

10) Hernández, M.C., Walsh, G.C.

Insect Herbivores Associated with Ludwigia Species, Oligospermum Section, in Their Argentine Distribution (2014) Journal of Insect Science, 14 (1), art. no. ieu063

11) Hernández, M.C.a , Cabrera Walsh, G.b

Insect herbivores associated with Ludwigia species, Oligospermum section, in their Argentine distribution (2014) Journal of insect science (Online), 14

12) Saunders, L.E., Pezeshki, R.

Sublethal effects of environmentally relevant run-off concentrations of glyphosate in the root zone of Ludwigia peploides (creeping water primrose) and Polygonum hydropiperoides (smartweed) (2014) Weed Biology and Management, 14 (4), pp. 242-250.

13) Gérard, J.a , Brion, N.b , Triest, L.a

Effect of water column phosphorus reduction on competitive outcome and traits of Ludwigia grandiflora and L. peploides, invasive species in Europe (2014) Aquatic Invasions, 9 (2), pp. 157-166.

14) Ji, F.Q., Wang, W.

Comparison of the aquatic plants' purification effects on eutrophic water from Chaohu Lake area (2013) Applied Mechanics and Materials, 368-370 (1), pp. 282-285.

15) Thouvenot, L.a b , Haury, J.b , Thiebaut, G.a

A success story: Water primroses, aquatic plant pests (2013) Aquatic Conservation: Marine and Freshwater Ecosystems, 23 (5), pp. 790-803

16) Delbart, E., Mahy, G., Monty, A.

Effectiveness of techniques used to control the development of five invasive amphibious plant species: Crassula helmsii, Hydrocotyle ranunculoides, Ludwigia grandiflora, Ludwigia peploides and Myriophyllum aquaticum. A review. (2013) Biotechnology, Agronomy and Society and Environment, 17 (1), pp. 87-102.

17) Harms, N.E.a , Grodowitz, M.J.b

Herbivorous insects associated with Ludwigia peploides (Onagraceae) in the southern United States (2012) Southwestern Naturalist, 57 (1), pp. 123-127.

18) Carruthers, R.I.b , Franc, M.K.b , Gee, W.S.a , Cossé, A.A.c , Grewell, B.J.d , Beck, J.J.a
Volatile emissions from the flea beetle Altica litigata (Coleoptera: Chrysomelidae) associated with invasive Ludwigia hexapetala (2011) Chemoecology, 21 (4), pp. 253-259.

19) Lambert, E.a , Dutartre, A.c , Coudreuse, J.b , Haury, J.b

Relationships between the biomass production of invasive Ludwigia species and physical properties of habitats in France (2010) Hydrobiologia, 656 (1), pp. 173-186.

20) Hussner, A.

Growth response and root system development of the invasive Ludwigia grandiflora and Ludwigia peploides to nutrient availability and water level (2010) Fundamental and Applied Limnology, 177 (3), pp. 189-196.

21) Okada, M.a , Grewell, B.J.b , Jasieniuk, M.a

Clonal spread of invasive Ludwigia hexapetala and L. grandiflora in freshwater wetlands of California (2009) Aquatic Botany, 91 (3), pp. 123-129.

22) Ruaux, B.a , Greulich, S.a , Haury, J.b , Berton, J.-P.a

Sexual reproduction of two alien invasive Ludwigia (Onagraceae) on the middle Loire River, France (2009) Aquatic Botany, 90 (2), pp. 143-148.

23) Richardson, R.J., Roten, R.L., West, A.M., True, S.L., Gardner, A.P.

Response of selected aquatic invasive weeds to flumioxazin and carfentrazone-ethyl (2008) Journal of Aquatic Plant Management, 46 (2), pp. 154-158.

24) Champion, P.D.a , James, T.K.b , Carney, E.G.b

Evaluation of triclopyr triethylamine for the control of wetland weeds (2008) New Zealand Plant Protection, 61, pp. 374-377

25) Danelot, S.a , Robles, C.b , Pech, N.c , Cazaubon, A.a , Verlaque, R.b

Allelopathic potential of two invasive alien *Ludwigia* spp. (2008) Aquatic Botany, 88 (4), pp. 311-316.

- 26) Dandelot, S.a , Verlaque, R.b , Dutartre, A.c , Cazaubon, A.a
Ecological, dynamic and taxonomic problems due to Ludwigia (Onagraceae) in France (2005)
Hydrobiologia, 551 (1), pp. 131-136.
- 27) Deaver, E.a , Moor, M.T.b , Cooper, C.M.b , Knight, S.S.b
Efficiency of three aquatic macrophytes in mitigating nutrient run-off (2005) International
Journal of Ecology and Environmental Sciences, 31 (1), pp. 1-7.
- 28) Aznar, J.-C.a , Dervieux, A.a , Grillas, P.b
Association between aquatic vegetation and landscape indicators of human pressure (2003)
Wetlands, 23 (1), pp. 149-160.
- 29) Rejmánková, E.
Ecology of creeping macrophytes with special reference to *Ludwigia peploides* (H.B.K.) Raven
(1992) Aquatic Botany, 43 (3), pp. 283-299.
- 30) Yen S., Myerscough, P.J.
***Co-existence of three species of amphibious plants in relation to spatial and temporal
variation: Field evidence*** (1989) Australian Journal of Ecology, 14 (3), pp. 291-303.
- 31) Yen S., Myerscough, P.J.
***Co-existence of three species of amphibious plants in relation to spatial and temporal
variation: Investigation of plant responses*** (1989) Australian Journal of Ecology, 14 (3), pp. 305-
318.
- 32) Ellmore, G.S.
***Root dimorphism in *Ludwigia peploides* (Onagraceae): development of two root types from
similar primordia.*** (1981) Botanical Gazette, 142 (4), pp. 525-533.