



Oregon State Restricted Bridges List Emergency Vehicles



List of all bridges with restrictions for Emergency Vehicles (EV) on the Interstate and within one road mile.

- Maximum Gross Weight on single steer axle not to exceed 24,000 pounds.
- Maximum Gross Weight on single drive axle not to exceed 33,500 pounds.
- Maximum Gross Weight on tandem rear drive steer axles not to exceed 52,000 pounds.
- Maximum Gross Weight on tandem axles not to exceed 62,000 pounds.
- Maximum Gross Weight not to exceed 86,000 pounds.

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5 Overpass	EB & WB	16.70	Mountain Ave crossing over I-5.	Ashland	EV2 – 48,000 EV3 – 66,000
I-5 Connector	EB & WB	21.21	West Valley View state connector road crossing over I-5.	Ashland	EV3 – 76,000
I-5 State Owned	EB & WB	158.35	Lees Creek Ln crossing Curtis Creek Bridge under I-5.	Yoncalla	EV2 – 56,000 EV3 – 76,000
SI-5 Overpass	EB & WB	169.25	Hawley Rd crossing over I-5.	Cottage Grove	EV3 – 72,000
I-5	SB	174.70	I-5 crossing over Row River Rd.	Cottage Grove	EV3 – 80,000
I-5 Overpass	EB & WB	182.10	Market Rd crossing over I-5.	Creswell	EV3 – 64,000
I-5 Overpass	EB & WB	184.20	Dale Kuni Rd crossing over I-5.	Creswell	EV3 – 82,000
I-5	NB & SB	202.05	I-5 crossing over culvert north of Wilkins Rd.	Eugene	EV3 – 80,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5	NB & SB	235.01	I-5 crossing Truax Creek Bridge 0.6 mile north of OR99E.	Albany	EV3 – 58,000
I-5	SB	241.70	I-5 SB crossing Santiam overflow.	Albany	EV3 – 82,000
I-5 Overpass	EB & WB	243.50	Ankeny Hill Rd crossing over I-5.	Jefferson	EV2 – 54,000 EV3 – 76,000
I-5 Frontage	NB & SB	244.86	Miller Creek frontage road crossing over culvert on Sunnyside Rd near OR164 junction.	Jefferson	EV3 – 72,000
I-5 Frontage	NB & SB	245.87	Miller Creek frontage road crossing over culvert on Sunnyside Rd 1 mile north of OR164 junction.	Jefferson	EV3 – 72,000
I-5 Frontage	NB & SB	245.87	Miller Creek frontage road crossing over culvert on Enchanted Way 1 mile north of OR164 junction.	Jefferson	EV3 – 76,000
I-5	NB & SB	300.40	I-5 both decks of Marquam Bridge crossing over the Willamette River.	Portland	EV2 – 50,000 EV3 – 70,000
I-84	EB & WB	1.82	I-84 crossing over Doernbecher Access Rd 1.8 miles east of PCC.	Portland	EV3 – 74,000
I-84 Connector	WB	6.59	102 nd Ave state connector road crossing over railroad tracks prior to entering I-84 WB.	Portland	EV3 – 54,000
I-84 Crossover	EB & WB	6.73	102 nd Ave crossing over I-84.	Portland	EV3 – 54,000
I-84	WB	109.80	I-84 WB crossing Scott Canyon Bridge.	Rufus	EV2 – 52,000 EV3 – 72,000
I-84	EB	110.00	I-84 EB crossing over Rufus Interchange.	Rufus	EV3 – 84,000
I-84	WB	110.00	I-84 WB crossing over Rufus Interchange.	Rufus	EV3 – 80,000
I-84 Connector	WB	28.05	Bridal Veil state connector road crossing over I-84.	Bridal Veil	EV3 – 60,000
I-84 Connector	EB & WB	28.09	Bridal Veil state connector road crossing over railroad tracks.	Bridal Veil	EV3 – 80,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-84 Frontage	EB	41.57	I-84 EB Exit 41 frontage road to Eagle Creek Ln.	Cascade Locks	EV2 – 40,000 EV3 – 50,000
I-84	WB	63.41	I-84 crossing over railroad tracks.	Hood River	EV3 – 78,000
I-84	EB & WB	87.45	I-84 crossing over railroad tracks 1.7 miles east of The Dalles.	The Dalles	EV3 – 76,000
I-84	EB & WB	97.45	I-84 crossing over railroad tracks 13.7 miles east of The Dalles.	Celilo Park	EV3 – 74,000
I-84 Frontage	EB & WB	109.71	Biggs-Rufus frontage road crossing over Gurkin Canyon Creek 0.24 mile west of Exit 109.	Rufus	EV3 – 78,000
I-84	WB	109.80	I-84 crossing Scott Canyon Creek Bridge.	Rufus	EV2 – 52,000
I-84 Connector	EB	110.00	I-84 crossing over Rufus state connector road.	Rufus	EV3 – 84,000
I-84 Connector	WB	110.00	I-84 crossing over Rufus state connector road.	Rufus	EV3 – 80,000
I-84 Frontage	EB & WB	239.45	Old Emigrant Hill frontage road crossing over Meacham Creek and railroad tracks.	Meacham	EV3 – 56,000
I-84 Frontage	EB & WB	251.37	Old Emigrant Hill frontage road crossing over Dry Creek.	Hilgard	EV3 – 60,000
I-84 Frontage	EB & WB	253.45	Five Point Creek frontage road on the north side of interstate crossing Five Points Creek.	Hilgard	EV2 – 28,000 EV3 – 46,000
I-405 Connector	SB	2.66	I-405 connector to Burnside and 15 th crossing over 16 th Ave/Couch St on-ramp.	Portland	EV2 – 42,000 EV3 – 58,000
I-405 Connector	SB	0.53	I-405 connector to I-5 SB crossing over SW Water Ave on the West Marquam Interchange.	Portland	EV3 – 72,000
I-405 Connector	NB & SB	1.14	I-405 connector from Taylor St SB crossing over I-405 0.1 mile south of Morrison St.	Portland	EV3 – 72,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US20	EB & WB	39.34	US20 crossing Marys River Bridge and railroad tracks.	Blodgett	EV3 – 74,000
US20	EB & WB	45.68	US20 crossing over Harris Rd and railroad tracks.	Wren	EV3 – 82,000
US20	EB & WB	48.88	US20 crossing Noon Bridge over Marys River.	Philomath	EV3- 82,000
US20 Connector	EB	55.86	US20 EB connector to OR99W NB crossing over OR99W SB.	Corvallis	EV3 - 70,000
US20	EB	10.44	US20 EB crossing Willamette River Bridge, Water Ave and railroad tracks.	Albany	EV3 – 82,000
US20	WB	13.56	US20 WB crossing Lebanon Ditch (Lebanon Santiam).	Lebanon	EV3 – 78,000
US20	EB & WB	14.06	US20 crossing over Mountain States Power Canal.	Lebanon	EV3 – 78,000
US20	EB & WB	42.29	US20 crossing Wolf Creek Bridge.	Cascadia	EV3 - 80,000
US20	EB & WB	19.81	US20/US97 Business (as NE 3 rd St) crossing over USBR Canal.	Bend	EV2 – 40,000 EV3 – 54,000
US20	EB & WB	185.60	US20 crossing over Kingsbury Gulch.	Juntura	EV3 – 66,000
US20	EB & WB	203.30	US20 crossing Black Canyon Creek Bridge.	Juntura	EV3 – 66,000
US26	EB & WB	4.40	US26 crossing Necanicum River Bridge.	Seaside	EV3 – 78,000
US26	EB & WB	5.85	US26 crossing Lindsley Creek Bridge.	Seaside	EV2 – 56,000 EV3 – 76,000
US26	EB & WB	7.07	US26 crossing North Fork Necanicum River Bridge.	Seaside	EV3 – 70,000
US26	EB & WB	8.22	US26 crossing Little Humbug Creek Bridge.	Seaside	EV3 – 74,000
US26	EB & WB	21.73	US26 crossing Nehalem River Bridge and OR103.	Elsie	EV3 – 70,000
US26	EB & WB	24.23	US26 crossing North Fork Quartz Creek Bridge.	Elsie	EV2 – 52,000 EV3 – 72,000
US26	EB & WB	24.47	US26 crossing South Fork Quartz Creek Bridge.	Elsie	EV3 – 80,000
US26	EB & WB	37.88	US26 crossing Nehalem River Bridge.	Timber	EV3 – 74,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US26	EB & WB	34.92	US26 crossing North Fork Wolf Creek Bridge.	Timber	EV3 – 70,000
US26	EB & WB	45.31	US26 crossing West Fork Dairy Creek Bridge.	Buxton	EV3 – 56,000
US26	WB	55.72	US26 WB crossing over railroad tracks.	North Plains	EV3 – 74,000
US26	EB & WB	68.34	US26 crossing over Cedar Hills Blvd.	Portland	EV2 – 34,000 EV3 – 48,000
US26	EB & WB	0.10	US26 as Kelly Ave crossing over Arthur St viaduct.	Portland	EV3 – 62,000
US26 Connector	WB	0.58	US26 WB connector to OR99W SB crossing over US26 EB and Grover St.	Portland	EV3 – 64,000
US26	EB & WB	0.67	US26 crossing Ross Island Bridge over the Willamette River and over I-5.	Portland	EV2 – 42,000 EV3 – 58,000
US26	EB & WB	115.60	US26 crossing over North Unit Canal.	Madras	EV2 – 52,000 EV3 – 54,000
US26	EB & WB	170.50	US26 crossing Indian Creek Bridge.	Prairie City	EV2 – 56,000 EV3 – 76,000
US26	EB & WB	170.60	US26 crossing John Day River Bridge.	Prairie City	EV3 – 72,000
US26	EB & WB	175.00	US26 crossing Dixie Creek Bridge.	Prairie City	EV2 – 40,000 EV3 – 54,000
US30	EB & WB	10.77	US30 crossing over Sauvies Island partial viaduct.	Burlington	EV3 – 66,000
US30	EB & WB	11.23	US30 crossing over railroad tracks.	Burlington	EV2 – 40,000 EV3 – 56,000
US30	EB & WB	23.15	US30 crossing Honeyman Creek Bridge.	Scappoose	EV2 – 40,000 EV3 – 34,000
US30 Frontage	EB & WB	36.47	Tide Creek frontage road crossing over Tide Creek.	Deer Island	EV3 – 48,000
US30	EB & WB	53.05	US30 crossing Beaver Creek Bridge.	Rainier	EV2 – 46,000 EV3 – 64,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US30	EB & WB	55.29	US30 crossing Lost Creek Bridge.	Delena	EV3 – 82,000
US30	EB & WB	70.71	US30 crossing Plympton Creek Bridge.	Clatskanie	EV3 – 68,000
US30	EB & WB	0.46	US30 crossing Burnt River Bridge 4.7 miles north of Huntington.	Huntington	EV3 – 54,000
US30 Bypass	EB & WB	0.28	US30 Bypass crossing over private driveway.	Portland	EV3 – 70,000
US30 Bypass	EB & WB	0.91	US30 Bypass crossing St Johns Bridge over the Willamette River.	Portland	EV2 – 50,000 EV3 – 50,000
US30 Bypass	EB & WB	12.43	US30 Bypass crossing over NE 122 nd Ave.	Portland	EV2 – 44,000 EV3 – 60,000
US30 Hwy #100	EB & WB	0.03	Historic Columbia River Hwy crossing over the Sandy River south of Lewis & Clark Rec Site.	Troutdale	EV2 – 40,000 EV3 – 40,000
US30 Hwy #100	EB & WB	11.93	Historic Columbia River Hwy crossing Latourell Creek.	Latourell	EV3 – 56,000
US30 Hwy #100	EB & WB	13.14	Historic Columbia River Hwy crossing Shepperd's Dell Bridge over Youngs Creek.	Latourell	EV2 – 34,000 EV3 – 38,000
US30 Hwy #100	EB & WB	14.17	Historic Columbia River Hwy crossing Bridal Veil Creek Bridge.	Bridal Veil	EV2 – 42,000 EV3 – 58,000
US30 Hwy #100	EB & WB	18.21	Historic Columbia River Hwy crossing East Multnomah Falls viaduct.	East Multnomah Falls	EV2 – 48,000 EV3 – 66,000
US30 Hwy #100	EB & WB	20.39	Historic Columbia River Hwy crossing Horsetail Creek Bridge.	Dodson	EV2 – 50,000 EV3 – 70,000
US30 Hwy #100	EB & WB	57.28	Historic Columbia River Hwy crossing Rock Creek Bridge.	Mosier	EV2 – 56,000 EV3 – 54,000
US30 Hwy #100	EB & WB	57.84	Historic Columbia River Hwy crossing Mosier Creek Bridge 0.31 mile east of Exit 69.	Mosier	EV3 - 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US30 Hwy #100	EB & WB	63.15	Historic Columbia River Hwy crossing Hog Creek Canyon Bridge.	Rowena	EV3 – 70,000
US30 Hwy #100	EB & WB	63.79	Historic Columbia River Hwy crossing Dry Canyon Creek Bridge.	Rowena	EV2 – 46,000 EV3 – 62,000
US95	NB & SB	10.98	US95 crossing Cow Creek Bridge.	Sheaville	EV3 – 70,000
US95	NB & SB	52.97	US95 crossing Owyhee River Bridge.	Rome	EV2 – 46,000 EV3 – 62,000
US97	NB & SB	-0.43	US97 crossing Sam Hill Memorial Bridge (Biggs Rapids Bridge).	Biggs Junction	EV3 – 82,000
US97	NB & SB	275.00	US97 crossing over Link River and Main St state connector road.	Klamath Falls	EV3 – 82,000
US101	NB & SB	2.41	US101 crossing Astoria-Megler River Bridge over the Columbia River and over US30.	Astoria	EV2 – 54,000 EV3 – 74,000
US101	NB & SB	4.91	New Youngs Bay Bridge crossing Youngs River.	Astoria	EV2 – 54,000 EV3 – 76,000
US101	NB & SB	22.48	US101 crossing Dooley Creek Bridge over Shangri La Creek.	Seaside	EV3 – 72,000
US101	NB & SB	39.53	US101 crossing Sam Reed Bridge over Necarney Creek.	Short Sands Beach	EV2 – 48,000 EV3 – 66,000
US101	NB & SB	40.86	US101 crossing over Neahkahnie South Viewpoint half viaduct.	Manzanita	EV3 – 72,000
US101	NB & SB	49.23	US101 crossing Crescent Lake Bridge (Lake Lytle Outlet) over Crescent Creek.	Rockaway	EV3 – 60,000
US101	NB & SB	71.18	US101 crossing Fawcett Creek Bridge.	Tillamook	EV3 – 82,000
US101	NB & SB	76.64	US101 crossing Tiger Creek Bridge.	Tillamook	EV3 – 68,000
US101	NB & SB	77.53	US101 crossing West Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 54,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB & SB	79.61	US101 crossing Beaver Creek Bridge.	Beaver	EV3 – 56,000
US101	NB & SB	80.32	US101 crossing Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 60,000
US101	NB & SB	85.01	US101 crossing Three Rivers Bridge.	Hebo	EV3 – 78,000
US101	NB & SB	88.68	US101 crossing Clear Creek Bridge.	Cloverdale	EV3 – 76,000
US101	NB & SB	118.20	US101 crossing Schooner Creek Bridge over Siletz River.	Lincoln City	EV3 – 72,000
US101	NB & SB	120.20	US101 crossing Siletz River Bridge.	Kernville	EV2 – 52,000 EV3 – 72,000
US101	NB & SB	127.60	US101 crossing Depoe Bay Bridge.	Depoe Bay	EV3 – 70,000
US101	NB & SB	141.40	US101 crossing Yaquina Bay Bridge northside approach spans.	Newport	EV3 - 80,000
US101	NB & SB	141.70	US101 crossing Yaquina Bay Bridge.	Newport	EV3 – 72,000
US101	NB & SB	141.82	US101 crossing Yaquina Bay Bridge southside approach spans.	Newport	EV3 – 74,000
US101	NB & SB	168.40	US101 crossing Cummins Creek Bridge.	Yachats (Neptune Beach)	EV3 – 82,000
US101	NB & SB	178.40	US101 crossing Cape Creek Bridge.	Heceta Head	EV3 – 58,000
US101	NB & SB	190.98	US101 crossing Siuslaw River Bridge.	Florence	EV2 – 50,000 EV3 – 60,000
US101	NB & SB	196.90	US101 crossing Siltcoos River Bridge.	Westlake	EV2 – 54,000 EV3 – 76,000
US101	NB & SB	211.20	US101 crossing Umpqua River Bridge and McIntosh Slough.	Reedsport	EV3 – 80,000
US101	NB & SB	213.20	US101 crossing over Ranch Rd.	Reedsport	EV3 – 80,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB & SB	233.10	US101 crossing Coos Bay Causeway over Haynes Inlet.	Coos Bay	EV2 – 50,000 EV3 – 68,000
US101	NB & SB	282.10	US101 crossing Fourmile Creek Bridge.	Bandon	EV3 – 66,000
US101	NB & SB	286.60	US101 crossing Morton Creek Bridge.	Langlois	EV3 – 84,000
US101	NB & SB	311.40	US101 crossing Reinhart Creek Bridge.	Port Orford - Ophir	EV2 – 52,000 EV3 – 72,000
US101	NB & SB	326.50	US101 crossing Knox Interchange over Ocean Way.	Gold Beach	EV3 – 54,000
US101	NB & SB	327.70	US101 crossing Isaac Lee Patterson Bridge (Wedderburn Bridge) over Rogue River.	Gold Beach	EV3 – 64,000
US101	NB & SB	347.80	US101 crossing Thomas Creek Bridge.	Brookings	EV3 – 68,000
US197	NB & SB	0.76	US197 crossing over State Rd and railroad tracks.	The Dalles	EV3 – 84,000
US197	NB & SB	45.84	US197 crossing Deschutes River Bridge and railroad tracks.	Maupin	EV3 – 60,000
US199	NB & SB	2.95	US199 crossing over Sand Creek culvert.	Grants Pass	EV2 – 46,000 EV3 – 56,000
US199 Frontage	NB & SB	7.10	Slate Creek frontage road crossing Slate Creek.	Wilderville	EV2 – 42,000 EV3 – 58,000
US199	NB & SB	14.17	US199 crossing Slate Creek Bridge.	Wilderville	EV3 - 74,000
US199	NB & SB	14.32	US199 crossing Butcherknife Creek Bridge.	Wilderville	EV3 – 78,000
US199	NB & SB	18.15	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 66,000
US199	NB & SB	19.28	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 82,000
US199	NB & SB	26.80	US199 crossing Holton Creek Bridge.	Kerby	EV3 – 66,000
US199	NB & SB	40.87	US199 crossing Dwight Creek Bridge.	O'Brien	EV3 – 76,000
US395	NB & SB	6.60	US395 crossing over "A"-Line Canal.	Hermiston	EV3 – 84,000
US395	NB & SB	6.84	US395 crossing over railroad tracks.	Hermiston	EV2 – 50,000 EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US395	NB & SB	10.60	US395 crossing over USRS Feed Canal.	Stanfield	EV3 – 80,000
US395	NB & SB	17.44	US395 crossing West Fork Creek Birch Bridge.	Pilot Rock	EV3 – 78,000
US395	NB & SB	15.27	US395 crossing East Fork Creek Birch Bridge.	Pilot Rock	EV3 – 76,000
US395	NB & SB	98.31	US395 crossing over Smith Creek Bridge.	Fox	EV3 – 84,000
US395	NB & SB	118.30	US395 crossing Beech Creek Bridge.	Mt Vernon	EV2 – 46,000 EV3 – 64,000
US395	NB & SB	125.50	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV2 – 52,000 EV3 – 58,000
US395	N& & SB	125.80	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV3 – 66,000
US730	EB & WB	182.60	US730 crossing Umatilla River Bridge.	Umatilla	EV2 – 44,000 EV3 – 56,000
US730	EB & WB	183.70	US730 crossing over railroad tracks.	Umatilla	EV3 – 80,000
US730	EB & WB	197.80	US730 crossing over Juniper Point half viaduct.	Umatilla	EV3 – 56,000
US730	EB & WB	199.00	US730 crossing Juniper Canyon Creek Bridge.	Umatilla	EV3 – 80,000
OR6	EB & WB	11.80	OR6 crossing Wilson River Bridge.	Tillamook	EV3 – 66,000
OR6	EB & WB	38.65	OR6 crossing Gales Creek Bridge.	Gales Creek	EV2 – 50,000 EV3 – 68,000
OR6	EB & WB	48.35	OR6 crossing West Fork Dairy Creek overflow.	Banks	EV3 – 76,000
OR7	NB & SB	31.01	OR7 crossing Deer Creek Bridge.	Phillips Lake	EV3 – 66,000
OR8	EB & WB	14.31	OR8 crossing Dairy Creek Bridge.	Hillsboro	EV3 – 60,000
OR11	NB & SB	30.75	OR11 crossing Little Walla Walla River Bridge.	Milton-Freewater	EV3 – 56,000
OR18	EB & WB	0.04	OR18 crossing over US101.	Otis	EV3 – 64,000
OR18	EB & WB	5.34	OR18 crossing Slick Rock Creek Bridge.	Rose Lodge	EV3 – 60,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR18	EB & WB	6.23	OR18 crossing Salmon River Bridge.	Rose Lodge	EV2 – 54,000 EV3 – 44,000
OR18	EB & WB	18.78	OR18 crossing Rogue River Bridge.	Grand Ronde	EV3 – 70,000
OR18	EB & WB	33.21	OR18 crossing over culvert just west of railroad tracks.	Sheridan	EV2 – 52,000 EV3 – 44,000
OR18	EB & WB	51.57	OR18 crossing Yamhill River Bridge.	Dayton	EV2 – 56,000 EV3 – 78,000
OR19	NB & SB	79.03	OR19 crossing Mule Shoe Creek Bridge.	Service Creek	EV2 - 52,000 EV3 – 70,000
OR19	NB & SB	81.85	OR19 crossing Juniper Creek Bridge.	Service Creek	EV3 – 80,000
OR19	NB & SB	89.19	OR19 crossing Snabel Creek Bridge.	Spray	EV3 – 70,000
OR19	NB & SB	105.60	OR19 crossing North Fork John Day River Bridge.	Kimberly	EV2 – 48,000 EV3 – 66,000
OR19	NB & SB	124.10	OR19 crossing Rock Creek Bridge.	Picture Gorge	EV3 – 60,000
OR22	EB & WB	1.47	OR22 crossing Cedar Creek Bridge.	Hebo	EV3 – 56,000
OR22	EB & WB	4.43	OR22 crossing Three Rivers Bridge.	Hebo	EV3 – 82,000
OR22	EB & WB	5.81	OR22 crossing Alder Creek Bridge.	Castle Rock	EV3 – 58,000
OR22	EB & WB	7.19	OR22 crossing Buck Creek Bridge.	West of Dolph	EV3 – 58,000
OR22	EB & WB	7.32	OR22 crossing Alder Creek Bridge.	West of Dolph	EV2 – 52,000 EV3 – 54,000
OR22	EB & WB	10.49	OR22 crossing Louie Creek Bridge.	Dolph	EV3 – 68,000
OR22	EB & WB	10.66	OR22 crossing Louie Creek Bridge.	Dolph	EV2 – 36,000 EV3 – 50,000
OR22	EB & WB	18.57	OR22 crossing South Yamhill River Bridge.	Grand Ronde	EV3 – 60,000
OR22	EB & WB	3.97	OR22 crossing Gooseneck Creek Bridge.	Buell	EV3 – 64,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR22	EB & WB	4.71	OR22 crossing Mill Creek Bridge.	Buell	EV3 – 74,000
OR22	EB & WB	8.38	OR22 crossing Salt Creek Bridge.	Dallas	EV3 – 54,000
OR22	WB	25.43	OR22 WB crossing over OR221 SB.	West Salem	EV3 – 78,000
OR22	WB	25.91	OR22 WB as Marion Street crossing Willamette River Bridge, OR221 WB and OR22/OR99E Business connector road.	Salem	EV3 – 72,000
OR22	EB	6.45	OR22 EB as Mission Street on-ramp crossing over 13 th St and railroad tracks.	Salem	EV2 – 40,000 EV3 – 54,000
OR22	WB	6.45	OR22 WB as Mission Street off-ramp crossing over railroad tracks and Shelton Ditch.	Salem	EV2 – 42,000 EV3 – 58,000
OR22	EB & WB	23.28	OR22 crossing Little North Fork Santiam River Bridge.	Mehama	EV3 – 72,000
OR22	EB & WB	47.69	OR22 crossing Tumble Creek Bridge.	Detroit	EV2 – 46,000 EV3 – 64,000
OR22	EB & WB	54.09	OR22 crossing Boulder Creek Bridge.	Idanha	EV3 – 78,000
OR22	EB & WB	65.48	OR22 crossing Minto Creek Bridge.	Marion Forks	EV3 – 52,000
OR27	NB & SB	1.90	OR27 crossing over irrigation canal.	Prineville	EV2 – 38,000 EV3 – 36,000
OR27	NB & SB	2.88	OR27 crossing over irrigation canal.	Prineville	EV2 – 56,000 EV3 – 54,000
OR27	NB & SB	4.59	OR27 crossing over irrigation canal.	Prineville	EV2 – 40,000 EV3 – 38,000
OR27	NB & SB	6.32	OR27 crossing Dry Creek Bridge.	Prineville	EV2 – 52,000 EV3 – 72,000
OR27	NB & SB	19.62	OR27 crossing over Crooked River Dam spillway.	Bowman Dam	EV2 – 56,000 EV3 – 58,000
OR27	NB & SB	28.67	OR27 crossing Bear Creek Bridge.	Bowman Dam	EV3 – 74,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR34	EB & WB	4.67	OR34 crossing Southworth Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 60,000
OR34	EB & WB	6.71	OR34 crossing Arnold Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 58,000
OR34	EB & WB	7.06	OR34 crossing Alsea River Bridge.	Waldport	EV3 – 74,000
OR34	EB & WB	14.22	OR34 crossing Scott Creek Bridge.	Tidewater	EV3 – 62,000
OR34	EB & WB	43.03	OR34 crossing North Fork Alsea River Bridge.	Alsea	EV2 – 40,000 EV3 – 54,000
OR34	EB & WB	58.43	OR34 crossing Flynn Bridge over Marys River.	Philomath	EV3 – 78,000
OR34	EB & WB	5.91	OR34 crossing Calapooia River overflow.	Tangent	EV3 – 78,000
OR34	EB & WB	7.80	OR34 crossing over Tangent Industrial Park Access.	Tangent	EV2 – 44,000 EV3 – 60,000
OR35	EB & WB	68.23	OR35 crossing over East Fork Hood River Bridge.	North of Bennett Pass Summit	EV3 – 66,000
OR36	EB & WB	10.55	OR36 crossing Indian Creek Bridge.	Swiss Home	EV3 – 80,000
OR36	EB & WB	29.38	OR36 crossing Lake Creek Bridge.	Triangle Lake	EV3 – 78,000
OR36	EB & WB	29.51	OR36 crossing Lake Creek overflow.	Triangle Lake	EV3 – 78,000
OR36	EB & WB	37.86	OR36 crossing Long Tom River Bridge.	Low Pass	EV3 – 74,000
OR36	EB & WB	48.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	48.78	OR36 crossing unnamed creek.	Cheshire	EV3 – 54,000
OR36	EB & WB	50.16	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	50.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 56,000
OR36	EB & WB	50.62	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	51.29	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR39	EB & WB	3.25	OR39 crossing over Altamont USRS Canal.	Klamath Falls	EV3 – 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR39	EB & WB	12.21	OR39 crossing Lost River Bridge.	Merrill	EV3 – 82,000
OR42	EB & WB	0.57	OR42 crossing Davis Slough.	Coos Bay	EV3 – 78,000
OR42	EB & WB	4.14	OR42 crossing over railroad tracks.	Coos Bay	EV3 – 62,000
OR42	EB & WB	5.34	OR42 crossing Beaver Creek Bridge.	Coaledo	EV3 – 84,000
OR42	EB & WB	19.8	OR42 crossing overflow channel.	Myrtle Point	EV3 – 80,000
OR42	EB & WB	40.77	OR42 crossing Middle Fork Coquille River Bridge.	Remote	EV3 – 78,000
OR42	EB & WB	63.97	OR42 crossing Tenmile Creek Bridge.	Tenmile	EV3 – 70,000
OR42	EB & WB	74.47	OR42 crossing South Umpqua River Bridge.	Green	EV2 – 56,000 EV3 – 70,000
OR43	NB & SB	4.00	OR43 crossing Riverside Canyon partial viaduct.	Portland	EV3 – 82,000
OR43	SB	6.77	OR43 SB crossing Oswego Creek Bridge.	Lake Oswego	EV3 – 68,000
OR43	NB	6.82	OR43 NB crossing Oswego Creek partial viaduct.	Lake Oswego	EV3 – 82,000
OR43	NB & SB	11.43	OR43 crossing Oregon City Arch Bridge over the Willamette River.	Oregon City	EV3 – 56,000
OR46	EB & WB	2.19	OR46 crossing Chapman Creek Bridge.	Cave Junction	EV3 – 76,000
OR47	NB & SB	57.14	OR47 crossing East Fork Nehalem River Bridge.	Pittsburg	EV3 – 76,000
OR47	NB & SB	61.28	OR47 crossing Nehalem River Bridge.	Vernonia	EV2 – 48,000 EV3 – 48,000
OR47	NB & SB	64.60	OR47 crossing Beaver Creek Bridge.	Vernonia	EV2 – 42,000 EV3 – 58,000
OR47	NB & SB	69.03	OR47 crossing Beaver Creek Bridge.	Vernonia	EV3 – 78,000
OR47	NB & SB	75.09	OR47 crossing Cummings Creek Bridge over West Fork Dairy Creek.	Buxton	EV3 – 72,000
OR47	NB & SB	86.34	OR47 crossing West Fork Dairy Creek Bridge.	Forest Grove	EV3 – 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR47	NB & SB	34.71	OR47 crossing Yamhill Creek Bridge.	Yamhill	EV2 – 48,000 EV3 – 66,000
OR53	NB & SB	1.46	OR53 crossing Bergsvik Creek Bridge.	Hamlet	EV2 – 46,000 EV3 – 64,000
OR53	NB & SB	5.98	OR53 crossing Jack Horner Creek Bridge.	Nehalem	EV2 – 56,000 EV3 – 60,000
OR53	NB & SB	6.50	OR53 crossing Soapstone Creek Bridge.	Nehalem	EV2 – 38,000 EV3 – 62,000
OR53	NB & SB	17.76	OR53 crossing Nehalem River Bridge.	Nehalem	EV3 – 64,000
OR58	EB & WB	0.89	OR58 crossing Coast Fork Willamette River overflow.	Eugene	EV2 – 54,000 EV3 – 74,000
OR58	EB & WB	1.96	OR58 crossing Coast Fork Willamette River relief opening.	Eugene	EV3 – 80,000
OR58	EB & WB	30.76	OR58 crossing Deception Creek Bridge.	Westfir	EV3 – 76,000
OR58 Frontage	EB & WB	31.76	Westfir frontage road crossing over the Willamette River.	Westfir	EV3 – 76,000
OR62	EB & WB	14.61	OR62 crossing Reese Creek Bridge.	Shady Cove	EV3 – 76,000
OR62	EB & WB	19.81	OR62 crossing Indian Creek Bridge.	Shady Cove	EV3 – 84,000
OR62	EB & WB	35.41	OR62 crossing Peyton Bridge over Rogue River.	Prospect	EV3 – 78,000
OR62	EB & WB	42.45	OR62 crossing over PP&L Canal spillway.	Prospect	EV3 – 72,000
OR62	EB & WB	55.98	OR62 crossing Union Creek Bridge.	Union Creek	EV2 – 52,000 EV3 – 54,000
OR74	NB & SB	45.47	OR74 crossing Hinton Creek Bridge.	Heppner	EV3 – 72,000
OR74	NB & SB	45.99	OR74 crossing Willow Creek Bridge.	Heppner	EV3 – 76,000
OR74	NB & SB	76.68	OR74 crossing Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 72,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR74	NB & SB	77.45	OR74 crossing over Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 70,000
OR78	NB & SB	22.34	OR78 crossing Malheur Slough.	Lawen	EV3 – 82,000
OR86	EB & WB	40.64	OR86 crossing Eagle Creek Bridge.	Richland	EV2 – 52,000 EV3 – 70,000
OR86	EB & WB	55.83	OR86 crossing East Pine Creek Bridge.	Halfway	EV2 – 44,000 EV3 – 56,000
OR99	NB & SB	6.81	OR99 crossing Hill Creek Bridge.	Creswell	EV3 – 74,000
OR99 State Owned	EB & WB	0.07	Stephens St (old OR99) crossing Deer Creek Bridge north of OR138 junction.	Roseburg	EV3 – 80,000
OR99	NB & SB	0.09	OR99 running in conjunction with OR234 (Hwy 271) crossing Rock Creek Bridge over Rogue River.	Gold Hill	EV3 – 62,000
OR99	EB & WB	2.65	OR99 as Gold Hill Spur Hwy/2 nd Ave (Hwy 486) crossing over Rogue River near Gold Hill Wayside.	Gold Hill	EV3 – 76,000
OR99	EB & WB	10.83	OR99 crossing Birdseye Creek Bridge.	Gold Hill	EV2 – 44,000 EV3 – 62,000
OR99	EB & WB	11.36	OR99 crossing Foots Creek Bridge.	Gold Hill	EV3 – 82,000
OR99	EB & WB	12.11	OR99 crossing Millers Gulch Bridge.	Gold Hill	EV3 – 84,000
OR99	NB & SB	1.09	OR99 crossing Jackson Creek Bridge.	Central Point	EV3 – 72,000
OR99	NB & SB	2.18	OR99 crossing Griffin Creek Bridge.	Medford	EV3 – 78,000
OR99	NB & SB	8.17	OR99 crossing over irrigation canal.	Medford	EV2 – 40,000 EV3 – 58,000
OR99	NB & SB	14.39	OR99 crossing Wagner Creek Bridge.	Talent	EV2 – 42,000 EV3 – 44,000
OR99E	NB & SB	-4.41	OR99E crossing Columbia Slough.	Portland	EV2 – 38,000 EV3 – 62,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99E State Owned	SB	-0.20	NE Martin Luther King Jr Blvd (old OR99E) crossing over I-84 and railroad tracks.	Portland	EV2 – 50,000 EV3 – 68,000
OR99E	NB & SB	1.59	OR99E crossing over Grand Ave viaduct.	Portland	EV3 – 76,000
OR99E	NB & SB	5.97	OR99E crossing Kellogg Lake outlet.	Milwaukie	EV2 – 56,000 EV3 – 78,000
OR99E	NB & SB	11.20	OR99E crossing McLoughlin Bridge over Clackamas River.	Gladstone	EV3 – 74,000
OR99E	NB & SB	12.22	OR99E crossing over Water Street partial viaduct.	Oregon City	EV3 – 72,000
OR99E	NB & SB	12.29	OR99E crossing over Water Street viaduct.	Oregon City	EV3 – 72,000
OR99E	NB & SB	13.86	OR99E crossing over Canemah Bluff partial viaduct.	Oregon City	EV3 – 66,000
OR99E	NB & SB	22.03	OR99E crossing Molalla River Bridge.	Canby	EV2 – 56,000 EV3 – 78,000
OR99E	NB & SB	24.81	OR99E crossing Pudding River relief channel.	Aurora	EV3 – 54,000
OR99E	SB	27.26	OR99E SB crossing over OR551.	Hubbard	EV3 – 64,000
OR99E	NB & SB	0.69	OR99E crossing Cox Creek Bridge.	Albany	EV2 – 40,000 EV3 – 56,000
OR99E	NB & SB	2.20	OR99E/US20 crossing over 7 th Ave/Jackson St and railroad tracks.	Albany	EV3 – 70,000
OR99E	NB & SB	4.47	OR99E crossing Oak Creek Bridge.	Albany	EV3 – 82,000
OR99E	NB & SB	10.66	OR99E crossing unnamed creek.	Tangent	EV2 – 42,000 EV3 – 58,000
OR99E	NB & SB	11.34	OR99E crossing Calapooia River Bridge.	Tangent	EV3 – 56,000
OR99E	NB & SB	29.27	OR99E crossing John B. Yeon Bridge over the Willamette River.	Harrisburg	EV3 – 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99W	NB & SB	-5.50	OR99W crossing over N Victory Blvd 5.5 miles north of PCC.	Portland	EV3 – 78,000
OR99W Connector	NB	-0.52	OR99W NB state connector / Everett St on-ramp crossing over Naito Parkway at northwest end of Steel Bridge.	Portland	EV3 – 74,000
OR99W	NB & SB	-0.36	OR99W crossing Steel Bridge over the Willamette River and railroad tracks.	Portland	EV3 – 66,000
OR99W Connector	SB	-0.31	OR99W SB state connector / Glisan St off-ramp crossing over NW Front Ave and railroad tracks at northwest end of Steel Bridge.	Portland	EV3 – 66,000
OR99W	NB	-0.14	OR99W NB Steel Bridge on-ramp.	Portland	EV3 – 80,000
OR99W	NB & SB	1.67	OR99W crossing over US26 EB and SW Grover St.	Portland	EV3 – 78,000
OR99W	NB	1.93	OR99W NB crossing over Harbor Dr viaduct.	Portland	EV3 – 72,000
OR99W	NB & SB	3.25	OR99W crossing over Newbury St viaduct south of OR10 (Capitol Hwy).	Portland	EV2 – 56,000 EV3 – 28,000
OR99W	NB & SB	3.50	OR99W crossing over Vermont St viaduct 0.3 mile south of OR10 (Capitol Hwy).	Portland	EV3 – 74,000
OR99W	NB & SB	9.21	OR99W crossing railroad tracks.	Tigard	EV2 – 46,000 EV3 – 64,000
OR99W	NB	13.83	OR99W NB crossing Rock Creek Bridge.	Sherwood	EV2 – 50,000 EV3 – 68,000
OR99W	SB	34.96	OR99W SB crossing over North Yamhill River Bridge.	McMinnville	EV2 – 42,000 EV3 – 64,000
OR99W	NB & SB	56.33	OR99W crossing Baskett Slough.	Rickreall	EV3 – 70,000
OR99W	NB & SB	62.01	OR99W North Fork Ash Creek Bridge.	Monmouth	EV3 – 66,000
OR99W	NB & SB	71.57	OR99W crossing Soap Creek Bridge.	Suver	EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99W	NB & SB	79.97	OR99W crossing Jackson Creek Bridge.	Corvallis	EV2 – 46,000 EV3 – 52,000
OR99W	NB	84.14	OR99W NB crossing Marys River Bridge.	Corvallis	EV3 – 62,000
OR99W	SB	84.20	OR99W SB crossing Marys River Bridge.	Corvallis	EV3 – 78,000
OR99W	NB & SB	101.16	OR99W crossing Long Tom River Bridge.	Monroe	EV3 – 72,000
OR99W	NB & SB	105.58	OR99W crossing Cow Creek Bridge.	Junction City	EV3 – 60,000
OR99W	NB & SB	107.30	OR99W crossing Flat Creek Bridge.	Junction City	EV3 – 54,000
OR99W	NB & SB	108.11	OR99W crossing unnamed creek.	Junction City	EV3 – 58,000
OR99W	NB & SB	108.41	OR99W crossing unnamed creek.	Junction City	EV3 – 60,000
OR105	EB & WB	4.78	OR105 crossing Lewis and Clark River Bridge.	Astoria	EV3 – 54,000
OR105	EB & WB	6.89	OR105 crossing Old Youngs Bay Bridge over Youngs River.	Astoria	EV3 – 68,000
OR105	EB & WB	7.10	OR105 crossing over Port of Astoria Beltline.	Astoria	EV2 – 54,000 EV3 – 76,000
OR120 State Owned	EB & WB	0.38	OR120 as N Portland Rd crossing Columbia River Slough.	Portland	EV2 – 54,000 EV3 – 52,000
OR126	EB & WB	32.40	OR126 crossing Chickahominy Creek Bridge.	Walton	EV3 – 72,000
OR126	EB & WB	51.77	OR126 crossing unnamed bridge.	Eugene	EV3 – 60,000
OR126	WB	1.34	OR126 crossing Main Street bridge over the Willamette River.	Springfield	EV2 – 46,000 EV3 – 64,000
OR126	EB & WB	3.04	OR126 crossing Hendricks Park Rd right of way overflow.	Springfield	EV3 - 80,000
OR126	EB & WB	18.32	OR126 crossing over Holden Creek culvert.	Leaburg	EV3 – 56,000
OR126	EB & WB	17.26	OR126 crossing Boulder Creek Bridge.	Belknap Springs	EV3 – 76,000
OR126	EB & WB	17.76	OR126 crossing Scott Creek Bridge.	Belknap Springs	EV3 – 82,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR126	EB & WB	3.04	OR126 crossing over Ochoco North Main Canal.	Redmond	EV3 – 74,000
OR130	EB & WB	3.23	OR130 crossing Panther Creek Bridge over Kellow Creek.	Upton Falls	EV2 – 50,000 EV3 – 42,000
OR130	EB & WB	3.60	OR130 crossing Squaw Creek Bridge.	Upton Falls	EV2 – 54,000 EV3 – 52,000
OR130	EB & WB	3.82	OR130 crossing Austin Creek Bridge.	Upton Falls	EV3 – 62,000
OR130	EB & WB	4.15	OR130 crossing Little Nestucca River Bridge.	Upton Falls	EV3 – 64,000
OR130	EB & WB	4.76	OR130 crossing Bear Creek Bridge.	Upton Falls	EV3 – 64,000
OR130	EB & WB	5.11	OR130 crossing Yach Bridge over Little Nestucca River.	Dolph	EV3 – 56,000
OR130	EB & WB	5.97	OR130 crossing Muscott Bridge over Little Nestucca River.	Dolph	EV3 – 56,000
OR131	EB & WB	7.49	OR131 crossing Tillamook River Bridge.	Tillamook	EV3 – 70,000
OR131	EB & WB	8.33	OR131 crossing Stillwell Bridge over Trask River.	Tillamook	EV2 – 48,000 EV3 – 66,000
OR130	EB & WB	7.55	OR130 crossing Weed Bridge over Little Nestucca River.	Dolph	EV3 – 62,000
OR138	NB & SB	6.32	OR138 crossing Kellogg Bridge over Umpqua River.	Kellogg	EV2 – 54,000 EV3 – 76,000
OR138	NB & SB	12.36	OR138 crossing Yellow Creek Bridge.	Kellogg	EV2 – 56,000 EV3 – 58,000
OR138	EB & WB	17.86	OR138 crossing Lone Rock Bridge over North Umpqua River.	Glide	EV3 – 82,000
OR138	EB & WB	47.51	OR138 crossing Dry Creek Bridge.	Clearwater	EV3 – 76,000
OR138	EB & WB	50.03	OR138 crossing Marsters Bridge over North Umpqua River.	Clearwater	EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR138	EB & WB	55.97	OR138 crossing Fish Creek Bridge.	Clearwater	EV3 – 64,000
OR140	EB & WB	-7.02	OR140 crossing over multi-use path.	Central Point	EV3 – 66,000
OR140	EB & WB	8.46	OR140 crossing Schoolhouse Creek Bridge.	Brownsboro	EV3 – 66,000
OR140	EB & WB	12.47	OR140 crossing Long Branch Creek Bridge.	Lake Creek	EV3 – 80,000
OR140	EB & WB	54.24	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 80,000
OR140	EB & WB	54.49	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 82,000
OR140	EB & WB	15.41	OR140 crossing Blue Creek Bridge.	Lakeview	EV3 – 80,000
OR140	EB & WB	29.65	OR140 crossing Deep Creek Bridge.	Adel	EV3 – 76,00
OR140	EB & WB	32.78	OR140 crossing Twentymile Creek Bridge.	Adel	EV2 – 54,000 EV3 – 74,000
OR141	NB & SB	12.84	OR141 (SW Elligsen Rd) crossing over I-5.	Wilsonville	EV2 – 50,000 EV3 – 68,000
OR154	NB & SB	3.05	OR154 crossing Fulgham Bridge over West Fork Palmer Creek (Farmer River).	Dayton	EV3 – 64,000
OR164	NB & SB	2.64	OR164 crossing Chehulpum Creek Bridge.	Jefferson	EV3 – 78,000
OR164	NB & SB	6.27	OR164 crossing Santiam River Bridge.	Jefferson	EV3 – 68,000
OR164	NB & SB	6.98	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 76,000
OR164	NB & SB	7.12	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 80,000
OR180	EB & WB	7.73	OR180 crossing Randall Creek Bridge.	Nortons	EV2 – 50,000 EV3 – 70,000
OR180	EB & WB	14.70	OR180 crossing Marys River Bridge.	Summit	EV2 – 44,000 EV3 – 60,000
OR180	EB & WB	11.81	OR180 crossing Yaquina River Bridge.	Nashville	EV3 – 58,000
OR194	EB & WB	6.27	OR194 crossing South Fork Ash Creek Bridge.	Monmouth	EV2 – 56,000 EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR200 State Owned	NB & SB	5.43	Territorial Hwy (old OR200) crossing Furguson Creek Bridge.	Monroe	EV2 – 44,000 EV3 – 60,000
OR202	NB & SB	29.32	OR202 crossing Beneke Creek Bridge.	Jewell	EV3 – 68,000
OR203	NB & SB	15.65	OR203 crossing Little Creek Bridge.	Union	EV3 – 68,000
OR203	NB & SB	9.57	OR203 crossing Catherine Creek Bridge.	East of Union	EV2 – 48,000 EV3 – 68,000
OR206	EB & WB	2.92	OR206 crossing Deschutes River Bridge.	East of Celilo	EV3 – 82,000
OR206	EB & WB	4.76	OR206 crossing Fulton Canyon Bridge.	East of Celilo	EV3 – 78,000
OR206	EB & WB	51.66	OR206 crossing Rock Creek Bridge.	East of Condon	EV3 – 66,000
OR211	EB & WB	21.54	OR211 crossing Canyon Creek Bridge.	Colton	EV3 – 74,000
OR211	EB & WB	33.40	OR211 crossing Clackamas River Bridge.	Estacada	EV2 – 54,000 EV3 – 58,000
OR211	EB & WB	2.08	OR211 crossing Deep Creek Bridge.	Sandy	EV3 – 70,000
OR213 State Owned	SB	2.25	82 nd Ave (old OR213) crossing over I-84 and MAX light rail.	Portland	EV3 – 84,000
OR213	NB & SB	9.67	OR213 crossing Mt Scott Creek Bridge and railroad tracks.	Clackamas	EV3 – 72,000
OR213	NB & SB	26.91	OR213 crossing Abiqua Creek Bridge.	Silverton	EV3 – 66,000
OR213	NB & SB	27.20	OR213 crossing Evans Creek Bridge.	Silverton	EV2 – 42,000 EV3 – 50,000
OR214	NB & SB	44.15	OR214 crossing Bochsler Creek Bridge.	Mt Angel	EV3 – 64,000
OR214	NB & SB	44.68	OR214 crossing Zollner Creek Bridge.	Mt Angel	EV3 - 82,000
OR214	NB & SB	24.92	OR214 crossing South Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 64,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR214	NB & SB	27.36	OR214 crossing North Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 74,000
OR216	EB & WB	16.79	OR216 crossing Wapinitia Creek Bridge.	Wapinitia	EV2 – 44,000 EV3 – 62,000
OR217 State Owned	EB & WB	0.92	Walker Rd crossing over OR217.	Beaverton	EV3 – 80,000
OR217	NB & SB	1.47	OR217 crossing over OR8.	Beaverton	EV3 – 64,000
OR217	NB & SB	1.76	OR217 crossing over OR10.	Beaverton	EV3 – 68,000
OR217 State Owned	EB & WB	3.02	SW Denney Rd crossing over OR217.	Beaverton	EV3 – 82,000
OR219	NB & SB	7.21	OR219 crossing Burris Creek Bridge.	Midway	EV3 – 84,000
OR219	NB & SB	23.07	OR219 crossing Hess Creek Bridge.	Newberg	EV3 – 78,000
OR219	NB & SB	28.54	OR219 crossing Mission Creek Bridge.	St Paul	EV3 – 84,000
OR219	NB & SB	33.71	OR219 crossing East Champoeg Creek Bridge.	Woodburn	EV3 – 84,000
OR222 State Owned	NB & SB	5.20	Parkway Rd (old OR222) crossing Willamette River Bridge.	Jasper	EV3 – 76,000
OR223	NB & SB	2.99	OR223 crossing Rickreall Creek Bridge.	Dallas	EV3 – 74,000
OR223	NB & SB	7.20	OR223 crossing Fern Creek Bridge.	South of Dallas	EV2 – 36,000 EV3 – 52,000
OR223	NB & SB	10.11	OR223 crossing Little Luckiamute River Bridge.	South of Dallas	EV3 – 56,000
OR223	NB & SB	10.56	OR223 crossing Little Luckiamute River overflow.	South of Dallas	EV3 – 60,000
OR223	NB & SB	16.67	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 44,000 EV3 – 60,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR223	NB & SB	16.83	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 52,000 EV3 – 72,000
OR223	NB & SB	18.90	OR223 crossing Pedee Creek Bridge.	Pedee	EV2 – 38,000 EV3 – 52,000
OR224	EB & WB	5.20	OR224 crossing over railroad tracks.	Clackamas	EV3 – 82,000
OR224	EB & WB	13.90	OR224 crossing Deep Creek Bridge.	West of Barton	EV2 – 52,000 EV3 – 72,000
OR224	EB & WB	39.15	OR224 crossing Armstrong Bridge over Clackamas River.	South of Estacada	EV3 – 80,000
OR224	EB & WB	44.88	OR224 crossing Whitewater Bridge over Clackamas River.	South of Estacada	EV2 – 42,000 EV3 – 58,000
OR224	EB & WB	49.96	OR224 crossing Oak Grove Fork Clackamas River Bridge.	Ripplebrook	EV3 – 56,000
OR226	EB & WB	4.93	OR226 crossing Beaver Creek Bridge.	Crabtree	EV3 – 80,000
OR226	EB & WB	5.43	OR226 crossing Beaver Creek overflow.	Crabtree	EV2 – 46,000 EV3 – 60,000
OR226	EB & WB	24.25	OR226 crossing Trask Creek Bridge.	Lyons	EV2 – 40,000 EV3 – 54,000
OR229	NB & SB	20.66	OR229 crossing Ojalla Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB & SB	23.10	OR229 crossing Fuller Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB & SB	29.64	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 70,000
OR229	NB & SB	30.63	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 68,000
OR230	EB & WB	0.58	OR230 crossing Castle Creek Bridge.	Union Creek	EV3 – 80,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR230	EB & WB	0.96	OR230 crossing Bybee Creek Bridge.	Union Creek	EV2 – 54,000 EV3 – 74,000
OR230	EB & WB	5.16	OR230 crossing Rogue River Bridge.	Union Creek	EV3 – 78,000
OR234	EB & WB	6.06	OR234 crossing Sams Creek Bridge.	Sams Valley	EV3 – 74,000
OR234	EB & WB	11.86	OR234 crossing over E Fork Snider Creek culvert.	Sams Valley	EV2 – 54,000 EV3 – 58,000
OR234	EB & WB	16.01	OR234 crossing Dodge Bridge over Rogue River.	Eagle Point	EV2 – 54,000 EV3 – 76,000
OR237	EB & WB	9.44	OR237 crossing Catherine Creek Bridge over Grande Ronde River and old river channel.	East of Island City	EV2 – 46,000 EV3 – 64,000
OR237	EB & WB	15.91	OR237 crossing Mill Creek Bridge.	Cove	EV2 – 48,000 EV3 – 66,000
OR237	NB & SB	24.60	OR237 crossing over railroad tracks.	Telocaset	EV3 – 84,000
OR238	EB & WB	35.44	OR238 crossing Jackson Creek Bridge.	Central Point	EV3 – 64,000
OR241	EB & WB	0.51	OR241 crossing Eastside Bridge over Isthmus Slough.	Coos Bay	EV2 – 48,000 EV3 – 58,000
OR241	EB & WB	3.73	OR241 crossing Chandler Bridge over Coos River.	Coos Bay	EV3 – 66,000
OR241	EB & WB	14.90	OR241 crossing Marlow Creek Bridge.	Allegany	EV2 – 36,000 EV3 – 48,000
OR244	EB & WB	0.03	OR244 crossing Owens Creek Bridge.	Ukiah	EV3 – 80,000
OR245	NB & SB	3.42	OR245 crossing Burnt River Bridge.	Unity Dam	EV2 – 50,000 EV3 – 48,000
OR260	EB & WB	16.64	OR260 crossing Shan Creek Bridge.	Grants Pass	EV3 – 84,000
OR273	NB & SB	3.63	OR273 crossing over OR273 and railroad tracks.	Ashland	EV2 – 44,000 EV3 – 60,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR281	NB & SB	4.95	OR281 crossing Tucker Bridge over Hood River.	Hood River	EV2 – 50,000 EV3 – 64,000
OR281	NB & SB	12.90	OR281 crossing East Fork Hood River Bridge.	Dee	EV3 – 56,000
OR339	NB & SB	3.16	OR339 crossing East Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR339	NB & SB	3.31	OR339 crossing West Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR350	EB & WB	16.05	OR350 crossing Little Sheep Creek Bridge.	Joseph	EV3 – 76,000
OR351	NB & SB	6.52	OR351 crossing East Fork Wallowa River Bridge.	Joseph	EV3 – 84,000
OR370	EB & WB	0.21	OR370 crossing over Pilot Butte Canal.	Redmond	EV3 – 74,000
OR370	EB & WB	3.85	OR370 crossing over Ochoco Main Canal.	Redmond	EV3 – 66,000
OR380	EB & WB	38.48	OR380 crossing North Fork Crooked River Bridge.	Post	EV3 - 70,000
OR429	NB & SB	2.27	OR429 crossing Crescent Creek Bridge.	Crescent Lake	EV2 – 52,000 EV3 – 72,000
OR501	NB & SB	0.10	OR501 crossing North Fork Alsea River Bridge.	Alsea	EV2 – 52,000 EV3 – 58,000
OR501	NB & SB	3.65	OR501 crossing Bummer Creek Bridge.	Alsea	EV2 – 38,000 EV3 – 52,000
OR540	NB & SB	8.33	OR240 crossing South Slough Drawbridge.	Charleston	EV3 – 78,000
OR542	NB & SB	18.22	OR542 crossing South Fork Coquille River Bridge.	Powers	EV2 – 54,000 EV3 – 74,000