

TABLE 4-1. Oregon Pregnancies to Teens 15-19 Years, 1975-2007

| Year | Pregnancies ¹ | | | | | | Births | | | |
|-----------------------------------|--------------------------|--------|----------|--------|----------|--------|----------|--------|----------|--------|
| | 15 to 17 | | 18 to 19 | | 15 to 19 | | 15 to 17 | | 18 to 19 | |
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 1975 | 3,718 | NA | 5,135 | NA | 8,853 | 80.2 | 1,868 | NA | 3,338 | NA |
| 1980 | 3,844 | 59.3 | 6,576 | 141.9 | 10,420 | 93.8 | 1,775 | 27.4 | 3,883 | 83.8 |
| 1985 | 2,589 | 43.8 | 4,440 | 118.0 | 7,029 | 72.7 | 1,349 | 22.8 | 2,787 | 74.1 |
| 1986 | 2,536 | 43.1 | 4,271 | 108.3 | 6,807 | 69.2 | 1,368 | 23.2 | 2,791 | 70.8 |
| 1987 | 2,629 | 46.7 | 4,365 | 115.6 | 6,994 | 74.4 | 1,507 | 26.8 | 2,856 | 75.6 |
| 1988 | 2,893 | 51.2 | 4,869 | 122.2 | 7,762 | 80.6 | 1,547 | 27.4 | 2,949 | 74.0 |
| 1989 | 2,751 | 50.8 | 5,271 | 121.9 | 8,022 | 82.4 | 1,519 | 28.0 | 3,331 | 77.1 |
| 1990 | 2,842 | 52.2 | 5,174 | 133.4 | 8,016 | 86.0 | 1,660 | 30.5 | 3,420 | 88.2 |
| 1991 | 2,913 | 51.8 | 5,147 | 139.9 | 8,060 | 86.6 | 1,764 | 31.4 | 3,373 | 91.7 |
| 1992 | 2,756 | 47.8 | 4,715 | 125.9 | 7,471 | 78.6 | 1,787 | 31.0 | 3,321 | 88.6 |
| 1993 | 2,858 | 47.9 | 4,734 | 120.0 | 7,592 | 76.6 | 1,843 | 30.9 | 3,248 | 82.3 |
| 1994 | 3,031 | 49.0 | 4,780 | 118.6 | 7,811 | 76.5 | 1,905 | 30.8 | 3,333 | 82.7 |
| 1995 | 3,093 | 49.3 | 4,999 | 120.3 | 8,092 | 77.6 | 1,977 | 31.5 | 3,460 | 83.3 |
| 1996 | 3,108 | 47.3 | 5,242 | 122.9 | 8,350 | 77.1 | 2,015 | 30.7 | 3,661 | 85.8 |
| 1997 | 3,013 | 44.2 | 5,121 | 117.5 | 8,134 | 72.8 | 1,886 | 27.6 | 3,458 | 79.4 |
| 1998 | 2,985 | 42.1 | 5,263 | 118.5 | 8,248 | 71.5 | 1,872 | 26.4 | 3,693 | 83.2 |
| 1999 | 2,810 | 39.3 | 5,311 | 114.8 | 8,121 | 68.9 | 1,796 | 25.1 | 3,695 | 79.8 |
| 2000 | 2,522 | 35.2 | 4,993 | 104.4 | 7,515 | 62.9 | 1,656 | 23.1 | 3,434 | 71.8 |
| 2001 | 2,300 | 31.7 | 4,880 | 101.0 | 7,180 | 59.4 | 1,477 | 20.4 | 3,342 | 69.2 |
| 2002 | 2,031 | 27.6 | 4,387 | 90.8 | 6,418 | 52.6 | 1,307 | 17.7 | 3,103 | 64.2 |
| 2003 | 1,965 | 26.4 | 4,110 | 84.2 | 6,075 | 49.3 | 1,225 | 16.5 | 2,891 | 59.2 |
| 2004 | 1,791 | 23.8 | 3,935 | 79.5 | 5,726 | 45.8 | 1,173 | 15.6 | 2,807 | 56.7 |
| 2005 | 1,762 | 24.2 | 3,947 | 81.5 | 5,709 | 47.1 | 1,151 | 15.8 | 2,841 | 58.7 |
| 2006 | 1,996 | 27.2 | 4,091 | 83.8 | 6,087 | 49.8 | 1,303 | 17.7 | 2,960 | 60.6 |
| 2007 | 1,902 | 25.7 | 4,271 | 86.9 | 6,173 | 50.1 | 1,228 | 16.6 | 3,100 | 63.1 |
| Change Between 1997 and 2007 | -1,111 | -18.5 | -850 | -30.6 | -1,961 | -22.7 | -658 | -11.0 | -358 | -16.3 |
| % Change Between 1997 and 2007 | -36.9% | -41.9% | -16.6% | -26.0% | -24.1% | -31.2% | -34.9% | -39.9% | -10.4% | -20.5% |
| Change Between 2002 and 2007 | -129 | -1.9 | -116 | -3.9 | -245 | -2.5 | -79 | -1.1 | -3 | -1.1 |
| % Change Between 2002 and 2007 | -6.4% | -6.9% | -2.6% | -4.3% | -3.8% | -4.8% | -6.0% | -6.2% | -0.1% | -1.7% |
| Change Between 2006 and 2007 | -94 | -1.5 | 180 | 3.1 | 86 | 0.3 | -75 | -1.1 | 140 | 2.5 |
| % Change Between 2006 and 2007 | -4.7% | -5.5% | 4.4% | 3.7% | 1.4% | 0.6% | -5.8% | -6.2% | 4.7% | 4.1% |

¹ Pregnancy estimates are based on the total number of births and abortions. See also footnote (2) on the next page regarding changes in estimating abortions. Percentage change calculations may vary due to computer rounding.

All rates are per 1,000 females.

N.A. = Not Available

TABLE 4-1. Oregon Pregnancies to Teens 15-19 Years, 1975-2007 (Continued)

| Births | | Abortions ² | | | | | | NS | Year |
|----------|--------|------------------------|--------|----------|--------|----------|--------|-----|-----------------------------------|
| 15 to 19 | | 15 to 17 | | 18 to 19 | | 15 to 19 | | | |
| No. | Rate | No. | Rate | No. | Rate | No. | Rate | | |
| 5,206 | 47.2 | 1,850 | NA | 1,797 | NA | 3,647 | 33.1 | 23 | 1975 |
| 5,658 | 50.9 | 2,069 | 31.9 | 2,693 | 58.1 | 4,762 | 42.9 | 903 | 1980 |
| 4,136 | 42.8 | 1,240 | 21.0 | 1,653 | 43.9 | 2,893 | 29.9 | 737 | 1985 |
| 4,159 | 42.3 | 1,168 | 19.8 | 1,480 | 37.5 | 2,648 | 26.9 | 114 | 1986 |
| 4,363 | 46.4 | 1,122 | 19.9 | 1,509 | 40.0 | 2,631 | 28.0 | 47 | 1987 |
| 4,496 | 46.7 | 1,346 | 23.8 | 1,920 | 48.2 | 3,266 | 33.9 | 48 | 1988 |
| 4,850 | 49.8 | 1,232 | 22.7 | 1,940 | 44.9 | 3,172 | 32.6 | 222 | 1989 |
| 5,080 | 54.5 | 1,182 | 21.7 | 1,754 | 45.2 | 2,936 | 31.5 | 122 | 1990 |
| 5,137 | 55.2 | 1,149 | 20.4 | 1,774 | 48.2 | 2,923 | 31.4 | 131 | 1991 |
| 5,108 | 53.7 | 969 | 16.8 | 1,394 | 37.2 | 2,363 | 24.9 | 169 | 1992 |
| 5,091 | 51.3 | 1,015 | 17.0 | 1,486 | 37.7 | 2,501 | 25.2 | 256 | 1993 |
| 5,238 | 51.3 | 1,126 | 18.2 | 1,447 | 35.9 | 2,573 | 25.2 | 180 | 1994 |
| 5,437 | 52.2 | 1,116 | 17.8 | 1,539 | 37.0 | 2,655 | 25.5 | 25 | 1995 |
| 5,676 | 52.4 | 1,093 | 16.6 | 1,581 | 37.1 | 2,674 | 24.7 | 21 | 1996 |
| 5,344 | 47.8 | 1,127 | 16.5 | 1,663 | 38.2 | 2,790 | 25.0 | 3 | 1997 |
| 5,565 | 48.3 | 1,113 | 15.7 | 1,570 | 35.4 | 2,683 | 23.3 | 43 | 1998 |
| 5,491 | 46.6 | 1,014 | 14.2 | 1,616 | 34.9 | 2,630 | 22.3 | 18 | 1999 |
| 5,090 | 42.6 | 866 | 12.1 | 1,554 | 32.6 | 2,425 | 20.3 | 20 | 2000 |
| 4,819 | 39.9 | 823 | 11.4 | 1,538 | 31.8 | 2,361 | 19.5 | 8 | 2001 |
| 4,410 | 36.2 | 724 | 9.8 | 1,284 | 26.6 | 2,008 | 16.5 | 7 | 2002 |
| 4,116 | 33.4 | 740 | 9.9 | 1,219 | 25.0 | 1,959 | 15.9 | 33 | 2003 |
| 3,980 | 31.9 | 618 | 8.2 | 1,128 | 22.8 | 1,746 | 14.0 | 12 | 2004 |
| 3,992 | 32.9 | 611 | 8.4 | 1,106 | 22.8 | 1,717 | 14.2 | 24 | 2005 |
| 4,263 | 34.9 | 693 | 9.4 | 1,131 | 23.2 | 1,824 | 14.9 | 18 | 2006 |
| 4,328 | 35.1 | 674 | 9.1 | 1,171 | 23.8 | 1,845 | 15.0 | 24 | 2007 |
| -1,016 | -12.7 | -453 | -7.4 | -492 | -14.4 | -945 | -10.0 | | Change Between 1997 and 2007 |
| -19.0% | -26.6% | -40.2% | -44.8% | -29.6% | -37.7% | -33.9% | -40.0% | | % Change Between 1997 and 2007 |
| -82 | -1.1 | -50 | -0.7 | -113 | -2.8 | -163 | -1.5 | | Change Between 2002 and 2007 |
| -1.9% | -3.0% | -6.9% | -7.1% | -8.8% | -10.5% | -8.1% | -9.1% | | % Change Between 2002 and 2007 |
| 65 | 0.2 | -19 | -0.3 | 40 | 0.6 | 21 | 0.1 | | Change Between 2006 and 2007 |
| 1.5% | 0.6% | -2.7% | -3.2% | 3.5% | 2.6% | 1.2% | 0.7% | | % Change Between 2006 and 2007 |

² For 1985 and 1988 to current abortion estimates are based on reports for Oregon residents whether occurring in Oregon or another state. For years prior to 1985 (and in 1986-1987) abortion estimates were based on Oregon occurrences only, but included abortions obtained by out-of-state residents. Because some neighboring states do not report abortions to the state of residence (especially California), this results in minimal estimates for both abortions and pregnancies. All rates are per 1,000 females.

N.A. = Not Available

TABLE 4-2. Oregon Pregnancies to Young Teens 10-17 Years, 1975-2007

| Year | Pregnancies ¹ | | | Births | | | Abortions ² | | | Live Births ³ | |
|-----------------------------------|--------------------------|--------|--------|--------|--------|--------|------------------------|--------|--------|--------------------------|-------|
| | 10-14 | 10-17 | | 10-14 | 10-17 | | 10-14 | 10-17 | | 10-14 | 10-17 |
| | No. | No. | Rate | No. | No. | Rate | No. | No. | Rate | Percent | |
| 1975 | 216 | 2,934 | NA | 67 | 1,935 | NA | 149 | 1,999 | NA | 31.0 | 49.2 |
| 1980 | 203 | 4,047 | 24.7 | 71 | 1,846 | 11.3 | 132 | 2,201 | 13.4 | 35.0 | 45.6 |
| 1985 | 132 | 2,721 | 18.2 | 42 | 1,391 | 9.3 | 90 | 1,330 | 8.9 | 31.8 | 51.1 |
| 1986 | 145 | 2,681 | 18.4 | 64 | 1,432 | 9.8 | 81 | 1,249 | 8.5 | 44.1 | 53.4 |
| 1987 | 115 | 2,744 | 19.2 | 59 | 1,566 | 11.0 | 56 | 1,178 | 8.3 | 51.3 | 57.1 |
| 1988 | 122 | 3,015 | 20.6 | 57 | 1,604 | 10.9 | 64 | 1,410 | 9.6 | 46.7 | 53.2 |
| 1989 | 136 | 2,887 | 19.6 | 68 | 1,587 | 10.8 | 68 | 1,300 | 8.8 | 50.0 | 55.0 |
| 1990 | 144 | 2,986 | 19.7 | 76 | 1,736 | 11.4 | 68 | 1,250 | 8.2 | 52.8 | 58.1 |
| 1991 | 173 | 3,086 | 19.3 | 88 | 1,852 | 11.6 | 85 | 1,234 | 7.7 | 50.9 | 60.0 |
| 1992 | 157 | 2,913 | 17.9 | 86 | 1,873 | 11.5 | 71 | 1,040 | 6.4 | 54.8 | 64.3 |
| 1993 | 169 | 3,027 | 18.2 | 83 | 1,926 | 11.6 | 86 | 1,101 | 6.6 | 49.7 | 63.6 |
| 1994 | 183 | 3,214 | 18.9 | 117 | 2,022 | 11.9 | 66 | 1,192 | 7.0 | 63.9 | 62.9 |
| 1995 | 191 | 3,284 | 19.2 | 104 | 2,081 | 12.2 | 87 | 1,203 | 7.0 | 54.5 | 63.4 |
| 1996 | 166 | 3,274 | 18.8 | 91 | 2,106 | 12.1 | 75 | 1,168 | 6.7 | 54.8 | 64.3 |
| 1997 | 184 | 3,197 | 18.0 | 104 | 1,990 | 11.2 | 80 | 1,207 | 6.8 | 56.5 | 62.2 |
| 1998 | 191 | 3,176 | 17.2 | 95 | 1,967 | 10.7 | 96 | 1,209 | 6.6 | 49.7 | 61.9 |
| 1999 | 151 | 2,961 | 15.9 | 86 | 1,882 | 10.1 | 65 | 1,079 | 5.8 | 57.0 | 63.6 |
| 2000 | 131 | 2,653 | 14.0 | 66 | 1,722 | 9.1 | 65 | 931 | 4.9 | 50.4 | 64.9 |
| 2001 | 122 | 2,422 | 12.6 | 66 | 1,545 | 8.0 | 56 | 879 | 4.6 | 54.1 | 63.7 |
| 2002 | 96 | 2,127 | 10.9 | 51 | 1,358 | 7.0 | 45 | 769 | 4.0 | 53.1 | 63.8 |
| 2003 | 104 | 2,069 | 10.5 | 47 | 1,272 | 6.5 | 57 | 797 | 4.1 | 45.2 | 61.5 |
| 2004 | 106 | 1,897 | 9.5 | 55 | 1,228 | 6.2 | 51 | 669 | 3.4 | 51.9 | 64.7 |
| 2005 | 97 | 1,859 | 9.5 | 52 | 1,203 | 6.2 | 45 | 656 | 3.4 | 53.6 | 64.7 |
| 2006 | 100 | 2,096 | 10.6 | 45 | 1,348 | 6.8 | 55 | 748 | 3.8 | 45.0 | 64.3 |
| 2007 | 98 | 2,000 | 10.1 | 50 | 1,278 | 6.4 | 48 | 722 | 3.6 | 51.0 | 63.9 |
| Change Between 1997 and 2007 | -86 | -1,197 | -7.9 | -54 | -712 | -4.8 | -32 | -485 | -3.2 | | |
| % Change Between 1997 and 2007 | -46.7% | -37.4% | -43.9% | -51.9% | -35.8% | -42.9% | -40.0% | -40.2% | -47.1% | | |
| Change Between 2002 and 2007 | 2 | -127 | -0.8 | -1 | -80 | -0.6 | 3 | -47 | -0.4 | | |
| % Change Between 2002 and 2007 | 2.1% | -6.0% | -7.3% | -2.0% | -5.9% | -8.6% | 6.7% | -6.1% | -10.0% | | |
| Change Between 2006 and 2007 | -2 | -96 | -0.5 | 5 | -70 | -0.4 | -7 | -26 | -0.2 | | |
| % Change Between 2006 and 2007 | -2.0% | -4.6% | -4.7% | 11.1% | -5.2% | -5.9% | -12.7% | -3.5% | -5.3% | | |

¹ Pregnancy estimates are based on the total number of births and abortions. See also footnote (2) below regarding changes in estimating abortions. Percentage change calculations may vary due to computer rounding.

² For 1985 and 1988 to current abortion estimates are based on reports for Oregon residents whether occurring in Oregon or another state. For years prior to 1985 (and in 1986-1987) abortion estimates were based on Oregon occurrences only, but included abortions obtained by out-of-state residents. Because some neighboring states do not report abortions to the state of residence (especially California), this results in minimal estimates for both abortions and pregnancies.

³ Percentage of pregnancies resulting in a live birth.

N.A. = Not Available

Rates per 1,000 females 10-17 years of age. 2007: 198,482.

TABLE 4-3. Births to 15- to 19-year-old Teens by Race/Ethnicity, Adequacy of Prenatal Care, and Birthweight, Oregon Residents, 2007

| Race/Ethnicity and Age of Mother | | Total Births | Adequacy of Prenatal Care | | | | | |
|----------------------------------|-------|--------------|---------------------------|-------------|-------------|-------------|-------------|-------------|
| | | | Inadequate ¹ | | Adequate | | Not Stated | |
| | | | <2500 Grams | 2500+ Grams | <2500 Grams | 2500+ Grams | <2500 Grams | 2500+ Grams |
| Total Births | | | | | | | | |
| | 15-19 | 4,328 | 69 | 387 | 268 | 3,578 | 2 | 24 |
| | 15-17 | 1,228 | 20 | 132 | 76 | 989 | 2 | 9 |
| | 18-19 | 3,100 | 49 | 255 | 192 | 2,589 | — | 15 |
| Non-Hispanic | | | | | | | | |
| Total | | | | | | | | |
| | 15-19 | 2,891 | 42 | 251 | 192 | 2,392 | 1 | 13 |
| | 15-17 | 722 | 11 | 83 | 44 | 580 | 1 | 3 |
| | 18-19 | 2,169 | 31 | 168 | 148 | 1,812 | — | 10 |
| White | | 2,529 | 31 | 211 | 158 | 2,120 | — | 9 |
| | 15-17 | 612 | 8 | 71 | 37 | 494 | — | 2 |
| | 18-19 | 1,917 | 23 | 140 | 121 | 1,626 | — | 7 |
| African American | | 153 | 1 | 15 | 21 | 116 | — | — |
| | 15-17 | 49 | 1 | 4 | 5 | 39 | — | — |
| | 18-19 | 104 | — | 11 | 16 | 77 | — | — |
| American Indian | | 132 | 6 | 12 | 9 | 101 | — | 4 |
| | 15-17 | 40 | 2 | 3 | — | 34 | — | 1 |
| | 18-19 | 92 | 4 | 9 | 9 | 67 | — | 3 |
| Asian ² | | 73 | 4 | 12 | 4 | 52 | 1 | — |
| | 15-17 | 20 | — | 5 | 2 | 12 | 1 | — |
| | 18-19 | 53 | 4 | 7 | 2 | 40 | — | — |
| Hispanic | | | | | | | | |
| Total | | | | | | | | |
| | 15-19 | 1,407 | 27 | 131 | 75 | 1,162 | 1 | 11 |
| | 15-17 | 499 | 9 | 48 | 32 | 403 | 1 | 6 |
| | 18-19 | 908 | 18 | 83 | 43 | 759 | — | 5 |
| Mexican | | 1,315 | 24 | 123 | 66 | 1,092 | 1 | 9 |
| | 15-17 | 470 | 8 | 46 | 30 | 379 | 1 | 6 |
| | 18-19 | 845 | 16 | 77 | 36 | 713 | — | 3 |
| Central or South American | | 43 | — | 5 | 2 | 35 | — | 1 |
| | 15-17 | 9 | — | 1 | — | 8 | — | — |
| | 18-19 | 34 | — | 4 | 2 | 27 | — | 1 |
| Other Hispanic | | 49 | 3 | 3 | 7 | 35 | — | 1 |
| | 15-17 | 20 | 1 | 1 | 2 | 16 | — | — |
| | 18-19 | 29 | 2 | 2 | 5 | 19 | — | 1 |

- Quantity is zero.

¹ Less than five prenatal visits or care began in the third trimester.

² Includes Chinese, Japanese, Filipino, and other Asian and Pacific Islander.

NOTE: The sum of the subsets may not equal the total because of cases with unknown birthweight.

TABLE 4-4. Births to Teens 15-19 by Marital Status, Race/Ethnicity, and Age by Adequacy of Prenatal Care and Birthweight, Oregon Residents, 2007

| Marital Status, Race/Ethnicity and Age of Mother | | Total Births ¹ | Low Weight Births | | First Trimester Care | | Inadequate Care ³ | |
|---|-----------|------------------------------|----------------------|-------------------|----------------------|-------------------|------------------------------|-------------------|
| | | | Number | Rate ² | Number | Rate ² | Number | Rate ² |
| Total Births | | | | | | | | |
| | 15-19 | 4,328 | 339 | 78.3 | 2,676 | 621.7 | 456 | 106.0 |
| | 15-17 | 1,228 | 98 | 79.8 | 680 | 557.8 | 152 | 124.9 |
| | 18-19 | 3,100 | 241 | 77.7 | 1,996 | 647.0 | 304 | 98.5 |
| Non-Hispanic | | | | | | | | |
| Total | | | | | | | | |
| | 15-19 | 2,891 | 235 | 81.3 | 1,859 | 646.4 | 293 | 101.8 |
| | 15-17 | 722 | 56 | 77.6 | 421 | 585.5 | 94 | 130.9 |
| | 18-19 | 2,169 | 179 | 82.5 | 1,438 | 666.7 | 199 | 92.2 |
| White | | 2,529 | 189 | 74.7 | 1,652 | 656.6 | 242 | 96.0 |
| | 15-17 | 612 | 45 | 73.5 | 362 | 594.4 | 79 | 129.5 |
| | Married | 47 | 6 | 127.7 | 32 | 680.9 | 5 | 106.4 |
| | Unmarried | 565 | 39 | 69.0 | 330 | 587.2 | 74 | 131.4 |
| | 18-19 | 1,917 | 144 | 75.1 | 1,290 | 676.5 | 163 | 85.3 |
| | Married | 402 | 35 | 87.1 | 272 | 680.0 | 31 | 77.7 |
| | Unmarried | 1,514 | 109 | 72.0 | 1,017 | 675.3 | 132 | 87.4 |
| African American | | 153 | 22 | 143.8 | 98 | 640.5 | 16 | 104.6 |
| | 15-17 | 49 | 6 | 122.4 | 28 | 571.4 | 5 | 102.0 |
| | Married | — | — | — | — | — | — | — |
| | Unmarried | 49 | 6 | 122.4 | 28 | 571.4 | 5 | 102.0 |
| | 18-19 | 104 | 16 | 153.8 | 70 | 673.1 | 11 | 105.8 |
| | Married | 10 | — | — | 7 | 700.0 | — | — |
| | Unmarried | 94 | 16 | 170.2 | 63 | 670.2 | 11 | 117.0 |
| American Indian | | 132 | 15 | 113.6 | 79 | 607.7 | 18 | 140.6 |
| | 15-17 | 40 | 2 | 50.0 | 27 | 675.0 | 5 | 125.0 |
| | Married | 6 | 1 | 166.7 | 4 | 666.7 | 3 | 500.0 |
| | Unmarried | 34 | 1 | 29.4 | 23 | 676.5 | 2 | 60.6 |
| | 18-19 | 92 | 13 | 141.3 | 52 | 565.2 | 13 | 141.3 |
| | Married | 16 | 1 | 62.5 | 11 | 687.5 | 2 | 133.3 |
| | Unmarried | 76 | 12 | 157.9 | 41 | 554.1 | 11 | 148.6 |
| Asian ⁴ | | 73 | 9 | 123.3 | 29 | 397.3 | 16 | 222.2 |
| | 15-17 | 20 | 3 | 150.0 | 4 | 200.0 | 5 | 250.0 |
| | Married | 1 | — | — | — | — | — | — |
| | Unmarried | 19 | 3 | 157.9 | 4 | 210.5 | 5 | 277.8 |
| | 18-19 | 53 | 6 | 113.2 | 25 | 471.7 | 11 | 207.5 |
| | Married | 12 | — | — | 7 | 583.3 | 1 | 83.3 |
| | Unmarried | 41 | 6 | 146.3 | 18 | 439.0 | 10 | 243.9 |

See footnotes at end of table.

TABLE 4-4. Births to Teens 15-19 by Marital Status, Race/Ethnicity, and Age by Adequacy of Prenatal Care and Birthweight, Oregon Residents, 2007 — Continued

| Marital Status, Race/Ethnicity and Age of Mother | | Total Births ¹ | Low Weight Births | | First Trimester Care | | Inadequate Care ³ | |
|--|-----------|---------------------------|-------------------|-------------------|----------------------|-------------------|------------------------------|-------------------|
| | | | Number | Rate ² | Number | Rate ² | Number | Rate ² |
| Hispanic | | | | | | | | |
| Total | | | | | | | | |
| | 15-19 | 1,407 | 103 | 73.2 | 801 | 573.0 | 158 | 113.3 |
| | 15-17 | 499 | 42 | 84.2 | 255 | 517.2 | 57 | 115.9 |
| | 18-19 | 908 | 61 | 67.2 | 546 | 603.3 | 101 | 111.8 |
| Mexican | | 1,315 | 91 | 69.2 | 753 | 576.1 | 147 | 112.6 |
| | 15-17 | 470 | 39 | 83.0 | 242 | 514.9 | 54 | 114.9 |
| | Married | 69 | 7 | 101.4 | 32 | 463.8 | 7 | 101.4 |
| | Unmarried | 401 | 32 | 79.8 | 210 | 531.6 | 47 | 119.3 |
| | 18-19 | 845 | 52 | 61.5 | 511 | 604.7 | 93 | 110.5 |
| | Married | 235 | 15 | 63.8 | 155 | 659.6 | 12 | 51.5 |
| | Unmarried | 610 | 37 | 60.7 | 356 | 585.5 | 81 | 133.0 |
| Central or South American | | 43 | 2 | 46.5 | 24 | 558.1 | 5 | 119.0 |
| | 15-17 | 9 | — | — | 4 | 444.4 | 1 | 111.1 |
| | Married | 1 | — | — | 1 | 1000.0 | — | — |
| | Unmarried | 8 | — | — | 3 | 375.0 | 1 | 125.0 |
| | 18-19 | 34 | 2 | 58.8 | 20 | 588.2 | 4 | 117.6 |
| | Married | 10 | — | — | 7 | 700.0 | — | — |
| | Unmarried | 24 | 2 | 83.3 | 13 | 541.7 | 4 | 173.9 |
| Other Hispanic | | 49 | 10 | 204.1 | 24 | 500.0 | 6 | 125.0 |
| | 15-17 | 20 | 3 | 150.0 | 9 | 450.0 | 2 | 100.0 |
| | Married | 2 | — | — | — | — | — | — |
| | Unmarried | 18 | 3 | 166.7 | 9 | 500.0 | 2 | 111.1 |
| | 18-19 | 29 | 7 | 241.4 | 15 | 517.2 | 4 | 137.9 |
| | Married | 9 | 4 | 444.4 | 3 | 333.3 | 1 | 111.1 |
| | Unmarried | 20 | 3 | 150.0 | 12 | 631.6 | 3 | 157.9 |

- Quantity is zero.

¹ The subtotals of an age group may not add to the total for that age group because of unstated characteristics such as marital status or race/ethnicity.

² All rates per 1,000 births.

³ Less than five prenatal visits or care began in the third trimester.

⁴ Includes Chinese, Japanese, Filipino, and other Asian and Pacific Islander.

WARNING: Rates based on less than five events are unreliable.

NOTE: Rates and percentages are calculated excluding missing and unknown values.

TABLE 4-5. Pregnancy Rates of Teens by County of Residence, Oregon, 2007

| County of Residence | Total Pregnancies All Ages ² | Age | | | | Pregnancy Rate ¹ | | | |
|---------------------|---|-----|-------|-------|-------|-----------------------------|--------|---------|--------|
| | | <15 | 15-17 | 18-19 | 15-19 | 10-17 | 15-17 | 18-19 | 15-19 |
| Total | 60,328 | 97 | 1,902 | 4,269 | 6,171 | 10.1 | 25.7 | 86.8 | 50.1 |
| Baker | 197 | — | 4 | 25 | 29 | 4.6 | 9.6 | § 165.6 | 51.1 |
| Benton | 960 | 1 | 15 | 59 | 74 | § 4.4 | § 11.9 | § 20.6 | § 17.9 |
| Clackamas | 4,969 | 2 | 149 | 286 | 435 | § 6.8 | § 16.7 | § 67.4 | § 33.1 |
| Clatsop | 501 | — | 18 | 45 | 63 | 9.4 | 24.3 | 87.9 | 50.3 |
| Columbia | 630 | — | 12 | 43 | 55 | § 3.9 | § 8.8 | 78.8 | § 28.8 |
| Coos | 749 | — | 26 | 69 | 95 | 7.8 | 19.5 | 98.9 | 46.8 |
| Crook | 310 | — | 6 | 28 | 34 | § 3.6 | § 9.0 | 113.4 | 37.1 |
| Curry | 202 | — | 7 | 14 | 21 | 6.5 | 14.0 | 93.3 | 32.3 |
| Deschutes | 2,529 | 3 | 69 | 163 | 232 | 8.6 | 22.5 | 101.7 | 49.8 |
| Douglas | 1,279 | 2 | 50 | 125 | 175 | 9.4 | 22.2 | § 113.9 | 52.3 |
| Gilliam | 19 | * | * | * | * | * | * | * | * |
| Grant | 75 | * | * | * | * | * | * | * | * |
| Harney | 88 | * | * | * | * | * | * | * | * |
| Hood River | 363 | 1 | 12 | 23 | 35 | 9.3 | 22.1 | 101.3 | 45.5 |
| Jackson | 2,952 | 7 | 118 | 267 | 385 | 11.3 | 27.2 | § 100.8 | 55.1 |
| Jefferson | 362 | 2 | 16 | 41 | 57 | 12.1 | 24.6 | § 163.3 | 63.2 |
| Josephine | 1,003 | 2 | 33 | 92 | 125 | 8.0 | 18.1 | 97.7 | 45.2 |
| Klamath | 918 | 1 | 40 | 93 | 133 | 11.1 | 28.0 | § 113.1 | 59.1 |
| Lake | 80 | * | * | * | * | * | * | * | * |
| Lane | 4,615 | 5 | 132 | 350 | 482 | 8.3 | § 21.1 | § 57.7 | § 39.1 |
| Lincoln | 568 | 1 | 23 | 44 | 67 | 11.7 | 25.7 | 101.9 | 50.5 |
| Linn | 1,727 | 3 | 64 | 140 | 204 | 10.6 | 25.8 | 102.9 | 53.1 |
| Malheur | 468 | — | 24 | 58 | 82 | 13.6 | 40.4 | § 149.1 | § 83.5 |
| Marion | 6,071 | 19 | 266 | 523 | 789 | § 16.1 | § 43.0 | § 129.0 | § 77.0 |
| Morrow | 174 | — | 8 | 17 | 25 | 10.1 | 26.7 | 132.8 | 58.4 |
| Multnomah | 14,058 | 27 | 401 | 838 | 1,239 | § 13.4 | § 37.9 | 93.5 | § 63.4 |
| Polk | 979 | 1 | 41 | 80 | 121 | 12.3 | 34.7 | § 64.9 | 50.1 |
| Sherman | 18 | * | * | * | * | * | * | * | * |
| Tillamook | 312 | — | 4 | 27 | 31 | § 3.1 | § 7.0 | 139.2 | 40.5 |
| Umatilla | 1,262 | 4 | 50 | 112 | 162 | 12.7 | 32.6 | § 132.5 | § 68.1 |
| Union | 378 | — | 12 | 27 | 39 | 9.0 | 21.5 | § 49.7 | § 35.5 |
| Wallowa | 59 | * | * | * | * | * | * | * | * |
| Wasco | 348 | 1 | 15 | 46 | 61 | 11.6 | 25.6 | § 155.9 | § 69.2 |
| Washington | 9,326 | 10 | 227 | 457 | 684 | § 8.1 | § 22.1 | § 78.4 | § 42.5 |
| Wheeler | 8 | * | * | * | * | * | * | * | * |
| Yamhill | 1,570 | 4 | 43 | 132 | 175 | 9.7 | 25.3 | 86.6 | 54.3 |

- Quantity is zero.

*Detailed reporting of small numbers may breach confidentiality.

¹ All rates per 1,000 females.

² Total includes two pregnancies where county of residence was unknown.

§ Pregnancy rate is significantly different from the state.

WARNING: Rates based on less than five events are unreliable.

NOTE: Includes births and reported abortions including those obtained out-of-state by Oregon residents. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

TABLE 4-6. Birth Rates of Teens by County of Residence, Oregon, 2007

| County of Residence | Total Births (All Ages) | Age | | | | Birth Rate ¹ | | | |
|---------------------|-------------------------|-----|-------|-------|-------|-------------------------|--------|---------|--------|
| | | <15 | 15-17 | 18-19 | 15-19 | 10-17 | 15-17 | 18-19 | 15-19 |
| Total | 49,373 | 50 | 1,228 | 3,100 | 4,328 | 6.4 | 16.6 | 63.1 | 35.1 |
| Baker | 184 | – | 2 | 22 | 24 | 2.3 | 4.8 | § 145.7 | 42.3 |
| Benton | 813 | – | 11 | 33 | 44 | § 3.0 | § 8.7 | § 11.5 | § 10.7 |
| Clackamas | 4,029 | 2 | 68 | 172 | 240 | § 3.2 | § 7.6 | § 40.6 | § 18.3 |
| Clatsop | 412 | – | 11 | 34 | 45 | 5.8 | 14.9 | 66.4 | 35.9 |
| Columbia | 537 | – | 6 | 31 | 37 | § 1.9 | § 4.4 | 56.8 | § 19.4 |
| Coos | 658 | – | 16 | 59 | 75 | 4.8 | 12.0 | 84.5 | 37.0 |
| Crook | 287 | – | 5 | 26 | 31 | 3.0 | 7.5 | § 105.3 | 33.8 |
| Curry | 171 | – | 5 | 12 | 17 | 4.7 | 10.0 | 80.0 | 26.2 |
| Deschutes | 2,083 | – | 48 | 116 | 164 | 5.7 | 15.7 | 72.4 | 35.2 |
| Douglas | 1,141 | 2 | 37 | 107 | 144 | 7.0 | 16.4 | § 97.5 | § 43.0 |
| Gilliam | 17 | – | – | – | – | – | – | – | – |
| Grant | 68 | – | 3 | 5 | 8 | 6.6 | 15.5 | 90.9 | 32.1 |
| Harney | 82 | – | 2 | 5 | 7 | 4.5 | 10.0 | 45.5 | 22.6 |
| Hood River | 321 | – | 11 | 18 | 29 | 7.9 | 20.3 | 79.3 | 37.7 |
| Jackson | 2,416 | 2 | 80 | 211 | 291 | 7.4 | 18.4 | § 79.7 | § 41.7 |
| Jefferson | 323 | 2 | 14 | 35 | 49 | 10.7 | 21.5 | § 139.4 | § 54.3 |
| Josephine | 858 | 1 | 21 | 77 | 98 | 5.1 | 11.5 | 81.7 | 35.4 |
| Klamath | 832 | 1 | 30 | 79 | 109 | 8.4 | 21.0 | § 96.1 | § 48.4 |
| Lake | 73 | – | 1 | 3 | 4 | 2.1 | 4.4 | 65.2 | 14.7 |
| Lane | 3,776 | 3 | 89 | 244 | 333 | 5.6 | 14.2 | § 40.2 | § 27.0 |
| Lincoln | 470 | 1 | 12 | 31 | 43 | 6.3 | 13.4 | 71.8 | 32.4 |
| Linn | 1,543 | 2 | 45 | 115 | 160 | 7.5 | 18.1 | § 84.5 | 41.6 |
| Malheur | 454 | – | 22 | 55 | 77 | § 12.5 | § 37.0 | § 141.4 | § 78.4 |
| Marion | 5,158 | 11 | 189 | 424 | 613 | § 11.3 | § 30.5 | § 104.6 | § 59.8 |
| Morrow | 163 | – | 8 | 16 | 24 | 10.1 | 26.7 | § 125.0 | 56.1 |
| Multnomah | 10,277 | 11 | 226 | 510 | 736 | 7.4 | § 21.4 | § 56.9 | 37.7 |
| Polk | 852 | – | 33 | 64 | 97 | 9.7 | § 28.0 | § 51.9 | 40.2 |
| Sherman | 15 | – | – | – | – | – | – | – | – |
| Tillamook | 269 | – | 2 | 21 | 23 | § 1.6 | § 3.5 | § 108.2 | 30.0 |
| Umatilla | 1,128 | 3 | 35 | 94 | 129 | 8.9 | 22.8 | § 111.2 | § 54.2 |
| Union | 331 | – | 4 | 19 | 23 | 3.0 | 7.2 | § 35.0 | § 20.9 |
| Wallowa | 51 | – | – | 6 | 6 | – | – | 98.4 | 22.2 |
| Wasco | 301 | – | 9 | 40 | 49 | 6.5 | 15.4 | § 135.6 | § 55.6 |
| Washington | 7,883 | 7 | 146 | 304 | 450 | § 5.3 | 14.2 | § 52.1 | § 27.9 |
| Wheeler | 6 | * | * | * | * | * | * | * | * |
| Yamhill | 1,391 | 2 | 37 | 112 | 149 | 8.0 | 21.8 | 73.5 | § 46.2 |

- Quantity is zero.

*Detailed reporting of small numbers may breach confidentiality.

¹ All rates per 1,000 females.

§ Birth rate is significantly different from the state.

WARNING: Rates based on less than five events are unreliable.

TABLE 4-7. Abortion Rates of Teens by County of Residence, Oregon, 2007

| County of Residence | Total Abortions (All Ages) | Age | | | | Abortion Rate ¹ | | | |
|---------------------|----------------------------|-----|-------|-------|-------|----------------------------|--------|--------|--------|
| | | <15 | 15-17 | 18-19 | 15-19 | 10-17 | 15-17 | 18-19 | 15-19 |
| Total ² | 10,966 | 48 | 674 | 1,171 | 1,845 | 3.6 | 9.1 | 23.8 | 15.0 |
| Baker | 13 | — | 2 | 3 | 5 | 2.3 | 4.8 | 19.9 | 8.8 |
| Benton | 147 | 1 | 4 | 26 | 30 | § 1.4 | § 3.2 | § 9.1 | § 7.3 |
| Clackamas | 940 | — | 81 | 114 | 195 | 3.6 | 9.1 | 26.9 | 14.8 |
| Clatsop | 89 | — | 7 | 11 | 18 | 3.7 | 9.5 | 21.5 | 14.4 |
| Columbia | 93 | — | 6 | 12 | 18 | 1.9 | 4.4 | 22.0 | 9.4 |
| Coos | 91 | — | 10 | 10 | 20 | 3.0 | 7.5 | 14.3 | 9.1 |
| Crook | 23 | — | 1 | 2 | 3 | § 0.6 | § 1.5 | 8.1 | § 3.3 |
| Curry | 31 | — | 2 | 2 | 4 | 1.9 | 4.0 | 13.3 | 6.2 |
| Deschutes | 446 | 3 | 21 | 47 | 68 | 2.9 | 6.9 | 29.3 | 14.6 |
| Douglas | 138 | — | 13 | 18 | 31 | 2.3 | 5.8 | 16.4 | § 9.3 |
| Gilliam | 2 | * | * | * | * | * | * | * | * |
| Grant | 7 | * | * | * | * | * | * | * | * |
| Harney | 6 | * | * | * | * | * | * | * | * |
| Hood River | 42 | 1 | 1 | 5 | 6 | 1.4 | 1.8 | 22.0 | 7.8 |
| Jackson | 536 | 5 | 38 | 56 | 94 | 3.9 | 8.8 | 21.1 | § 13.5 |
| Jefferson | 39 | — | 2 | 6 | 8 | 1.3 | 3.1 | 23.9 | 8.9 |
| Josephine | 145 | 1 | 12 | 15 | 27 | 3.0 | 6.6 | 15.9 | § 9.8 |
| Klamath | 86 | — | 10 | 14 | 24 | 2.7 | 7.0 | 17.0 | 10.7 |
| Lake | 7 | * | * | * | * | * | * | * | * |
| Lane | 839 | 2 | 43 | 106 | 149 | 2.7 | 6.9 | § 17.5 | § 12.1 |
| Lincoln | 98 | — | 11 | 13 | 24 | 5.4 | 12.3 | 30.1 | 18.1 |
| Linn | 184 | 1 | 19 | 25 | 44 | 3.2 | 7.6 | 18.4 | 11.4 |
| Malheur | 14 | — | 2 | 3 | 5 | 1.1 | 3.4 | 7.7 | § 5.1 |
| Marion | 913 | 8 | 77 | 99 | 176 | 4.8 | § 12.4 | 24.4 | 17.2 |
| Morrow | 11 | — | — | 1 | 1 | — | — | 7.8 | 2.3 |
| Multnomah | 3,781 | 16 | 175 | 328 | 503 | § 6.0 | § 16.6 | § 36.6 | § 25.8 |
| Polk | 127 | 1 | 8 | 16 | 24 | 2.6 | 6.8 | § 13.0 | 9.9 |
| Sherman | 3 | * | * | * | * | * | * | * | * |
| Tillamook | 43 | — | 2 | 6 | 8 | 1.6 | 3.5 | 30.9 | 10.4 |
| Umatilla | 134 | 1 | 15 | 18 | 33 | 3.8 | 9.8 | 21.3 | 13.9 |
| Union | 47 | — | 8 | 8 | 16 | 6.0 | 14.4 | 14.7 | 14.5 |
| Wallowa | 8 | * | * | * | * | * | * | * | * |
| Wasco | 47 | 1 | 6 | 6 | 12 | 5.1 | 10.3 | 20.3 | 13.6 |
| Washington | 1,443 | 3 | 81 | 153 | 234 | 2.9 | 7.9 | 26.2 | 14.5 |
| Wheeler | 2 | * | * | * | * | * | * | * | * |
| Yamhill | 179 | 2 | 6 | 20 | 26 | § 1.6 | § 3.5 | § 13.1 | § 8.1 |

- Quantity is zero.

*Detailed reporting of small numbers may breach confidentiality.

¹ All rates per 1,000 females.

² Total includes eleven abortions where county of residence was unknown.

§ Abortion rate is significantly different from the state.

WARNING: Rates based on less than five events are unreliable.

NOTE: Includes abortions obtained out-of-state by Oregon residents. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

TABLE 4-8. Teens 15-19: Births, Level of Prenatal Care and Low Birthweight Rates by County of Residence, Oregon, 2007

| County of Residence | Total | | Low Weight Births | | First Trimester Care | | Inadequate Care ¹ | |
|---------------------|--------|-------------------|-------------------|-------------------|----------------------|-------------------|------------------------------|-------------------|
| | Number | Rate ² | Number | Rate ³ | Number | Rate ³ | Number | Rate ³ |
| Total | 4,328 | 35.1 | 339 | 78.3 | 2,676 | 618.3 | 456 | 106.0 |
| Baker | 24 | 42.3 | 3 | 125.0 | 15 | 625.0 | 3 | 125.0 |
| Benton | 44 | § 10.7 | 3 | 68.2 | 35 | 795.5 | 5 | 113.6 |
| Clackamas | 240 | § 18.3 | 19 | 79.2 | 150 | 625.0 | 21 | 88.2 |
| Clatsop | 45 | 35.9 | 3 | 66.7 | 30 | 666.7 | 2 | 44.4 |
| Columbia | 37 | § 19.4 | 1 | 27.0 | 29 | 783.8 | 2 | 54.1 |
| Coos | 75 | 37.0 | 7 | 93.3 | 40 | 533.3 | 18 | § 240.0 |
| Crook | 31 | 33.8 | 1 | 32.3 | 23 | 741.9 | 1 | 32.3 |
| Curry | 17 | 26.1 | 1 | 58.8 | 7 | 411.8 | 1 | 58.8 |
| Deschutes | 164 | 35.2 | 8 | 48.8 | 117 | 713.4 | 9 | 54.9 |
| Douglas | 144 | § 43.0 | 9 | 62.5 | 102 | 708.3 | 13 | 90.9 |
| Gilliam | — | — | — | — | — | — | — | — |
| Grant | 8 | § 32.1 | * | * | * | * | * | * |
| Harney | 7 | 22.6 | * | * | * | * | * | * |
| Hood River | 29 | 37.7 | 2 | 69.0 | 16 | 551.7 | 4 | 137.9 |
| Jackson | 291 | 41.7 | 20 | 68.7 | 180 | 618.6 | 27 | 92.8 |
| Jefferson | 49 | § 54.3 | 6 | 122.4 | 26 | 530.6 | 11 | 224.5 |
| Josephine | 98 | 35.4 | 6 | 61.2 | 52 | 530.6 | 15 | 153.1 |
| Klamath | 109 | § 48.4 | 11 | 100.9 | 78 | 715.6 | 5 | 45.9 |
| Lake | 4 | § 14.7 | * | * | * | * | * | * |
| Lane | 333 | § 27.0 | 37 | 111.1 | 188 | 564.6 | 50 | 150.6 |
| Lincoln | 43 | 32.4 | 2 | 46.5 | 25 | 581.4 | 4 | 93.0 |
| Linn | 160 | § 41.6 | 13 | 81.2 | 97 | 606.3 | 14 | 87.5 |
| Malheur | 77 | § 78.3 | 11 | 142.9 | 25 | § 324.7 | 14 | 181.8 |
| Marion | 613 | § 59.8 | 39 | 63.6 | 373 | 608.5 | 71 | 116.6 |
| Morrow | 24 | 56.1 | 1 | 41.7 | 12 | 500.0 | 3 | 125.0 |
| Multnomah | 736 | § 37.7 | 70 | 95.1 | 444 | 604.1 | 83 | 113.1 |
| Polk | 97 | 40.2 | 13 | 134.0 | 68 | 701.0 | 9 | 93.8 |
| Sherman | — | — | — | — | — | — | — | — |
| Tillamook | 23 | 30.0 | — | — | 15 | 652.2 | 4 | 173.9 |
| Umatilla | 129 | § 54.2 | 8 | 62.0 | 59 | § 457.4 | 20 | 155.0 |
| Union | 23 | 20.9 | — | — | 14 | 608.7 | 3 | 130.4 |
| Wallowa | 6 | § 22.2 | * | * | * | * | * | * |
| Wasco | 49 | 55.7 | 4 | 81.6 | 36 | 734.7 | 3 | 61.2 |
| Washington | 450 | § 27.9 | 29 | 64.4 | 294 | 653.3 | 31 | § 69.0 |
| Wheeler | — | — | — | — | — | — | — | — |
| Yamhill | 149 | 46.2 | 11 | 73.8 | 109 | 731.5 | 8 | 53.7 |

- Quantity is zero.

¹ Less than five prenatal visits or care began in the third trimester.

² Rates per 1,000 females 15-19 years of age.

³ Rates per 1,000 births to 15-19 year olds.

WARNING: Rates based on less than five events are unreliable.

NOTE: Rates and percentages are calculated excluding missing and unknown values.

§ Rate is significantly different than the state rate.

TABLE 4-9. Birth Outcomes of Infants by Age of Mother, Oregon Residents, 2007

| Birth Outcomes | Total Births | Mother's Age | | | | | | | | |
|--------------------------------|--------------|--------------|-----|-----|-----|-------|-------|-------|--------|------|
| | | <15 | 15 | 16 | 17 | 18 | 19 | 15-19 | 20+ | N.S. |
| Total Births | 49,373 | 50 | 163 | 374 | 691 | 1,241 | 1,859 | 4,328 | 44,985 | 10 |
| Birthweight¹ | | | | | | | | | | |
| 1499 Grams or Less | | | | | | | | | | |
| <28 Weeks | 223 | 2 | – | 2 | 3 | 22 | 8 | 35 | 186 | – |
| 28-36 Weeks | 251 | – | 1 | 3 | 5 | 8 | 10 | 27 | 224 | – |
| 37-41 Weeks | 9 | – | – | – | 1 | – | – | 1 | 8 | – |
| 42+ Weeks | – | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – | – |
| 1500-2499 Grams | | | | | | | | | | |
| <28 Weeks | 2 | – | – | – | – | – | – | – | 2 | – |
| 28-36 Weeks | 1,632 | 7 | 9 | 10 | 27 | 52 | 80 | 178 | 1,447 | – |
| 37-41 Weeks | 893 | 1 | 3 | 11 | 23 | 21 | 40 | 98 | 793 | 1 |
| 42+ Weeks | 1 | – | – | – | – | – | – | – | 1 | – |
| Unknown | – | – | – | – | – | – | – | – | – | – |
| 2500+ Grams | | | | | | | | | | |
| <28 Weeks | 2 | – | – | – | – | – | – | – | 2 | – |
| 28-36 Weeks | 1,826 | 2 | 5 | 13 | 27 | 47 | 59 | 151 | 1,672 | 1 |
| 37-41 Weeks | 44,021 | 38 | 143 | 333 | 594 | 1,084 | 1,641 | 3,795 | 40,180 | 8 |
| 42+ Weeks | 496 | – | 2 | 2 | 11 | 7 | 21 | 43 | 453 | – |
| Unknown | 5 | – | – | – | – | – | – | – | 5 | – |
| 5 Minute Apgar | | | | | | | | | | |
| 0-3 | 243 | 1 | – | 2 | 1 | 22 | 6 | 31 | 211 | – |
| 4-6 | 620 | 2 | 1 | 6 | 13 | 28 | 31 | 79 | 539 | – |
| 7-10 | 48,323 | 47 | 162 | 365 | 675 | 1,186 | 1,817 | 4,205 | 44,064 | 7 |
| Not Stated | 187 | – | – | 1 | 2 | 5 | 5 | 13 | 171 | 3 |
| Tobacco Used | | | | | | | | | | |
| Yes | 5,719 | 5 | 21 | 58 | 107 | 271 | 383 | 840 | 4,872 | 2 |
| No | 43,092 | 43 | 141 | 312 | 574 | 952 | 1,453 | 3,432 | 39,612 | 5 |
| Unknown | 562 | 2 | 1 | 4 | 10 | 18 | 23 | 56 | 501 | 3 |
| Alcohol Used | | | | | | | | | | |
| Yes | 523 | 1 | 2 | 6 | 7 | 11 | 20 | 46 | 476 | – |
| No | 47,438 | 46 | 159 | 363 | 667 | 1,191 | 1,797 | 4,177 | 43,208 | 7 |
| Unknown | 1,412 | 3 | 2 | 5 | 17 | 39 | 42 | 105 | 1,301 | 3 |
| Birth Order | | | | | | | | | | |
| 1 st | 20,094 | 50 | 157 | 353 | 624 | 1,013 | 1,427 | 3,574 | 16,465 | 5 |
| 2 nd | 15,607 | – | 6 | 20 | 64 | 197 | 367 | 654 | 14,953 | – |
| 3 rd | 8,116 | – | – | – | 2 | 27 | 54 | 83 | 8,031 | 2 |
| 4 th | 3,379 | – | – | – | – | 2 | 7 | 9 | 3,370 | – |
| 5+ | 2,135 | – | – | – | – | 1 | 2 | 3 | 2,131 | 1 |
| Unknown | 42 | – | – | 1 | 1 | 1 | 2 | 5 | 35 | 2 |
| Prenatal Care | | | | | | | | | | |
| No Care | 580 | 5 | 2 | 4 | 20 | 22 | 26 | 74 | 498 | 3 |
| Little or Late ² | 2,578 | 12 | 25 | 37 | 64 | 111 | 145 | 382 | 2,182 | 2 |
| Adequate ³ | 45,986 | 33 | 133 | 331 | 601 | 1,100 | 1,681 | 3,846 | 42,102 | 5 |
| Unknown | 229 | – | 3 | 2 | 6 | 8 | 7 | 26 | 203 | – |

– Quantity is zero.

¹ The birthweight was unknown for twelve infants.

² Less than five prenatal visits or care began in the third trimester.

³ Prenatal care began prior to the third trimester; patient made at least five visits to a medical provider.

TABLE 4-10. Demographic Characteristics of Mother by Age, Oregon Residents, 2007

| Demographics of Mother | Total Births | Mother's Age | | | | | | | | |
|---------------------------------|--------------|--------------|-----|-----|-----|-------|-------|-------|--------|------|
| | | <15 | 15 | 16 | 17 | 18 | 19 | 15-19 | 20+ | N.S. |
| Total Births | 49,373 | 50 | 163 | 374 | 691 | 1,241 | 1,859 | 4,328 | 44,985 | 10 |
| Ethnicity/Race | | | | | | | | | | |
| Non-Hispanic White | 34,197 | 13 | 74 | 171 | 367 | 756 | 1,161 | 2,529 | 31,651 | 4 |
| Non-Hispanic African American | 1,140 | 1 | 9 | 17 | 23 | 38 | 66 | 153 | 985 | 1 |
| Non-Hispanic American Indian | 857 | 1 | 5 | 16 | 19 | 34 | 58 | 132 | 724 | – |
| Non-Hispanic Asian ¹ | 2,617 | 1 | 4 | 5 | 11 | 21 | 32 | 73 | 2,543 | – |
| Total Hispanic | 10,129 | 34 | 70 | 164 | 265 | 379 | 529 | 1,407 | 8,687 | 1 |
| Marital Status | | | | | | | | | | |
| Unmarried | 17,311 | 50 | 158 | 355 | 589 | 1,011 | 1,389 | 3,502 | 13,755 | 4 |
| Married | 32,043 | – | 5 | 19 | 102 | 228 | 470 | 824 | 31,216 | 3 |
| Unknown | 16 | – | – | – | – | 2 | – | 2 | 11 | 3 |
| Education | | | | | | | | | | |
| 8 th Grade or Less | 3,089 | 38 | 46 | 30 | 46 | 62 | 93 | 277 | 2,774 | – |
| 9 th Grade | 1,985 | 11 | 85 | 83 | 67 | 95 | 93 | 423 | 1,551 | – |
| 10 th Grade | 1,730 | 1 | 28 | 184 | 159 | 149 | 143 | 663 | 1,065 | 1 |
| 11 th Grade | 2,866 | – | 2 | 53 | 258 | 301 | 338 | 952 | 1,914 | – |
| 12 th Grade | 15,116 | – | – | 18 | 144 | 589 | 1,010 | 1,761 | 13,350 | 5 |
| Some College | 10,565 | – | – | – | 2 | 27 | 158 | 187 | 10,377 | 1 |
| College | 8,545 | – | – | – | – | – | – | – | 8,545 | – |
| Postbaccalaureate | 4,796 | – | – | – | – | – | – | – | 4,796 | – |
| Unknown | 681 | – | 2 | 6 | 15 | 18 | 24 | 65 | 613 | 3 |
| Other Children Now Alive | | | | | | | | | | |
| One | 15,751 | – | 6 | 20 | 62 | 199 | 367 | 654 | 15,097 | – |
| Two | 8,098 | – | – | – | 2 | 22 | 54 | 78 | 8,018 | 2 |
| Three | 3,325 | – | – | – | – | 3 | 5 | 8 | 3,317 | – |
| Four+ | 1,984 | – | – | – | – | – | 2 | 2 | 1,981 | 1 |
| Unknown | 30 | – | – | 1 | 1 | 1 | 1 | 4 | 24 | 2 |
| Start of Prenatal Care | | | | | | | | | | |
| 1 st Trimester | 38,589 | 16 | 82 | 218 | 380 | 783 | 1,213 | 2,676 | 35,892 | 5 |
| 2 nd Trimester | 8,405 | 23 | 60 | 122 | 239 | 360 | 518 | 1,299 | 7,082 | 1 |
| 3 rd Trimester | 1,740 | 6 | 19 | 29 | 50 | 75 | 101 | 274 | 1,459 | 1 |
| No Care | 488 | 5 | 1 | 2 | 17 | 18 | 17 | 55 | 425 | 3 |
| Unknown | 151 | – | 1 | 3 | 5 | 5 | 10 | 24 | 127 | – |
| Prenatal Care | | | | | | | | | | |
| Inadequate ² | 3,158 | 17 | 27 | 41 | 84 | 133 | 171 | 456 | 2,680 | 5 |
| Adequate ³ | 45,986 | 33 | 133 | 331 | 601 | 1,100 | 1,681 | 3,846 | 42,102 | 5 |
| Unknown | 229 | – | 3 | 2 | 6 | 8 | 7 | 26 | 203 | – |
| Source of Payment | | | | | | | | | | |
| Private Insurance | 27,515 | 9 | 33 | 89 | 172 | 259 | 394 | 947 | 26,559 | – |
| Medicaid/OHP* | 19,791 | 36 | 122 | 258 | 484 | 934 | 1,387 | 3,185 | 16,570 | – |
| Self-Pay | 1,719 | 4 | 8 | 24 | 32 | 36 | 59 | 159 | 1,554 | 2 |
| Other Coverage | 92 | – | – | 1 | – | 2 | 7 | 10 | 82 | – |
| Unknown Mention | 171 | – | – | 1 | – | 6 | 4 | 11 | 152 | 8 |
| Multiple Mention | 85 | 1 | – | 1 | 3 | 4 | 8 | 16 | 68 | – |

– Quantity is zero.

¹ Includes Chinese, Japanese, Filipino, and other Asian and Pacific Islander.

² Less than five prenatal visits or care began in the third trimester.

³ Prenatal care began prior to the third trimester; patient made at least five visits to a medical provider.

*Oregon Health Plan.

TABLE 4-11. Demographic Characteristics of Abortion Patients by Age, Oregon Residents, 2007

| Demographics of Patient | Total ¹ | Patient's Age | | | | | | | | |
|---------------------------------|--------------------|---------------|-----|-----|-----|-----|-----|-------|-------|------|
| | | <15 | 15 | 16 | 17 | 18 | 19 | 15-19 | 20+ | N.S. |
| Total Abortions | 10,966 | 48 | 108 | 192 | 374 | 516 | 655 | 1,845 | 8,971 | 102 |
| Ethnicity/Race | | | | | | | | | | |
| Non-Hispanic White | 7,951 | 29 | 64 | 121 | 275 | 388 | 477 | 1,325 | 6,545 | 52 |
| Non-Hispanic African American | 724 | 8 | 11 | 11 | 26 | 36 | 39 | 123 | 589 | 4 |
| Non-Hispanic American Indian | 241 | 3 | 2 | 10 | 10 | 14 | 19 | 55 | 181 | 2 |
| Non-Hispanic Asian ² | 544 | 2 | 5 | 7 | 16 | 20 | 28 | 76 | 461 | 5 |
| Total Hispanic | 1,405 | 6 | 25 | 37 | 48 | 54 | 83 | 247 | 1,121 | 31 |
| Marital Status | | | | | | | | | | |
| Unmarried | 8,284 | 43 | 101 | 179 | 338 | 470 | 593 | 1,681 | 6,509 | 51 |
| Married | 1,943 | – | 1 | 3 | 11 | 9 | 21 | 45 | 1,880 | 18 |
| Unknown | 739 | 5 | 6 | 10 | 25 | 37 | 41 | 119 | 582 | 33 |
| Education | | | | | | | | | | |
| 8 th Grade or Less | 305 | 29 | 20 | 9 | 14 | 7 | 7 | 57 | 210 | 9 |
| 9 th Grade | 308 | 11 | 59 | 38 | 11 | 14 | 13 | 135 | 158 | 4 |
| 10 th Grade | 603 | 1 | 25 | 109 | 79 | 45 | 41 | 299 | 298 | 5 |
| 11 th Grade | 826 | 1 | – | 25 | 195 | 104 | 60 | 384 | 434 | 7 |
| 12 th Grade | 4,151 | 1 | – | – | 61 | 279 | 358 | 698 | 3,423 | 29 |
| Some College | 2,646 | – | – | – | 3 | 43 | 148 | 194 | 2,428 | 24 |
| College/Postbaccalaureate | 1,737 | – | 1 | – | – | – | 2 | 3 | 1,716 | 18 |
| Unknown | 378 | 5 | 3 | 11 | 10 | 24 | 26 | 74 | 295 | 4 |
| Children Now Alive | | | | | | | | | | |
| One | 2,519 | 2 | 2 | 7 | 36 | 67 | 134 | 246 | 2,244 | 27 |
| Two | 1,942 | 2 | – | 1 | 6 | 12 | 17 | 36 | 1,886 | 18 |
| Three | 758 | – | – | – | – | 1 | 3 | 4 | 747 | 7 |
| Four+ | 355 | – | – | – | – | – | – | – | 349 | 6 |
| Unknown | 30 | – | – | – | 1 | 1 | 2 | 4 | 21 | 5 |
| Previous Abortions | | | | | | | | | | |
| None | 6,264 | 46 | 101 | 179 | 334 | 431 | 490 | 1,535 | 4,622 | 61 |
| One | 2,718 | 2 | 7 | 13 | 33 | 70 | 124 | 247 | 2,454 | 15 |
| Two | 1,138 | – | – | – | 4 | 12 | 33 | 49 | 1,075 | 14 |
| Three+ | 765 | – | – | – | 1 | 1 | 4 | 6 | 754 | 5 |
| Unknown | 81 | – | – | – | 2 | 2 | 4 | 8 | 66 | 7 |
| Gestation | | | | | | | | | | |
| Eight Weeks or Less | 6,729 | 25 | 53 | 92 | 206 | 277 | 367 | 995 | 5,651 | 58 |
| 9-12 | 2,775 | 10 | 33 | 69 | 111 | 154 | 194 | 561 | 2,174 | 30 |
| 13-16 | 711 | 6 | 11 | 14 | 23 | 42 | 48 | 138 | 562 | 5 |
| 17+ | 573 | 7 | 11 | 11 | 32 | 35 | 37 | 126 | 440 | – |
| Unknown | 146 | – | – | 6 | – | 8 | 7 | 21 | 118 | 7 |
| Contraceptive Used | | | | | | | | | | |
| None Used | 83 | – | – | 4 | 2 | 4 | 4 | 14 | 64 | 5 |
| Pills Used | 1,241 | 2 | 5 | 15 | 45 | 58 | 90 | 213 | 1,017 | 9 |
| Condom Used | 1,829 | 10 | 22 | 29 | 57 | 65 | 91 | 264 | 1,540 | 15 |
| Other/Unknown Used | 21 | 1 | – | – | – | – | – | – | 20 | – |
| Medical Procedure | | | | | | | | | | |
| Suction Curettage | 5,985 | 26 | 60 | 118 | 214 | 294 | 398 | 1,084 | 4,801 | 74 |
| Dilation Evacuation | 3,047 | 18 | 35 | 51 | 110 | 130 | 170 | 496 | 2,526 | 7 |
| Other Specified | 1,915 | 4 | 13 | 22 | 50 | 90 | 87 | 262 | 1,628 | 21 |

– Quantity is zero.

¹ Includes all abortions known to have been obtained in-state by Oregon residents.² Includes Chinese, Japanese, Filipino, and other Asian and Pacific Islander.

TABLE 4-12. Age of Father by Age of Mother, Oregon Residents, 2007

| Father's Age | Total | Mother's Age | | | | | | | | |
|--------------|--------|--------------|-----|-----|-----|-------|-------|--------|--------|------|
| | | <15 | 15 | 16 | 17 | 18 | 19 | 20-24 | 25+ | N.S. |
| Total | 49,373 | 50 | 163 | 374 | 691 | 1,241 | 1,859 | 12,259 | 32,726 | 10 |
| <15 | 5 | 1 | 2 | 1 | – | – | – | – | 1 | – |
| 15 | 22 | 3 | 5 | 8 | 5 | – | 1 | – | – | – |
| 16 | 75 | 9 | 12 | 24 | 21 | 6 | 2 | 1 | – | – |
| 17 | 191 | 2 | 24 | 44 | 51 | 41 | 19 | 8 | 2 | – |
| 18 | 431 | 1 | 15 | 54 | 102 | 110 | 76 | 64 | 9 | – |
| 19 | 729 | 1 | 6 | 41 | 98 | 174 | 188 | 197 | 24 | – |
| 20 | 936 | – | 7 | 21 | 58 | 143 | 219 | 427 | 61 | – |
| 21 | 1,209 | 1 | – | 15 | 53 | 116 | 229 | 702 | 93 | – |
| 22 | 1,514 | – | 1 | 6 | 26 | 92 | 191 | 1,018 | 180 | – |
| 23 | 1,727 | 1 | – | 7 | 27 | 69 | 131 | 1,199 | 293 | – |
| 24 | 1,932 | – | 1 | 6 | 14 | 56 | 112 | 1,253 | 490 | – |
| 25+ | 35,575 | – | 2 | 10 | 43 | 126 | 318 | 5,711 | 29,365 | – |
| N.S. | 5,027 | 31 | 88 | 137 | 193 | 308 | 373 | 1,679 | 2,208 | 10 |

– Quantity is zero.

TABLE 4-13. Age of Father by Age of Mother, Oregon Residents, 2003-2007

| Father's Age | Total | Mother's Age | | | | | | | | |
|--------------|---------|--------------|-----|-------|-------|-------|-------|--------|---------|------|
| | | <15 | 15 | 16 | 17 | 18 | 19 | 20-24 | 25+ | N.S. |
| Total | 235,557 | 249 | 759 | 1,886 | 3,435 | 5,768 | 8,831 | 59,749 | 154,844 | 36 |
| <15 | 16 | 3 | 7 | 2 | 2 | – | – | 1 | 1 | – |
| 15 | 101 | 14 | 34 | 33 | 13 | 3 | 2 | 2 | – | – |
| 16 | 350 | 23 | 58 | 119 | 87 | 33 | 18 | 10 | 2 | – |
| 17 | 845 | 10 | 98 | 191 | 236 | 169 | 92 | 43 | 6 | – |
| 18 | 1,835 | 7 | 54 | 236 | 413 | 463 | 341 | 287 | 34 | – |
| 19 | 3,354 | 5 | 49 | 204 | 425 | 750 | 836 | 956 | 129 | – |
| 20 | 4,703 | 4 | 29 | 134 | 352 | 708 | 1,099 | 2,138 | 239 | – |
| 21 | 5,925 | 3 | 14 | 83 | 277 | 572 | 1,051 | 3,464 | 461 | – |
| 22 | 7,501 | 1 | 10 | 61 | 149 | 489 | 894 | 4,999 | 898 | – |
| 23 | 8,495 | 1 | 5 | 36 | 140 | 358 | 658 | 5,839 | 1,458 | – |
| 24 | 9,736 | 1 | 6 | 29 | 103 | 230 | 550 | 6,335 | 2,482 | – |
| 25+ | 169,525 | 2 | 15 | 68 | 221 | 651 | 1,618 | 27,581 | 139,368 | 1 |
| N.S. | 23,171 | 175 | 380 | 690 | 1,017 | 1,342 | 1,672 | 8,094 | 9,766 | 35 |

– Quantity is zero.