

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	29,356	261	49	94	288	423	924	1,848	2,639	5,190	9,052	8,588
Male	14,430	142	29	58	211	304	608	1,177	1,540	2,897	4,571	2,893
Female	14,926	119	20	36	77	119	316	671	1,099	2,293	4,481	5,695
Infections & Parasitic Disease (A00-B99)	429	4	2	1	5	23	55	76	39	61	77	86
Male	237	2	1	–	1	21	45	57	29	27	26	28
Female	192	2	1	1	4	2	10	19	10	34	51	58
Tuberculosis (A16-A19)	2	–	–	–	–	–	–	–	–	1	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1
Meningococcal infection (A39)	6	1	–	–	2	–	1	1	–	–	1	–
Male	2	1	–	–	–	–	1	–	–	–	–	–
Female	4	–	–	–	2	–	–	1	–	–	1	–
Septicemia (A40-A41)	188	2	2	1	2	3	6	15	18	36	51	52
Male	72	1	1	–	–	2	4	7	12	15	15	15
Female	116	1	1	1	2	1	2	8	6	21	36	37
Creutzfeldt-Jacob disease (A81.0)	6	–	–	–	–	–	1	1	2	2	–	–
Male	3	–	–	–	–	–	1	–	1	1	–	–
Female	3	–	–	–	–	–	–	1	1	1	–	–
Viral hepatitis (B15-B19)	45	–	–	–	–	1	10	18	5	4	7	–
Male	37	–	–	–	–	1	9	15	5	4	3	–
Female	8	–	–	–	–	–	1	3	–	–	4	–
HIV/AIDS (B20-B24) ²	73	–	–	–	–	17	29	22	3	1	1	–
Male	66	–	–	–	–	17	24	21	3	–	1	–
Female	7	–	–	–	–	–	5	1	–	1	–	–
Malignant Neoplasms (C00-C97)	6,904	–	5	15	22	52	178	538	1,012	1,824	2,220	1,038
Male	3,572	–	2	9	15	32	89	275	513	961	1,177	499
Female	3,332	–	3	6	7	20	89	263	499	863	1,043	539
Lip, oral cavity & pharynx (C00-C14)	103	–	–	–	–	–	4	17	18	22	28	14
Male	70	–	–	–	–	–	4	14	14	16	15	7
Female	33	–	–	–	–	–	–	3	4	6	13	7
Digestive Organs (C15-26)	1,543	–	1	–	–	5	27	123	222	405	493	267
Male	830	–	–	–	–	5	20	87	135	241	238	104
Female	713	–	1	–	–	–	7	36	87	164	255	163
Esophagus (C15)	166	–	–	–	–	–	2	13	38	43	53	17
Male	127	–	–	–	–	–	2	12	30	36	36	11
Female	39	–	–	–	–	–	–	1	8	7	17	6

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	137	—	—	—	—	—	5	11	21	35	42	23
Male	93	—	—	—	—	—	4	8	13	27	28	13
Female	44	—	—	—	—	—	1	3	8	8	14	10
Colon, rectum & anus (C18-C21)	687	—	—	—	—	4	14	46	96	162	225	140
Male	349	—	—	—	—	4	10	30	55	91	102	57
Female	338	—	—	—	—	—	4	16	41	71	123	83
Colon (C18)	557	—	—	—	—	3	11	36	71	132	186	118
Male	281	—	—	—	—	3	8	25	39	68	86	52
Female	276	—	—	—	—	—	3	11	32	64	100	66
Liver & intrahepatic bile ducts (C22)	105	—	1	—	—	1	3	20	11	33	24	12
Male	64	—	—	—	—	1	2	17	6	25	10	3
Female	41	—	1	—	—	—	1	3	5	8	14	9
Pancreas (C25)	378	—	—	—	—	—	2	27	53	110	132	54
Male	165	—	—	—	—	—	1	17	29	52	55	11
Female	213	—	—	—	—	—	1	10	24	58	77	43
Respiratory, intrathoracic organs (C30-39)	1,932	—	—	—	—	3	19	118	344	647	630	171
Male	1,066	—	—	—	—	1	14	67	177	347	373	87
Female	866	—	—	—	—	2	5	51	167	300	257	84
Larynx (C32)	30	—	—	—	—	—	—	—	4	14	10	2
Male	27	—	—	—	—	—	—	—	4	13	9	1
Female	3	—	—	—	—	—	—	—	—	1	1	1
Trachea, bronchus & lung (C33-C34)	1,887	—	—	—	—	2	19	116	339	627	617	167
Male	1,035	—	—	—	—	1	14	65	173	333	363	86
Female	852	—	—	—	—	1	5	51	166	294	254	81
Bronchus & lung (C34)	1,886	—	—	—	—	2	19	116	338	627	617	167
Male	1,034	—	—	—	—	1	14	65	172	333	363	86
Female	852	—	—	—	—	1	5	51	166	294	254	81
Skin (C43-44)	128	—	—	—	1	6	14	26	20	23	30	8
Male	85	—	—	—	—	5	7	20	13	16	20	4
Female	43	—	—	—	1	1	7	6	7	7	10	4
Melanoma of skin (C43)	110	—	—	—	1	6	13	25	18	17	25	5
Male	71	—	—	—	—	5	7	19	11	11	17	1
Female	39	—	—	—	1	1	6	6	7	6	8	4
Mesothelioma (C45)	30	—	—	—	—	—	—	3	2	9	9	7
Male	26	—	—	—	—	—	—	2	1	8	8	7
Female	4	—	—	—	—	—	—	1	1	1	1	—

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Breast (C50)	513	—	—	—	—	1	39	70	83	121	132	67
Male	3	—	—	—	—	—	—	1	—	1	1	—
Female	510	—	—	—	—	1	39	69	83	120	131	67
Female genital organs (C51-58)	313	—	—	—	2	3	16	39	53	73	88	39
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	313	—	—	—	2	3	16	39	53	73	88	39
Cervix uteri (C53)	36	—	—	—	1	2	7	6	9	6	4	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	36	—	—	—	1	2	7	6	9	6	4	1
Corpus uteri (C54-C55) ³	70	—	—	—	—	—	1	4	9	16	27	13
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	70	—	—	—	—	—	1	4	9	16	27	13
Ovary (C56)	192	—	—	—	1	1	8	27	35	47	52	21
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	192	—	—	—	1	1	8	27	35	47	52	21
Male genital organs (C60-C63)	451	—	—	1	2	1	4	5	19	85	191	143
Male	451	—	—	1	2	1	4	5	19	85	191	143
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	445	—	—	—	1	—	3	4	19	85	190	143
Male	445	—	—	—	1	—	3	4	19	85	190	143
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	133	—	—	—	—	—	6	16	24	31	40	16
Male	91	—	—	—	—	—	4	13	17	19	31	7
Female	42	—	—	—	—	—	2	3	7	12	9	9
Bladder (C67)	169	—	—	—	—	—	2	4	20	33	70	40
Male	119	—	—	—	—	—	1	3	11	27	53	24
Female	50	—	—	—	—	—	1	1	9	6	17	16
Brain, etc. (C70-C72) ⁴	155	—	1	7	3	10	13	23	26	37	26	9
Male	96	—	1	4	3	7	10	13	16	24	15	3
Female	59	—	—	3	—	3	3	10	10	13	11	6
Thyroid/endocrine gland (C73-C75)	32	—	—	1	—	1	1	4	8	5	7	5
Male	13	—	—	1	—	—	1	3	3	3	1	1
Female	19	—	—	—	—	1	—	1	5	2	6	4
Lymphoid & hematopoietic (C81-C96)	734	—	2	4	9	14	16	44	89	164	263	129
Male	393	—	1	2	8	7	13	23	58	101	123	57
Female	341	—	1	2	1	7	3	21	31	63	140	72

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hodgkin's disease (C81)	15	—	—	—	3	1	1	1	2	4	3	—
Male	11	—	—	—	3	1	1	1	2	1	2	—
Female	4	—	—	—	—	—	—	—	—	3	1	—
Non-Hodgkin's lymphoma (C82-C85)	312	—	—	—	4	5	9	27	40	60	114	53
Male	161	—	—	—	3	3	9	13	27	38	48	20
Female	151	—	—	—	1	2	—	14	13	22	66	33
Leukemia (C91-C95)	250	—	2	4	2	7	4	10	28	55	88	50
Male	127	—	1	2	2	3	2	5	16	34	43	19
Female	123	—	1	2	—	4	2	5	12	21	45	31
Lymphoid leukemia (C91)	97	—	2	3	1	3	2	1	9	19	38	19
Male	51	—	1	1	1	1	1	1	8	9	19	9
Female	46	—	1	2	—	2	1	—	1	10	19	10
Myeloid leukemia (C92)	111	—	—	—	1	2	2	8	16	27	35	20
Male	56	—	—	—	1	1	1	3	5	19	21	5
Female	55	—	—	—	—	1	1	5	11	8	14	15
Multiple myeloma (C88,C90) ⁵	156	—	—	—	—	1	2	6	19	45	57	26
Male	94	—	—	—	—	—	1	4	13	28	30	18
Female	62	—	—	—	—	1	1	2	6	17	27	8
Neoplasm not specif. as malign. (D00-D48) ⁶	200	1	—	4	—	—	5	8	17	38	65	62
Male	88	1	—	3	—	—	3	5	8	24	32	12
Female	112	—	—	1	—	—	2	3	9	14	33	50
Diseases of the Blood (D50-89)⁷	95	1	1	2	1	1	2	7	8	13	31	28
Male	40	—	1	—	—	—	1	2	5	10	15	6
Female	55	1	—	2	1	1	1	5	3	3	16	22
Anemias (D50-D64)	53	1	—	1	—	—	1	3	5	4	14	24
Male	19	—	—	—	—	—	—	1	4	3	6	5
Female	34	1	—	1	—	—	1	2	1	1	8	19
Endocrine & Nutritional Dis. (E00-E88)⁸	1,153	1	1	4	3	18	27	100	136	256	343	264
Male	547	1	—	4	—	7	14	62	80	127	164	88
Female	606	—	1	—	3	11	13	38	56	129	179	176
Diabetes mellitus (E10-E14)	855	—	—	—	1	12	18	66	109	215	262	172
Male	416	—	—	—	—	3	9	38	62	107	130	67
Female	439	—	—	—	1	9	9	28	47	108	132	105
Nutritional deficiencies (E40-E64)	60	—	—	—	—	—	1	1	2	5	16	35
Male	18	—	—	—	—	—	—	—	2	1	5	10
Female	42	—	—	—	—	—	1	1	—	4	11	25

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	48	—	—	—	—	—	1	1	1	4	15	26
Male	16	—	—	—	—	—	—	—	1	1	5	9
Female	32	—	—	—	—	—	1	1	—	3	10	17
Mental Disorders (F01-F99)⁹	812	—	—	—	3	18	70	64	35	59	187	376
Male	359	—	—	—	3	14	50	52	29	40	87	84
Female	453	—	—	—	—	4	20	12	6	19	100	292
Organic dementia (F01, F03)	517	—	—	—	—	—	—	—	3	33	141	340
Male	156	—	—	—	—	—	—	—	3	20	59	74
Female	361	—	—	—	—	—	—	—	—	13	82	266
Due to alcohol (F10)	109	—	—	—	—	4	13	28	24	20	17	3
Male	88	—	—	—	—	4	7	22	21	15	16	3
Female	21	—	—	—	—	—	6	6	3	5	1	—
Due to psychoactive substance (F11-F19)	119	—	—	—	3	13	55	33	6	2	6	1
Male	92	—	—	—	3	10	42	29	4	1	3	—
Female	27	—	—	—	—	3	13	4	2	1	3	1
Alcohol-induced deaths ^{10,11}	304	—	—	—	—	6	40	99	74	51	29	5
Male	234	—	—	—	—	5	25	79	55	40	27	3
Female	70	—	—	—	—	1	15	20	19	11	2	2
Nervous System Dis. (G00-G99)	1,453	3	4	5	6	5	20	56	59	146	514	635
Male	586	1	4	2	5	2	12	29	33	78	236	184
Female	867	2	—	3	1	3	8	27	26	68	278	451
Meningitis (G00, G03)	12	—	—	1	—	—	1	1	3	2	3	1
Male	3	—	—	—	—	—	—	1	1	—	1	—
Female	9	—	—	1	—	—	1	—	2	2	2	1
Amyotrophic lateral sclerosis (G12.2)	75	—	—	—	—	—	3	9	15	24	22	2
Male	33	—	—	—	—	—	2	6	5	11	9	—
Female	42	—	—	—	—	—	1	3	10	13	13	2
Parkinson's disease (G20-G21)	256	—	—	—	—	—	—	2	5	35	120	94
Male	152	—	—	—	—	—	—	1	4	23	75	49
Female	104	—	—	—	—	—	—	1	1	12	45	45
Alzheimer's disease (G30)	868	—	—	—	—	—	—	1	6	40	320	501
Male	275	—	—	—	—	—	—	—	4	22	126	123
Female	593	—	—	—	—	—	—	1	2	18	194	378
Epilepsy (G40-G41)	11	—	—	1	2	—	5	1	—	1	—	1
Male	8	—	—	1	2	—	3	1	—	1	—	—
Female	3	—	—	—	—	—	2	—	—	—	—	1

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Circulatory System Diseases (I00-I99)	10,901	8	2	6	11	36	146	430	791	1,639	3,642	4,190
Male	5,135	4	1	2	7	23	102	300	526	990	1,839	1,341
Female	5,766	4	1	4	4	13	44	130	265	649	1,803	2,849
Major cardiovascular diseases (I00-I78)	10,859	8	2	6	10	34	146	429	787	1,633	3,627	4,177
Male	5,118	4	1	2	6	23	102	299	525	986	1,833	1,337
Female	5,741	4	1	4	4	11	44	130	262	647	1,794	2,840
Heart disease (I00-I09, I11, I13, I20-I51)	7,252	7	1	6	8	29	122	347	621	1,197	2,294	2,620
Male	3,703	4	1	2	5	20	90	256	431	763	1,228	903
Female	3,549	3	—	4	3	9	32	91	190	434	1,066	1,717
Rheumatic heart diseases (I00-I09) ¹²	73	—	—	—	—	—	—	2	10	13	28	20
Male	23	—	—	—	—	—	—	1	4	6	9	3
Female	50	—	—	—	—	—	—	1	6	7	19	17
Hypertensive heart disease (I11)	182	—	—	—	—	2	8	5	10	23	47	87
Male	61	—	—	—	—	2	5	5	4	10	20	15
Female	121	—	—	—	—	—	3	—	6	13	27	72
Hypertensive heart & renal dis. (I13)	41	—	—	—	—	1	—	3	1	5	15	16
Male	18	—	—	—	—	1	—	2	1	1	5	8
Female	23	—	—	—	—	—	—	1	—	4	10	8
Ischemic heart diseases (I20-I25)	4,950	—	—	—	1	14	71	246	468	882	1,645	1,623
Male	2,761	—	—	—	1	11	60	197	355	595	920	622
Female	2,189	—	—	—	—	3	11	49	113	287	725	1,001
Myocardial infarction (I21-I22)	1,715	—	—	—	1	6	19	87	181	344	599	478
Male	971	—	—	—	1	4	13	66	135	228	327	197
Female	744	—	—	—	—	2	6	21	46	116	272	281
Other acute ischemic hrt. dis. (I24)	9	—	—	—	—	—	—	1	3	—	3	2
Male	5	—	—	—	—	—	—	1	2	—	2	—
Female	4	—	—	—	—	—	—	—	1	—	1	2
Chronic isch. heart dis. (I20, I25)	3,226	—	—	—	—	8	52	158	284	538	1,043	1,143
Male	1,785	—	—	—	—	7	47	130	218	367	591	425
Female	1,441	—	—	—	—	1	5	28	66	171	452	718
Atheroscler. cardiovascular dis. ¹³	477	—	—	—	—	3	8	23	36	63	154	190
Male	236	—	—	—	—	3	8	18	31	42	73	61
Female	241	—	—	—	—	—	—	5	5	21	81	129
Other chr. ischemic heart dis. ¹⁴	2,749	—	—	—	—	5	44	135	248	475	889	953
Male	1,549	—	—	—	—	4	39	112	187	325	518	364
Female	1,200	—	—	—	—	1	5	23	61	150	371	589

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure (I50)	746	—	—	1	—	—	1	14	19	67	203	441
Male	275	—	—	—	—	—	—	5	8	37	97	128
Female	471	—	—	1	—	—	1	9	11	30	106	313
Congestive heart failure (I50.0)	711	—	—	1	—	—	1	11	18	65	194	421
Male	262	—	—	—	—	—	—	4	8	35	93	122
Female	449	—	—	1	—	—	1	7	10	30	101	299
Left ventricular heart failure (I50.1)	3	—	—	—	—	—	—	2	—	1	—	—
Male	2	—	—	—	—	—	—	1	—	1	—	—
Female	1	—	—	—	—	—	—	1	—	—	—	—
Heart failure, unspecified (I50.9)	32	—	—	—	—	—	—	1	1	1	9	20
Male	11	—	—	—	—	—	—	—	—	1	4	6
Female	21	—	—	—	—	—	—	1	1	—	5	14
Hypertension & hyp. renal dis. (I10, I12)	246	—	—	—	—	1	3	10	13	34	90	95
Male	81	—	—	—	—	1	2	7	6	10	34	21
Female	165	—	—	—	—	—	1	3	7	24	56	74
Cerebrovascular diseases (I60-I69)	2,817	1	1	—	2	3	17	64	115	312	1,037	1,265
Male	1,061	—	—	—	1	1	8	31	64	160	447	349
Female	1,756	1	1	—	1	2	9	33	51	152	590	916
Subarachnoid hemorrhage (I60)	71	—	—	—	—	1	5	18	14	12	16	5
Male	21	—	—	—	—	—	1	6	5	3	4	2
Female	50	—	—	—	—	1	4	12	9	9	12	3
Intracerebral hemorrhage (I61-I62) ¹⁵	336	—	—	—	1	1	3	27	34	67	119	84
Male	155	—	—	—	1	1	2	14	24	35	48	30
Female	181	—	—	—	—	—	1	13	10	32	71	54
Cerebral infarction (I63)	219	—	—	—	1	—	3	2	7	32	81	93
Male	87	—	—	—	—	—	2	—	3	17	43	22
Female	132	—	—	—	1	—	1	2	4	15	38	71
Stroke (type not specified) (I64)	1,447	—	—	—	—	1	5	13	39	150	533	706
Male	528	—	—	—	—	—	2	8	19	81	227	191
Female	919	—	—	—	—	1	3	5	20	69	306	515
Atherosclerosis (I70)	198	—	—	—	—	—	—	3	6	16	70	103
Male	82	—	—	—	—	—	—	2	4	7	37	32
Female	116	—	—	—	—	—	—	1	2	9	33	71
Aortic aneurysm & dissection (I71)	240	—	—	—	—	1	4	3	21	59	99	53
Male	145	—	—	—	—	1	2	2	13	36	72	19
Female	95	—	—	—	—	—	2	1	8	23	27	34

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Diseases of arteries (I72-I78) ¹⁶	105	—	—	—	—	—	—	2	11	14	37	41
Male	45	—	—	—	—	—	—	1	7	9	15	13
Female	60	—	—	—	—	—	—	1	4	5	22	28
Respiratory System Diseases (J00-J99)	2,878	3	1	3	3	7	24	74	207	607	1,100	849
Male	1,399	1	1	1	1	3	8	40	103	322	581	338
Female	1,479	2	—	2	2	4	16	34	104	285	519	511
Influenza & pneumonia (J10-J18)	684	1	—	1	1	2	6	17	19	72	192	373
Male	302	—	—	1	1	1	2	13	9	40	109	126
Female	382	1	—	—	—	1	4	4	10	32	83	247
Influenza (J10-J11)	14	—	—	—	—	—	—	—	—	3	5	6
Male	5	—	—	—	—	—	—	—	—	—	2	3
Female	9	—	—	—	—	—	—	—	—	3	3	3
Pneumonia (J12-J18)	670	1	—	1	1	2	6	17	19	69	187	367
Male	297	—	—	1	1	1	2	13	9	40	107	123
Female	373	1	—	—	—	1	4	4	10	29	80	244
Other acute lower resp. infect'ns (J20-J22)	6	—	—	—	—	—	—	—	—	1	3	2
Male	2	—	—	—	—	—	—	—	—	—	1	1
Female	4	—	—	—	—	—	—	—	—	1	2	1
Acute bronchitis (J20-J21) ¹⁷	5	—	—	—	—	—	—	—	—	1	3	1
Male	2	—	—	—	—	—	—	—	—	—	1	1
Female	3	—	—	—	—	—	—	—	—	1	2	—
Chronic lower respiratory dis. (J40-J47) ¹⁸	1,762	—	—	1	1	1	10	44	150	468	757	330
Male	874	—	—	—	—	—	5	19	72	242	392	144
Female	888	—	—	1	1	1	5	25	78	226	365	186
Bronchitis, chronic & unspec. (J40-J42)	11	—	—	—	—	—	1	—	—	4	2	4
Male	4	—	—	—	—	—	1	—	—	1	1	1
Female	7	—	—	—	—	—	—	—	—	3	1	3
Emphysema (J43)	295	—	—	—	—	—	2	4	34	89	125	41
Male	156	—	—	—	—	—	1	3	16	49	72	15
Female	139	—	—	—	—	—	1	1	18	40	53	26
Asthma (J45-J46)	78	—	—	1	1	—	4	10	13	8	25	16
Male	22	—	—	—	—	—	2	2	4	1	8	5
Female	56	—	—	1	1	—	2	8	9	7	17	11
Other CLRD (J44, J47)	1,378	—	—	—	—	1	3	30	103	367	605	269
Male	692	—	—	—	—	—	1	14	52	191	311	123
Female	686	—	—	—	—	1	2	16	51	176	294	146

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumoconioses (J60-J66, J68) ¹⁹	17	—	—	—	—	—	—	—	2	3	5	7
Male	15	—	—	—	—	—	—	—	2	3	5	5
Female	2	—	—	—	—	—	—	—	—	—	—	2
Pneumonitis due to solids & liquids (J69)	153	—	—	—	—	1	3	1	8	22	42	76
Male	77	—	—	—	—	—	—	1	5	13	22	36
Female	76	—	—	—	—	1	3	—	3	9	20	40
Digestive System Diseases (K00-K92)	977	1	2	1	2	5	36	132	106	171	263	258
Male	462	—	2	1	2	4	23	95	63	84	112	76
Female	515	1	—	—	—	1	13	37	43	87	151	182
Peptic ulcer (K25-K28)	69	—	—	—	—	—	—	5	5	6	22	31
Male	26	—	—	—	—	—	—	1	3	4	8	10
Female	43	—	—	—	—	—	—	4	2	2	14	21
Diseases of the appendix (K35-K38)	4	1	—	—	—	—	—	—	—	2	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	3	1	—	—	—	—	—	—	—	2	—	—
Hernia (K40-K46)	21	—	—	—	—	—	—	—	1	1	9	10
Male	7	—	—	—	—	—	—	—	1	—	2	4
Female	14	—	—	—	—	—	—	—	—	1	7	6
Chronic liver disease (K70, K73-K74) ²⁰	304	—	—	—	—	2	30	96	63	58	42	13
Male	199	—	—	—	—	1	20	76	39	36	23	4
Female	105	—	—	—	—	1	10	20	24	22	19	9
Alcoholic liver disease (K70) ²¹	183	—	—	—	—	2	26	69	47	26	11	2
Male	134	—	—	—	—	1	17	55	31	20	10	—
Female	49	—	—	—	—	1	9	14	16	6	1	2
Cholelithiasis (K80-K82) ²²	39	—	—	—	—	—	—	1	1	9	11	17
Male	17	—	—	—	—	—	—	1	—	5	4	7
Female	22	—	—	—	—	—	—	—	1	4	7	10
Diseases of the Skin (L00-L98)²³	37	—	—	—	1	—	1	1	4	8	4	18
Male	18	—	—	—	—	—	1	—	1	7	2	7
Female	19	—	—	—	1	—	—	1	3	1	2	11
Musculoskeletal Disease (M00-M99)²⁴	214	—	—	2	—	—	3	13	15	25	65	91
Male	67	—	—	—	—	—	2	6	4	9	23	23
Female	147	—	—	2	—	—	1	7	11	16	42	68
Genitourinary System Dis. (N00-N99)	423	2	—	—	1	2	4	17	17	55	149	176
Male	157	—	—	—	—	1	2	9	5	22	64	54
Female	266	2	—	—	1	1	2	8	12	33	85	122

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	260	1	—	—	1	1	3	13	11	39	95	96
Male	118	—	—	—	—	—	1	7	4	20	47	39
Female	142	1	—	—	1	1	2	6	7	19	48	57
Acute nephrotic syndr. (N00-N01, N04) ²⁶	7	—	—	—	—	—	—	1	1	3	2	—
Male	2	—	—	—	—	—	—	1	—	1	—	—
Female	5	—	—	—	—	—	—	—	1	2	2	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁷	5	—	—	—	—	1	—	—	—	2	1	1
Male	2	—	—	—	—	—	—	—	—	1	—	1
Female	3	—	—	—	—	1	—	—	—	1	1	—
Renal failure (N17-N19)	248	1	—	—	1	—	3	12	10	34	92	95
Male	114	—	—	—	—	—	1	6	4	18	47	38
Female	134	1	—	—	1	—	2	6	6	16	45	57
Kidney infect'ns (N10-N12, N13.6, N15.1)	16	—	—	—	—	—	—	1	1	1	4	9
Male	6	—	—	—	—	—	—	1	—	—	3	2
Female	10	—	—	—	—	—	—	—	1	1	1	7
Urinary tract infection (N39.0)	122	—	—	—	—	1	—	2	3	12	45	59
Male	22	—	—	—	—	1	—	—	1	1	12	7
Female	100	—	—	—	—	—	—	2	2	11	33	52
Hyperplasia of prostate (N40)	3	—	—	—	—	—	—	—	—	—	—	3
Male	3	—	—	—	—	—	—	—	—	—	—	3
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁸	1	—	—	—	—	—	—	—	1	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	1	—	—	—
Pregnancy & Childbirth (O00-O99)²⁹	3	—	—	—	1	1	1	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	1	1	1	—	—	—	—	—
Perinatal Conditions (P00-P96)	112	112	—	—	—	—	—	—	—	—	—	—
Male	61	61	—	—	—	—	—	—	—	—	—	—
Female	51	51	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰	156	78	6	3	4	7	8	14	8	9	12	7
Male	82	41	4	2	1	5	7	6	4	7	4	1
Female	74	37	2	1	3	2	1	8	4	2	8	6
Malformation of the heart (Q20-Q24)	45	17	1	—	1	5	3	4	4	3	3	4

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malformation of the heart (Q20-Q24)												
Male	23	7	1	–	1	4	3	3	1	1	1	1
Female	22	10	–	–	–	1	–	1	3	2	2	3
Other malf. of the circul. sys. (Q25-Q28)	9	1	–	1	1	–	1	2	1	–	2	–
Male	5	–	–	1	–	–	1	1	1	–	1	–
Female	4	1	–	–	1	–	–	1	–	–	1	–
Malf. of the respiratory system (Q30-Q34)	27	26	–	–	–	1	–	–	–	–	–	–
Male	16	16	–	–	–	–	–	–	–	–	–	–
Female	11	10	–	–	–	1	–	–	–	–	–	–
Symptoms & Signs (R00-R99)³¹	743	30	1	–	4	10	22	30	67	108	150	321
Male	335	20	–	–	3	6	14	21	46	65	81	79
Female	408	10	1	–	1	4	8	9	21	43	69	242
Senility (R54)	77	–	–	–	–	–	–	–	–	–	12	65
Male	21	–	–	–	–	–	–	–	–	–	6	15
Female	56	–	–	–	–	–	–	–	–	–	6	50
Sudden infant death syndrome (R95)	26	26	–	–	–	–	–	–	–	–	–	–
Male	16	16	–	–	–	–	–	–	–	–	–	–
Female	10	10	–	–	–	–	–	–	–	–	–	–
External Causes of Death (V01-Y89)	1,865	17	24	48	221	238	322	288	118	171	229	189
Male	1,284	10	13	34	173	186	235	218	91	124	127	73
Female	581	7	11	14	48	52	87	70	27	47	102	116
Accidents (V01-X59, Y85-Y86)	1,144	11	20	40	134	124	168	151	65	107	164	160
Male	734	7	10	29	103	96	122	116	45	71	81	54
Female	410	4	10	11	31	28	46	35	20	36	83	106
Transport accidents (V01-V99, Y85)	491	3	6	23	102	56	84	79	34	54	42	8
Male	326	2	3	15	73	41	58	60	17	32	20	5
Female	165	1	3	8	29	15	26	19	17	22	22	3
Motor vehicle acc. (Many codes) ³²	436	3	5	18	98	53	68	64	29	49	41	8
Male	283	2	3	12	70	39	46	47	12	28	19	5
Female	153	1	2	6	28	14	22	17	17	21	22	3
Water transport accidents (V90-V94)	14	–	–	2	2	1	4	3	2	–	–	–
Male	13	–	–	2	2	1	3	3	2	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–
Air transport accidents (V95-V97)	18	–	–	–	2	–	4	6	2	4	–	–
Male	17	–	–	–	1	–	4	6	2	4	–	–
Female	1	–	–	–	1	–	–	–	–	–	–	–

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nontransport accidents (W00-X59,Y86)	653	8	14	17	32	68	84	72	31	53	122	152
Male	408	5	7	14	30	55	64	56	28	39	61	49
Female	245	3	7	3	2	13	20	16	3	14	61	103
Falls (W00-W19)	183	1	2	1	—	7	9	17	11	21	46	68
Male	103	—	1	1	—	6	8	14	9	16	24	24
Female	80	1	1	—	—	1	1	3	2	5	22	44
Firearms (W32-W34)	8	—	1	2	5	—	—	—	—	—	—	—
Male	8	—	1	2	5	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	46	—	6	3	9	7	5	8	4	1	1	2
Male	39	—	4	2	9	7	4	6	4	1	1	1
Female	7	—	2	1	—	—	1	2	—	—	—	1
Exposure to smoke & fire (X00-X09)	30	2	2	5	1	2	5	1	—	3	6	3
Male	16	2	1	4	1	1	3	—	—	2	2	—
Female	14	—	1	1	—	1	2	1	—	1	4	3
Poisoning (X40-X49) ³³	145	1	—	—	8	42	55	27	4	3	4	1
Male	109	1	—	—	7	33	39	20	4	2	2	1
Female	36	—	—	—	1	9	16	7	—	1	2	—
Suicide (X60-X84, Y87.0)	499	—	—	3	55	70	107	105	45	50	46	18
Male	412	—	—	3	48	62	80	80	40	43	41	15
Female	87	—	—	—	7	8	27	25	5	7	5	3
Homicide (X85-Y09, Y87.1)	109	4	3	3	27	34	18	15	3	1	—	1
Male	72	2	2	1	19	20	13	11	3	1	—	—
Female	37	2	1	2	8	14	5	4	—	—	—	1
Legal intervention (Y35, Y89.0)	8	—	—	—	1	2	4	—	1	—	—	—
Male	8	—	—	—	1	2	4	—	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	58	2	1	2	4	8	24	12	1	1	2	1
Male	36	1	1	1	2	6	15	8	1	1	—	—
Female	22	1	—	1	2	2	9	4	—	—	2	1
War and its sequelae (Y36, Y89.1)	2	—	—	—	—	—	—	1	—	1	—	—
Male	2	—	—	—	—	—	—	1	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complications (Y40-Y84, Y88)	45	—	—	—	—	—	1	4	3	11	17	9
Male	20	—	—	—	—	—	1	2	1	7	5	4
Female	25	—	—	—	—	—	—	2	2	4	12	5

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

- 2 Human immunodeficiency virus/Acquired immune deficiency syndrome.
- 3 Including uterus, part unspecified.
- 4 Including meninges and other parts of the central nervous system.
- 5 Including immunoproliferative neoplasms.
- 6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 8 Including metabolic diseases.
- 9 Including behavioral disorders.
- 10 Including: alcoholic mental/behavioral disorders, degeneration of nervous sys., polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 11 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders.The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.,' located under Mental Disorders
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- Quantity is 0.