

**TABLE 7-8. Early Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2000**

Birthweight (In Grams)	Total	Weeks of Gestation								
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+
Total	129	5	33	27	10	11	3	21	7	11
001-349	13	5	7	—	1	—	—	—	—	—
350-499	23	—	18	5	—	—	—	—	—	—
<500	36	5	25	5	1	—	—	—	—	—
500-749	23	—	6	15	2	—	—	—	—	—
750-999	10	—	2	4	3	—	—	1	—	—
1000-1249	6	—	—	3	1	2	—	—	—	—
1250-1499	3	—	—	—	1	—	—	2	—	—
1500-1999	10	—	—	—	1	5	1	3	—	—
2000-2499	10	—	—	—	1	2	1	5	—	1
<2500	98	5	33	27	10	9	2	11	—	1
2500-2999	6	—	—	—	—	2	1	1	1	1
3000-3499	14	—	—	—	—	—	—	7	3	3
3500-3999	4	—	—	—	—	—	—	1	2	1
4000-4499	5	—	—	—	—	—	—	1	—	4
4500+	1	—	—	—	—	—	—	—	—	1

— Quantity is zero.

¹ Early neonatal death is defined as less than 7 days old.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes one report with birthweight and gestation unknown.