

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	30,813	256	68	75	343	410	926	2,091	3,283	4,961	8,947	9,453
Male	15,164	139	37	42	243	283	594	1,322	2,000	2,733	4,433	3,338
Female	15,649	117	31	33	100	127	332	769	1,283	2,228	4,514	6,115
Infections & Parasitic Disease (A00-B99)	529	1	3	2	5	12	66	116	77	60	109	78
Male	298	1	1	1	4	9	52	85	50	26	46	23
Female	231	-	2	1	1	3	14	31	27	34	63	55
Tuberculosis (A16-A19)	7	-	-	-	-	-	-	1	3	-	2	1
Male	4	-	-	-	-	-	-	1	2	-	1	-
Female	3	-	-	-	-	-	-	-	1	-	1	1
Meningococcal infection (A39)	3	-	-	-	2	-	1	-	-	-	-	-
Male	3	-	-	-	2	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (A40-A41)	175	-	1	1	-	-	9	15	18	34	56	41
Male	75	-	1	1	-	-	5	9	8	15	24	12
Female	100	-	-	-	-	-	4	6	10	19	32	29
Creutzfeldt-Jacob disease (A81.0)	1	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-
Viral hepatitis (B15-B19)	95	-	-	-	-	1	9	50	23	6	5	1
Male	61	-	-	-	-	1	6	33	14	2	4	1
Female	34	-	-	-	-	-	3	17	9	4	1	-
HIV/AIDS (B20-B24)²	91	-	-	-	1	9	34	29	15	3	-	-
Male	84	-	-	-	-	7	34	26	14	3	-	-
Female	7	-	-	-	1	2	-	3	1	-	-	-
Malignant Neoplasms (C00-C97)	7,217	-	6	16	19	44	149	554	1,217	1,801	2,208	1,203
Male	3,687	-	2	8	12	19	58	294	666	940	1,147	541
Female	3,530	-	4	8	7	25	91	260	551	861	1,061	662
Lip, oral cavity & pharynx (C00-C14)	93	-	-	-	-	1	1	10	16	26	19	20
Male	54	-	-	-	-	1	-	8	13	14	10	8
Female	39	-	-	-	-	-	1	2	3	12	9	12
Digestive Organs (C15-C26)	1,640	-	1	-	4	9	27	136	282	417	480	284
Male	883	-	-	-	3	2	12	85	192	230	262	97
Female	757	-	1	-	1	7	15	51	90	187	218	187
Esophagus (C15)	177	-	-	-	-	-	4	13	43	50	48	19
Male	143	-	-	-	-	-	3	11	36	45	39	9
Female	34	-	-	-	-	-	1	2	7	5	9	10

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	122	-	-	-	-	1	3	14	22	36	30	16
Male	68	-	-	-	-	-	-	9	16	23	15	5
Female	54	-	-	-	-	1	3	5	6	13	15	11
Colon, rectum & anus (C18-C21)	686	-	-	-	2	5	9	47	97	163	205	158
Male	319	-	-	-	2	-	5	19	61	80	102	50
Female	367	-	-	-	-	5	4	28	36	83	103	108
Colon (C18)	554	-	-	-	2	4	5	34	78	131	169	131
Male	247	-	-	-	2	-	3	11	46	65	80	40
Female	307	-	-	-	-	4	2	23	32	66	89	91
Rectosigmoid junction (C19)	33	-	-	-	-	1	-	4	4	11	8	5
Male	17	-	-	-	-	-	-	2	4	7	3	1
Female	16	-	-	-	-	1	-	2	-	4	5	4
Rectum (C20)	88	-	-	-	-	-	4	7	13	18	27	19
Male	51	-	-	-	-	-	2	4	10	8	18	9
Female	37	-	-	-	-	-	2	3	3	10	9	10
Liver & intrahepatic bile ducts (C22)	172	-	1	-	2	-	5	36	41	37	39	11
Male	111	-	-	-	1	-	1	29	31	18	23	8
Female	61	-	1	-	1	-	4	7	10	19	16	3
Pancreas (C25)	377	-	-	-	-	2	6	20	66	106	124	53
Male	204	-	-	-	-	1	3	13	42	58	67	20
Female	173	-	-	-	-	1	3	7	24	48	57	33
Respiratory, intrathoracic organs (C30-C39)	2,123	-	-	-	1	2	21	132	405	637	698	227
Male	1,145	-	-	-	1	-	9	77	227	355	362	114
Female	978	-	-	-	-	2	12	55	178	282	336	113
Larynx (C32)	35	-	-	-	-	-	-	3	8	10	12	2
Male	29	-	-	-	-	-	-	2	7	10	9	1
Female	6	-	-	-	-	-	-	1	1	-	3	1
Trachea, bronchus & lung (C33-C34)	2,072	-	-	-	1	2	20	127	394	623	683	222
Male	1,106	-	-	-	1	-	9	73	219	341	352	111
Female	966	-	-	-	-	2	11	54	175	282	331	111
Bronchus & lung (C34)	2,069	-	-	-	1	2	20	126	393	623	682	222
Male	1,104	-	-	-	1	-	9	72	219	341	351	111
Female	965	-	-	-	-	2	11	54	174	282	331	111
Skin (C43-C44)	159	-	-	-	-	4	8	28	36	35	29	19
Male	108	-	-	-	-	1	8	19	28	23	20	9
Female	51	-	-	-	-	3	-	9	8	12	9	10

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	127	-	-	-	-	4	6	26	34	26	20	11
Male	85	-	-	-	-	1	6	18	27	17	13	3
Female	42	-	-	-	-	3	-	8	7	9	7	8
Mesothelioma (C45)	50	-	-	-	-	-	1	3	8	9	19	10
Male	43	-	-	-	-	-	-	3	6	8	18	8
Female	7	-	-	-	-	-	1	-	2	1	1	2
Breast (C50)	550	-	-	-	1	1	27	64	108	118	126	105
Male	2	-	-	-	-	-	-	2	-	-	-	-
Female	548	-	-	-	1	1	27	62	108	118	126	105
Female genital organs (C51-C58)	328	-	-	-	1	2	15	32	60	68	91	59
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	328	-	-	-	1	2	15	32	60	68	91	59
Cervix uteri (C53)	43	-	-	-	-	-	10	6	5	7	9	6
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	43	-	-	-	-	-	10	6	5	7	9	6
Corpus uteri (C54-C55) ³	77	-	-	-	-	-	1	7	15	20	20	14
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	77	-	-	-	-	-	1	7	15	20	20	14
Ovary (C56)	186	-	-	-	1	2	4	18	38	39	55	29
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	186	-	-	-	1	2	4	18	38	39	55	29
Male genital organs (C60-C63)	422	-	-	-	1	2	2	7	31	70	164	145
Male	422	-	-	-	1	2	2	7	31	70	164	145
Female	-	-	-	-	-	-	-	-	-	-	-	-
Prostate (C61)	415	-	-	-	-	-	-	6	31	70	163	145
Male	415	-	-	-	-	-	-	6	31	70	163	145
Female	-	-	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis (C64-C65)	143	-	-	1	-	1	2	14	25	35	41	24
Male	91	-	-	-	-	-	2	9	16	26	26	12
Female	52	-	-	1	-	1	-	5	9	9	15	12
Bladder (C67)	190	-	-	-	-	-	-	6	25	44	70	45
Male	134	-	-	-	-	-	-	5	21	27	54	27
Female	56	-	-	-	-	-	-	1	4	17	16	18
Brain, etc. (C70-C72) ⁴	195	-	2	4	2	9	12	27	42	54	31	12
Male	114	-	1	2	1	7	7	20	27	31	14	4
Female	81	-	1	2	1	2	5	7	15	23	17	8

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	23	-	-	1	-	-	-	4	3	1	10	4
Male	11	-	-	1	-	-	-	2	-	1	5	2
Female	12	-	-	-	-	-	-	2	3	-	5	2
Lymphoid & hematopoietic (C81-C96)	774	-	2	5	6	8	19	52	110	170	258	144
Male	430	-	-	3	4	4	9	33	72	99	136	70
Female	344	-	2	2	2	4	10	19	38	71	122	74
Hodgkin's disease (C81)	17	-	-	-	-	2	2	-	2	1	5	5
Male	6	-	-	-	-	1	1	-	1	-	2	1
Female	11	-	-	-	-	1	1	-	1	1	3	4
Non-Hodgkin's lymphoma (C82-C85)	323	-	-	-	1	4	10	24	56	71	103	54
Male	175	-	-	-	-	3	5	14	37	43	50	23
Female	148	-	-	-	1	1	5	10	19	28	53	31
Leukemia (C91-C95)	266	-	2	5	5	2	6	18	25	52	95	56
Male	149	-	-	3	4	-	2	13	16	26	52	33
Female	117	-	2	2	1	2	4	5	9	26	43	23
Lymphoid leukemia (C91)	106	-	1	3	1	1	2	7	11	14	40	26
Male	60	-	-	2	1	-	1	5	6	8	24	13
Female	46	-	1	1	-	1	1	2	5	6	16	13
Myeloid leukemia (C92)	118	-	-	2	3	1	2	8	12	30	39	21
Male	65	-	-	1	2	-	-	6	9	15	18	14
Female	53	-	-	1	1	1	2	2	3	15	21	7
Multiple myeloma (C88, C90) ⁵	167	-	-	-	-	-	1	10	27	45	55	29
Male	99	-	-	-	-	-	1	6	18	29	32	13
Female	68	-	-	-	-	-	-	4	9	16	23	16
Neopla. Not Specif. As Malign. (D00-D48)⁶	181	-	1	1	-	-	2	7	17	27	67	59
Male	86	-	-	-	-	-	-	2	10	13	38	23
Female	95	-	1	1	-	-	2	5	7	14	29	36
Myelodysplastic syndromes (D46)	85	-	-	-	-	-	-	2	7	9	34	33
Male	48	-	-	-	-	-	-	-	5	5	23	15
Female	37	-	-	-	-	-	-	2	2	4	11	18
Diseases of the Blood (D50-89)⁷	116	1	-	1	-	5	5	9	12	13	27	43
Male	42	1	-	-	-	1	2	4	5	6	13	10
Female	74	-	-	1	-	4	3	5	7	7	14	33
Anemias (D50-D64)	62	-	-	-	-	3	1	1	3	8	17	29
Male	18	-	-	-	-	1	-	-	-	4	7	6
Female	44	-	-	-	-	2	1	1	3	4	10	23

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,336	5	6	4	7	23	29	125	191	243	403	300
Male	660	2	5	2	5	15	20	72	112	136	182	109
Female	676	3	1	2	2	8	9	53	79	107	221	191
Diabetes mellitus (E10-E14)	1,032	-	-	1	6	14	17	94	154	196	338	212
Male	517	-	-	-	4	7	13	58	88	109	154	84
Female	515	-	-	1	2	7	4	36	66	87	184	128
Nutritional deficiencies (E40-E64)	26	-	-	-	-	-	-	1	1	5	4	15
Male	9	-	-	-	-	-	-	-	-	3	2	4
Female	17	-	-	-	-	-	-	1	1	2	2	11
Malnutrition (E40-E46)	21	-	-	-	-	-	-	1	1	4	2	13
Male	6	-	-	-	-	-	-	-	-	2	1	3
Female	15	-	-	-	-	-	-	1	1	2	1	10
Mental Disorders (F01-F99)⁹	1,163	-	1	-	5	19	55	88	75	84	268	568
Male	500	-	-	-	2	16	36	65	58	53	112	158
Female	663	-	1	-	3	3	19	23	17	31	156	410
Organic dementia (F01, F03)	777	-	-	-	-	-	-	-	5	33	217	522
Male	241	-	-	-	-	-	-	-	2	19	86	134
Female	536	-	-	-	-	-	-	-	3	14	131	388
Due to alcohol (F10)¹⁰	191	-	-	-	1	2	25	63	52	28	18	2
Male	141	-	-	-	-	2	17	45	43	21	12	1
Female	50	-	-	-	1	-	8	18	9	7	6	1
Due to psychoactive substance (F11-F19)	109	-	-	-	4	17	25	21	14	12	7	9
Male	80	-	-	-	2	14	18	19	11	7	3	6
Female	29	-	-	-	2	3	7	2	3	5	4	3
Nervous System Dis. (G00-G99)	1,890	3	2	4	10	9	30	61	104	176	615	876
Male	720	1	-	2	6	4	15	34	39	98	282	239
Female	1,170	2	2	2	4	5	15	27	65	78	333	637
Meningitis (G00, G03)	8	-	-	-	-	-	-	1	3	1	1	2
Male	4	-	-	-	-	-	-	1	1	1	1	-
Female	4	-	-	-	-	-	-	-	2	-	-	2
Amyotrophic lateral sclerosis (G12.2)	113	-	-	-	-	1	3	9	30	23	35	12
Male	62	-	-	-	-	1	3	7	11	11	22	7
Female	51	-	-	-	-	-	-	2	19	12	13	5
Parkinson's disease (G20-G21)	310	-	-	-	-	-	-	1	10	33	155	111
Male	170	-	-	-	-	-	-	1	6	26	84	53
Female	140	-	-	-	-	-	-	-	4	7	71	58

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30)	1,149	-	-	-	-	-	1	1	6	59	364	718
Male	347	-	-	-	-	-	-	4	29	146	168	
Female	802	-	-	-	-	1	1	2	30	218	550	
Multiple sclerosis (G35)	63	-	-	-	-	1	3	18	15	8	2	
Male	16	-	-	-	-	1	3	3	6	2	-	
Female	47	-	-	-	-	3	12	15	9	6	2	
Epilepsy (G40-G41)	21	-	-	1	4	1	7	3	1	1	3	
Male	10	-	-	-	2	1	4	1	1	-	1	
Female	11	-	-	1	2	-	3	2	-	1	2	
Circulatory System Diseases (I00-I99)	10,465	8	5	4	12	30	127	425	830	1,467	3,263	4,294
Male	5,030	4	4	3	9	19	94	304	596	893	1,644	1,460
Female	5,435	4	1	1	3	11	33	121	234	574	1,619	2,834
Major cardiovascular disease (I00-I78)	10,414	8	5	4	12	29	126	421	822	1,457	3,248	4,282
Male	5,010	4	4	3	9	19	94	303	592	888	1,638	1,456
Female	5,404	4	1	1	3	10	32	118	230	569	1,610	2,826
Heart disease (I00-I09, I11, I13, I20-I51)	7,008	7	5	3	10	22	102	316	650	1,029	2,108	2,756
Male	3,653	3	4	3	8	14	76	241	482	672	1,133	1,017
Female	3,355	4	1	-	2	8	26	75	168	357	975	1,739
Rheumatic heart disease (I00-I09) ¹¹	62	-	-	-	-	-	-	3	6	8	22	23
Male	19	-	-	-	-	-	-	1	2	4	9	3
Female	43	-	-	-	-	-	-	2	4	4	13	20
Hypertensive heart disease (I11)	204	-	-	-	-	1	4	6	7	15	68	103
Male	56	-	-	-	-	1	2	3	5	3	25	17
Female	148	-	-	-	-	-	2	3	2	12	43	86
Hypertensive heart & renal dis. (I13)	37	-	-	-	-	-	-	-	2	5	9	21
Male	17	-	-	-	-	-	-	-	1	3	4	9
Female	20	-	-	-	-	-	-	-	1	2	5	12
Ischemic heart disease (I20-I25)	4,586	-	-	-	4	7	65	232	515	761	1,401	1,601
Male	2,629	-	-	-	3	7	55	191	397	529	810	637
Female	1,957	-	-	-	1	1	10	41	118	232	591	964
Myocardial infarction (I21-I22)	1,661	-	-	-	2	2	23	72	194	293	540	535
Male	890	-	-	-	1	2	17	57	145	189	290	189
Female	771	-	-	-	1	1	6	15	49	104	250	346
Other acute ischemic hrt. dis. (I24)	13	-	-	-	-	-	1	2	1	3	4	2
Male	6	-	-	-	-	-	1	2	1	1	1	-
Female	7	-	-	-	-	-	-	-	-	2	3	2

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Chronic isch. heart dis. (I20, I25)	2,912	-	-	-	2	5	41	158	320	465	857	1,064
Male	1,733	-	-	-	2	5	37	132	251	339	519	448
Female	1,179	-	-	-	-	-	4	26	69	126	338	616
Atheroscler. cardiovascular dis. ¹²	342	-	-	-	-	-	5	10	28	39	96	164
Male	173	-	-	-	-	-	5	9	21	28	54	56
Female	169	-	-	-	-	-	-	1	7	11	42	108
Other chr. ischemic heart dis. ¹³	2,570	-	-	-	2	5	36	148	292	426	761	900
Male	1,560	-	-	-	2	5	32	123	230	311	465	392
Female	1,010	-	-	-	-	-	4	25	62	115	296	508
Nonrheumatic mitral valve dis. (I34)	48	-	-	-	-	-	1	3	3	10	9	22
Male	19	-	-	-	-	-	-	1	2	5	5	6
Female	29	-	-	-	-	-	1	2	1	5	4	16
Nonrheumatic aortic valve dis. (I35)	285	-	-	-	-	-	1	6	11	20	89	158
Male	124	-	-	-	-	-	1	6	9	10	41	57
Female	161	-	-	-	-	-	-	-	2	10	48	101
Cardiomyopathy (I42)	262	1	4	-	1	5	11	26	35	47	70	62
Male	173	-	3	-	-	4	9	17	28	38	43	31
Female	89	1	1	-	1	1	2	9	7	9	27	31
Heart failure (I50)	763	-	-	-	-	-	1	5	23	50	192	492
Male	288	-	-	-	-	-	1	2	13	20	95	157
Female	475	-	-	-	-	-	-	3	10	30	97	335
Congestive heart failure (I50.0)	737	-	-	-	-	-	1	5	21	48	186	476
Male	277	-	-	-	-	-	1	2	11	20	90	153
Female	460	-	-	-	-	-	-	3	10	28	96	323
Left ventricular heart failure (I50.1)	2	-	-	-	-	-	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1
Heart failure, unspecified (I50.9)	24	-	-	-	-	-	-	-	1	2	6	15
Male	10	-	-	-	-	-	-	-	1	-	5	4
Female	14	-	-	-	-	-	-	-	-	2	1	11
Hypertension & hyp. renal dis. (I10, I12)	345	-	-	-	-	-	2	12	32	38	101	160
Male	124	-	-	-	-	-	1	9	23	19	37	35
Female	221	-	-	-	-	-	1	3	9	19	64	125
Cerebrovascular disease (I60-169)	2,548	1	-	1	2	5	17	76	109	314	866	1,157
Male	969	1	-	-	1	3	13	40	62	153	374	322
Female	1,579	-	-	1	1	2	4	36	47	161	492	835

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Subarachnoid hemorrhage (I60)	76	-	-	-	1	3	3	18	13	21	13	4
Male	29	-	-	-	-	1	2	8	9	9	-	
Female	47	-	-	-	1	2	10	7	12	10	4	
Intracerebral hemorrhage (I61-I62) ¹⁴	341	-	-	1	1	2	25	30	61	134	80	
Male	156	-	-	-	1	2	15	14	25	70	24	
Female	185	-	-	1	-	-	10	16	36	64	56	
Cerebral infarction (I63)	211	1	-	-	-	-	3	4	23	66	114	
Male	70	1	-	-	-	-	1	4	16	23	25	
Female	141	-	-	-	-	-	2	-	7	43	89	
Stroke (type not specified) (I64)	1,354	-	-	-	-	-	27	52	151	460	657	
Male	503	-	-	-	-	-	15	29	75	195	183	
Female	851	-	-	-	-	-	12	23	76	265	474	
Atherosclerosis (I70)	205	-	-	-	-	-	2	10	20	62	110	
Male	87	-	-	-	-	-	2	7	11	27	40	
Female	118	-	-	-	-	-	-	3	9	35	70	
Aortic aneurysm & dissection (I71)	195	-	-	-	-	1	10	15	35	74	57	
Male	123	-	-	-	-	1	3	9	26	47	23	
Female	72	-	-	-	-	-	7	6	9	27	34	
Diseases of arteries (I72-I78) ¹⁵	113	-	-	-	-	1	5	6	21	37	42	
Male	54	-	-	-	-	1	2	4	7	20	19	
Female	59	-	-	-	-	-	3	2	14	17	23	
Respiratory System Diseases (J00-J99)	2,923	8	4	4	6	12	20	81	252	572	1,054	910
Male	1,398	7	3	3	1	10	9	40	121	283	521	400
Female	1,525	1	1	1	5	2	11	41	131	289	533	510
Influenza & pneumonia (J10-J18)	633	3	-	2	1	4	8	15	34	51	171	344
Male	276	2	-	1	-	3	4	8	12	26	94	126
Female	357	1	-	1	1	1	4	7	22	25	77	218
Influenza (J10-J11)	17	-	-	-	1	-	1	-	1	2	7	5
Male	7	-	-	-	-	-	1	-	1	2	1	1
Female	10	-	-	-	1	-	-	-	-	-	5	4
Pneumonia (J12-J18)	616	3	-	2	-	4	7	15	33	49	164	339
Male	269	2	-	1	-	3	3	8	11	24	92	125
Female	347	1	-	1	-	1	4	7	22	25	72	214
Other acute lower resp. infections (J20-J22)	8	1	-	-	-	-	-	1	2	1	3	-
Male	6	1	-	-	-	-	-	1	1	1	2	-
Female	2	-	-	-	-	-	-	-	-	-	1	-

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Acute bronchitis (J20-J21) ¹⁶	6	-	-	-	-	-	-	1	2	1	2	-
Male	4	-	-	-	-	-	-	1	1	1	1	-
Female	2	-	-	-	-	-	-	-	1	-	1	-
Chronic lower respiratory dis. (J40-J47) ¹⁷	1,818	-	1	-	-	2	7	49	183	443	717	416
Male	878	-	1	-	-	2	2	23	92	220	332	206
Female	940	-	-	-	-	-	5	26	91	223	385	210
Bronchitis, chronic & unspec. (J40-J42)	9	-	1	-	-	-	-	1	1	2	4	-
Male	7	-	1	-	-	-	-	1	1	1	3	-
Female	2	-	-	-	-	-	-	-	-	1	1	-
Emphysema (J43)	287	-	-	-	-	-	-	7	26	90	112	52
Male	139	-	-	-	-	-	-	3	11	43	54	28
Female	148	-	-	-	-	-	-	4	15	47	58	24
Asthma (J45-J46)	55	-	-	-	-	2	3	7	13	5	15	10
Male	20	-	-	-	-	2	-	4	6	2	4	2
Female	35	-	-	-	-	-	3	3	7	3	11	8
Other CLRD (J44, J47)	1,467	-	-	-	-	-	4	34	143	346	586	354
Male	712	-	-	-	-	-	2	15	74	174	271	176
Female	755	-	-	-	-	-	2	19	69	172	315	178
Bronchiectasis (J47)	22	-	-	-	-	-	1	-	2	3	10	6
Male	7	-	-	-	-	-	1	-	1	1	4	1
Female	15	-	-	-	-	-	-	-	1	2	6	5
Pneumoconioses (J60-J66, J68) ¹⁸	15	-	-	-	-	-	1	-	2	1	8	3
Male	15	-	-	-	-	-	1	-	2	1	8	3
Female	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to solids & liquids (J69)	164	1	1	-	1	3	2	3	5	21	53	74
Male	79	1	-	-	1	2	2	1	3	10	31	28
Female	85	-	1	-	-	1	-	2	2	11	22	46
Digestive System Diseases (K00-K92)	1,145	3	1	1	2	13	65	151	174	171	289	275
Male	557	1	1	1	1	8	42	106	108	86	126	77
Female	588	2	-	-	1	5	23	45	66	85	163	198
Peptic ulcer (K25-K28)	48	-	-	-	-	-	2	3	2	9	14	18
Male	21	-	-	-	-	-	1	-	1	6	5	8
Female	27	-	-	-	-	-	1	3	1	3	9	10
Diseases of the appendix (K35-K38)	8	-	-	-	-	-	1	1	1	1	3	1
Male	6	-	-	-	-	-	1	1	1	1	1	1
Female	2	-	-	-	-	-	-	-	-	-	2	-

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups											
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Appendicitis (K35-K37)	8	-	-	-	-	-	1	1	1	1	3	1	1
Male	6	-	-	-	-	-	1	1	1	1	1	1	1
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Hernia (K40-K46)	26	-	1	-	-	-	1	1	1	6	8	8	8
Male	12	-	1	-	-	-	1	1	1	2	2	2	4
Female	14	-	-	-	-	-	-	-	-	4	6	4	4
Vascular disorders of the intestine (K55)	123	3	-	1	-	-	1	2	6	23	47	40	40
Male	38	1	-	1	-	-	1	1	3	7	20	4	4
Female	85	2	-	-	-	-	1	3	3	16	27	36	36
Chronic liver disease (K70, K73-K74) ¹⁹	376	-	-	-	-	7	50	109	108	55	40	7	7
Male	240	-	-	-	-	4	31	78	70	33	21	3	3
Female	136	-	-	-	-	3	19	31	38	22	19	4	4
Alcoholic liver disease (K70) ²⁰	306	-	-	-	-	5	47	100	90	44	19	1	1
Male	205	-	-	-	-	2	29	71	61	30	11	1	1
Female	101	-	-	-	-	3	18	29	29	14	8	-	-
Cholelithiasis (K80-K82) ²¹	45	-	-	-	-	-	1	-	6	8	16	14	14
Male	23	-	-	-	-	-	-	-	4	5	8	5	5
Female	22	-	-	-	-	-	-	-	2	3	8	9	9
Diseases of the Skin (L00-L98) ²²	46	-	-	-	-	-	1	4	4	7	11	19	19
Male	17	-	-	-	-	-	-	4	1	2	4	6	6
Female	29	-	-	-	-	-	1	-	3	5	7	13	13
Musculoskeletal Disease (M00-M99) ²³	261	-	-	-	-	1	6	15	29	48	81	81	81
Male	82	-	-	-	-	-	3	7	14	18	21	19	19
Female	179	-	-	-	-	1	3	8	15	30	60	62	62
Genitourinary System Dis. (N00-N99)	524	1	-	-	1	2	3	23	32	69	194	199	199
Male	242	1	-	-	1	1	1	14	17	34	92	81	81
Female	282	-	-	-	-	1	2	9	15	35	102	118	118
Nephritis (N00-N07, N17-N19, N25-N27) ²⁴	303	1	-	-	-	2	2	18	24	45	120	91	91
Male	160	1	-	-	-	1	1	13	14	27	66	37	37
Female	143	-	-	-	-	1	1	5	10	18	54	54	54
Acute nephrotic syndr. (N00-N01, N04) ²⁵	7	-	-	-	-	-	-	1	1	2	2	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	-	-	-	1	1	2	2	1	1
Chr. nephritis (N02-N03, N05-N07, N26) ²⁶	13	-	-	-	-	-	1	2	3	1	6	-	-
Male	10	-	-	-	-	-	1	1	2	1	5	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Renal failure (N17-N19)	283	1	-	-	-	2	1	15	20	42	112	90
Male	150	1	-	-	-	1	-	12	12	26	61	37
Female	133	-	-	-	-	1	1	3	8	16	51	53
Kidney infect'ns (N10-N12, N13.6, N15.1)	19	-	-	-	1	-	-	-	2	1	6	9
Male	8	-	-	-	1	-	-	-	1	1	1	4
Female	11	-	-	-	-	-	-	-	1	-	5	5
Urinary tract infection (N39.0)	168	-	-	-	-	-	1	5	2	19	53	88
Male	52	-	-	-	-	-	-	1	1	4	14	32
Female	116	-	-	-	-	-	1	4	1	15	39	56
Hyperplasia of prostate (N40)	7	-	-	-	-	-	-	-	-	-	2	5
Male	7	-	-	-	-	-	-	-	-	-	2	5
Female	-	-	-	-	-	-	-	-	-	-	-	-
Female pelvic inflam. dis. (N70-N76)²⁷	2	-	-	-	-	-	-	-	-	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-
Pregnancy & Childbirth (O00-O99)²⁸	1	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-
Perinatal Conditions (P00-P96)	115	112	2	-	1	-	-	-	-	-	-	-
Male	66	63	2	-	1	-	-	-	-	-	-	-
Female	49	49	-	-	-	-	-	-	-	-	-	-
Congenital Malformations (Q00-Q99)²⁹	125	63	5	2	3	3	11	6	13	7	6	6
Male	53	27	2	1	1	1	6	3	7	1	2	2
Female	72	36	3	1	2	2	5	3	6	6	4	4
Malformation of the heart (Q20-Q24)	40	19	2	1	1	2	5	2	1	3	2	2
Male	16	9	-	1	-	-	3	2	1	-	-	-
Female	24	10	2	1	1	2	2	-	-	3	2	2
Other malf. of the circul. sys. (Q25-Q28)	9	1	-	-	-	-	1	1	3	-	-	3
Male	4	1	-	-	-	-	-	-	1	-	-	2
Female	5	-	-	-	-	-	1	1	2	-	-	1
Malf. of the respiratory system (Q30-Q34)	9	8	-	-	-	-	-	-	1	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-
Female	7	6	-	-	-	-	-	-	1	-	-	-
Symptoms & Signs (R00-R99)³⁰	577	28	2	1	1	6	17	31	40	78	108	265
Male	252	18	2	-	1	5	9	25	28	48	43	73
Female	325	10	-	1	-	1	8	6	12	30	65	192

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups														
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+				
Senility (R54)	96	-	-	-	-	-	-	-	-	-	-	-	1	4	10	81
Male	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
Female	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
Sudden infant death syndrome (R95)	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
External Causes of Death (V01-Y89)	2,199	23	30	35	271	230	340	395	216	138	244	277	216	138	244	277
Male	1,474	13	15	21	199	175	247	263	168	96	160	117	168	96	160	117
Female	725	10	15	14	72	55	93	132	48	42	84	160	48	42	84	160
Accidents (V01-X59, Y85-Y86)	1,388	13	27	33	176	126	177	207	117	91	176	245	117	91	176	245
Male	853	6	13	20	119	94	121	137	86	55	107	95	86	55	107	95
Female	535	7	14	13	57	32	56	70	31	36	69	150	31	36	69	150
Transport accidents (V01-V99, Y85)	591	1	10	24	131	75	89	96	58	36	49	22	58	36	49	22
Male	393	-	4	14	83	56	60	66	45	19	35	11	45	19	35	11
Female	198	1	6	10	48	19	29	30	13	17	14	11	13	17	14	11
Motor vehicle acc. (Many codes) ³¹	529	1	10	23	126	69	81	79	45	33	41	21	45	33	41	21
Male	344	-	4	14	78	51	53	54	36	16	28	10	36	16	28	10
Female	185	1	6	9	48	18	28	25	9	17	13	11	9	17	13	11
Water transport accidents (V90-V94)	19	-	-	-	3	2	3	4	3	2	2	-	3	2	2	-
Male	15	-	-	-	3	1	3	2	3	1	1	-	3	2	1	-
Female	4	-	-	-	-	1	-	2	-	1	-	-	-	-	1	-
Air transport accidents (V95-V97)	15	-	-	-	-	-	1	7	3	-	4	-	3	-	4	-
Male	13	-	-	-	-	-	1	6	2	-	4	-	2	-	4	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Nontransport accidents (W00-X59, Y86)	797	12	17	9	45	51	88	111	59	55	127	223	59	55	127	223
Male	460	6	9	6	36	38	61	71	41	36	72	84	41	36	72	84
Female	337	6	8	3	9	13	27	40	18	19	55	139	18	19	55	139
Falls (W00-W19)	331	-	1	2	5	3	9	7	21	25	95	163	21	25	95	163
Male	161	-	-	-	4	2	7	4	15	14	54	61	15	14	54	61
Female	170	-	1	2	1	1	2	3	6	11	41	102	6	11	41	102
Firearms (W32-W34)	4	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Male	4	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning & submersion (W65-W74)	46	2	7	2	13	5	7	4	3	2	-	1	3	2	-	1
Male	35	1	3	1	12	3	5	4	3	2	-	1	3	2	-	1
Female	11	1	4	1	1	2	2	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Exposure to smoke & fire (X00-X09)	27	-	4	1	-	-	1	4	4	4	4	4	5
Male	14	-	1	1	-	-	-	3	2	2	2	2	3
Female	13	-	3	-	-	-	1	1	2	2	2	2	2
Poisoning (X40-X49) ³²	232	1	-	1	20	35	58	87	25	2	1	1	2
Male	146	-	-	1	13	25	37	52	16	1	1	1	-
Female	86	1	-	-	7	10	21	35	9	1	-	-	2
Suicide (X60-X84, Y87.0)	589	-	-	-	62	69	114	134	86	43	58	58	23
Male	478	-	-	-	53	60	85	99	74	39	48	48	20
Female	111	-	-	-	9	9	29	35	12	4	10	10	3
Poisoning (X60-X69)	116	-	-	-	6	8	35	36	19	5	5	5	2
Male	68	-	-	-	3	5	20	20	15	3	1	1	1
Female	48	-	-	-	3	3	15	16	4	2	4	4	1
Hanging/suffocation (X70)	98	-	-	-	22	22	21	17	7	3	2	2	4
Male	81	-	-	-	19	21	17	11	7	2	1	1	3
Female	17	-	-	-	3	1	4	6	-	1	1	1	1
Firearm discharge (X72-X74)	329	-	-	-	29	36	45	70	52	33	47	47	17
Male	292	-	-	-	26	31	37	61	45	33	43	43	16
Female	37	-	-	-	3	5	8	9	7	-	4	4	1
Homicide (X85-Y09, Y87.1)	91	1	3	-	22	21	16	17	6	-	3	3	2
Male	63	1	2	-	18	12	13	11	4	-	2	2	-
Female	28	-	1	-	4	9	3	6	2	-	1	1	2
Firearm discharge (X93-X95)	51	-	-	-	15	12	7	10	4	-	2	2	1
Male	42	-	-	-	14	9	7	6	4	-	2	2	-
Female	9	-	-	-	1	3	-	4	-	-	-	-	1
Legal intervention (Y35, Y89.0)	7	-	-	-	1	2	3	1	-	-	-	-	-
Male	6	-	-	-	1	2	3	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	95	9	-	1	9	12	25	33	5	1	1	1	-
Male	60	6	-	1	8	7	20	15	2	1	1	1	-
Female	35	3	-	-	1	5	5	18	3	-	-	-	-
War and its sequelae (Y36, Y89.1) ³³	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Medical care complications (Y40-Y84, Y88)	29	-	-	1	1	-	5	3	2	3	7	7	7
Male	14	-	-	-	1	-	5	-	2	1	3	3	2
Female	15	-	1	-	-	-	-	3	-	2	4	4	5

See footnotes at end of table.

- 25 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 26 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 27 Inflammatory diseases of female pelvic organs.
- 28 Including the puerperium.
- 29 including congenital deformations and chromosomal abnormalities.
- 30 Including abnormal clinical and laboratory findings not elsewhere classified.
- 31 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 32 Including exposure to noxious substances.
- 33 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to the Center for Health Statistics.)
- 34 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 35 Including: alcoholic mental/behavioral disorders; degeneration of nervous system, polyneuropathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 36 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, K86.0, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 37 Including: mental and behavioral disorders (except amnesia) due to psychoactive substance use; accidental poisoning with drugs; intentional self-poisoning with drugs; assault with drugs; poisoning of undetermined intent with drugs.
- 38 The ICD 10 codes for the above categories are: F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14.
- 39 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.