

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2003

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	876.3	521.2	34.7	13.7	41.7	53.8	121.6	291.0	800.4	1,834.2	4,606.3	14,957.3
Infections & Parasitic Disease (A00-B99)	12.9	-	2.2	0.4	0.4	1.3	5.1	11.7	16.8	28.0	64.3	134.5
Tuberculosis (A16-A19)	0.2	-	-	-	-	-	-	-	0.6	-	1.0	2.4
Meningococcal infection (A39)	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (A40-A41)	5.6	-	-	-	-	-	1.5	2.3	6.2	15.6	32.7	70.9
Creutzfeldt-Jacob disease (A81.0)	0.1	-	-	-	-	-	-	-	-	0.8	-	-
Viral hepatitis (B15-B19)	1.9	-	-	-	-	-	1.1	6.4	5.6	3.3	1.0	-
HIV/AIDS (B20-B24) ³	0.4	-	-	-	0.4	0.8	-	1.1	0.6	-	-	-
Malignant Neoplasms (C00-C97)	197.7	-	4.5	3.3	2.9	10.6	33.3	98.4	343.7	708.8	1,082.7	1,619.3
Lip, oral cavity & pharynx (C00-C14)	2.2	-	-	-	-	-	0.4	0.8	1.9	9.9	9.2	29.4
Digestive organs (C15-26)	42.4	-	1.1	-	0.4	3.0	5.5	19.3	56.1	153.9	222.5	457.4
Esophagus (C15)	1.9	-	-	-	-	-	0.4	0.8	4.4	4.1	9.2	24.5
Stomach (C16)	3.0	-	-	-	-	0.4	1.1	1.9	3.7	10.7	15.3	26.9
Colon, rectum & anus (C18-C21)	20.6	-	-	-	-	2.1	1.5	10.6	22.5	68.3	105.1	264.2
Colon (C18)	17.2	-	-	-	-	1.7	0.7	8.7	20.0	54.3	90.8	222.6
Rectosigmoid junction (C19)	0.9	-	-	-	-	0.4	-	0.8	-	3.3	5.1	9.8
Rectum (C20)	2.1	-	-	-	-	-	0.7	1.1	1.9	8.2	9.2	24.5
Liver & intrahepatic bile ducts (C22)	3.4	-	1.1	-	0.4	-	1.5	2.6	6.2	15.6	16.3	7.3
Pancreas (C25)	9.7	-	-	-	-	0.4	1.1	2.6	15.0	39.5	58.2	80.7
Respiratory, intrathoracic org'ns (C30-C39)	54.8	-	-	-	-	0.8	4.4	20.8	111.0	232.2	342.9	276.4
Larynx (C32)	0.3	-	-	-	-	-	-	0.4	0.6	-	3.1	2.4
Trachea, bronchus & lung (C33-C34)	54.1	-	-	-	-	0.8	4.0	20.4	109.2	232.2	337.8	271.5
Bronchus & lung (C34)	54.0	-	-	-	-	0.8	4.0	20.4	108.5	232.2	337.8	271.5
Skin (C43-C44)	2.9	-	-	-	-	1.3	-	3.4	5.0	9.9	9.2	24.5
Melanoma of skin (C43)	2.4	-	-	-	-	1.3	-	3.0	4.4	7.4	7.1	19.6
Mesothelioma (C45)	0.4	-	-	-	-	-	0.4	-	1.2	0.8	1.0	4.9
Breast (C50)	30.7	-	-	-	0.4	0.4	9.9	23.5	67.4	97.1	128.6	256.8
Female genital organs (C51-58)	18.4	-	-	-	0.4	0.8	5.5	12.1	37.4	56.0	92.9	144.3
Cervix uteri (C53)	2.4	-	-	-	-	-	3.7	2.3	3.1	5.8	9.2	14.7
Corpus uteri (C54-C55) ⁴	4.3	-	-	-	-	-	0.4	2.6	9.4	16.5	20.4	34.2
Ovary (C56)	10.4	-	-	-	0.4	0.8	1.5	6.8	23.7	32.1	56.1	70.9
Male genital organs (C60-C63)	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Age Groups										
	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Prostate (C61)	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	2.9	—	0.4	—	0.4	—	1.9	5.6	7.4	15.3	29.4
Bladder (C67)	3.1	—	—	—	—	—	0.4	2.5	14.0	16.3	44.0
Brain, etc. (C70-C72) ⁵	4.5	1.1	0.8	0.4	0.8	1.8	2.6	9.4	18.9	17.3	19.6
Thyroid/endocrine gland (C73-C75)	0.7	—	—	—	—	—	0.8	1.9	—	5.1	4.9
Lymphoid & hematopoietic (C81-C96)	19.3	2.2	0.8	0.8	1.7	3.7	7.2	23.7	58.5	124.5	181.0
Hodgkin's disease (C81)	0.6	—	—	—	0.4	0.4	—	0.6	0.8	3.1	9.8
Non-Hodgkin's lymphoma (C82-C85)	8.3	—	—	0.4	0.4	1.8	3.8	11.9	23.1	54.1	75.8
Leukemia (C91-C95)	6.6	2.2	0.8	0.4	0.8	1.5	1.9	5.6	21.4	43.9	56.3
Lymphoid leukemia (C91)	2.6	1.1	0.4	—	0.4	0.4	0.8	3.1	4.9	16.3	31.8
Myeloid leukemia (C92)	3.0	—	0.4	0.4	0.4	0.7	0.8	1.9	12.3	21.4	17.1
Multiple myeloma (C88, C90) ⁶	3.8	1.1	—	—	—	—	1.5	5.6	13.2	23.5	39.1
Myeloid leukemia (C92)	5.3	—	0.4	—	—	0.7	1.9	4.4	11.5	29.6	88.1
Multiple myeloma (C88, C90) ⁶	2.1	—	—	—	—	—	0.8	1.2	3.3	11.2	44.0
Neoplasia, Not Specif. As Malignant (D00-D48) ⁷	4.1	—	0.4	—	1.7	1.1	1.9	4.4	5.8	14.3	80.7
Myelodysplastic syndromes (D46)	2.5	—	—	—	0.8	0.4	0.4	1.9	3.3	10.2	56.3
Diseases of the Blood (D50-89) ⁸	37.9	1.1	0.8	0.8	3.4	3.3	20.1	49.3	88.1	225.5	467.2
Anemias (D50-D64)	28.8	—	0.4	0.8	3.0	1.5	13.6	41.2	71.6	187.8	313.1
Endocrine & Nutritional Dis. (E00-E88) ⁹	1.0	—	—	—	—	—	0.4	0.6	1.6	2.0	26.9
Diabetes mellitus (E10-E14)	0.8	—	—	—	—	—	0.4	0.6	1.6	1.0	24.5
Nutritional deficiencies (E40-E64)	37.1	1.1	—	1.3	1.3	7.0	8.7	10.6	25.5	159.2	1,002.9
Malnutrition (E40-E46)	30.0	—	—	—	—	—	—	1.9	11.5	133.7	949.0
Mental Disorders (F01-F99) ¹⁰	2.8	—	—	0.4	—	2.9	6.8	5.6	5.8	6.1	2.4
Organic dementia (F01, F03)	1.6	—	—	0.8	1.3	2.6	0.8	1.9	4.1	4.1	7.3
Due to alcohol (F10) ¹¹	65.5	8.9	0.8	1.7	2.1	5.5	10.2	40.5	64.2	339.8	1,558.1
Due to psychoactive substance (F11-F19)	0.2	—	—	—	—	—	—	1.2	—	—	4.9
Nervous System Dis. (G00-G99)	2.9	—	—	—	—	—	0.8	11.9	9.9	13.3	12.2
Meningitis (G00, G03)	7.8	—	—	—	—	—	—	2.5	5.8	72.5	141.9
Amyotrophic lateral sclerosis (G12.2)	44.9	—	—	—	—	0.4	0.4	1.2	24.7	222.5	1,345.3
Parkinson's disease (G20-G21)	2.6	—	—	—	—	1.1	4.5	9.4	7.4	6.1	4.9
Alzheimer's disease (G30)	0.6	—	—	—	—	1.1	0.8	—	—	1.0	4.9
Multiple sclerosis (G35)	304.3	1.1	0.4	1.3	4.7	12.1	45.8	146.0	472.5	1,652.1	6,932.0
Epilepsy (G40-G41)	302.6	1.1	0.4	1.3	4.2	11.7	44.7	143.5	468.4	1,642.9	6,912.4
Circulatory System Diseases (I00-I99)											
Major cardiovascular disease (I00-I78)											

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart disease (I00-I09, I11, I13, I20-I51)	187.9	17.8	1.1	—	0.8	3.4	9.5	28.4	104.8	293.9	994.9	4,253.6
Rheumatic heart disease (I00-I09) ¹² ..	2.4	—	—	—	—	—	0.8	—	2.5	3.3	13.3	48.9
Hypertensive heart disease (I11)	8.3	—	—	—	—	—	1.1	—	1.2	9.9	43.9	210.4
Hypertensive heart & renal dis. (I13) ..	1.1	—	—	—	—	—	—	—	0.6	1.6	5.1	29.4
Ischemic heart disease (I20-I25)	109.6	—	—	—	0.4	—	15.5	73.6	191.0	603.1	2,357.9	846.3
Myocardial infarction (I21-I22)	43.2	—	—	—	0.4	—	5.7	30.6	85.6	255.1	846.3	—
Other acute ischemic hrt. dis. (I24) ..	0.4	—	—	—	—	—	—	—	—	1.6	3.1	4.9
Chronic isch. heart dis. (I20, I25)	66.0	—	—	—	—	—	9.8	43.0	103.7	344.9	1,506.7	—
Atheroscler. cardiovascular dis. ¹³ ..	9.5	—	—	—	—	—	0.4	4.4	9.1	42.9	264.2	—
Other chr. ischemic heart dis. ¹⁴	56.6	—	—	—	—	—	9.5	38.7	94.7	302.1	1,242.6	—
Nonrheumatic mitral valve dis. (I34) ...	1.6	—	—	—	—	—	0.8	0.6	4.1	4.1	39.1	—
Nonrheumatic aortic valve dis. (I35) ...	9.0	—	—	—	—	—	—	1.2	8.2	49.0	247.0	—
Cardiomyopathy (I42)	5.0	4.5	1.1	—	0.4	0.4	0.7	3.4	4.4	7.4	27.6	75.8
Heart failure (I50)	26.6	—	—	—	—	—	—	1.1	6.2	24.7	99.0	819.4
Congestive heart failure (I50.0)	25.8	—	—	—	—	—	—	1.1	6.2	23.1	98.0	790.1
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	—	2.4
Heart failure, unspecified (I50.9)	0.8	—	—	—	—	—	—	—	—	1.6	1.0	26.9
Hypertension & hyp. renal dis. (I10, I12)	12.4	—	—	—	—	—	0.4	1.1	5.6	15.6	65.3	305.8
Cerebrovascular disease (I60-I69)	88.4	—	—	0.4	0.4	0.8	1.5	13.6	29.3	132.5	502.1	2,042.4
Subarachnoid hemorrhage (I60)	2.6	—	—	—	0.4	0.8	0.4	3.8	4.4	9.9	10.2	9.8
Intracerebral hemorrhage (I61-I62) ¹⁵	10.4	—	—	0.4	—	—	0.7	3.8	10.0	29.6	65.3	137.0
Cerebral infarction (I63)	7.9	—	—	—	—	—	0.8	0.8	—	5.8	43.9	217.7
Stroke (type not specified) (I64)	47.7	—	—	—	—	—	4.5	4.5	14.3	62.6	270.4	1,159.4
Atherosclerosis (I70)	6.6	—	—	—	—	—	0.4	0.4	1.9	7.4	35.7	171.2
Aortic aneurysm & dissection (I71)	4.0	—	—	—	—	—	0.4	0.4	0.6	7.4	27.6	83.2
Diseases of arteries (I72-I78) ¹⁶	3.3	—	—	—	—	—	1.1	1.1	1.2	11.5	17.3	56.3
Respiratory System Diseases (J00-J99)	85.4	4.5	1.1	0.4	2.1	0.8	4.0	15.5	81.7	237.9	543.9	1,247.5
Influenza & pneumonia (J10-J18)	20.0	4.5	—	0.4	0.4	0.4	1.5	2.6	13.7	20.6	78.6	533.2
Influenza (J10-J11)	0.6	—	—	0.4	—	—	—	—	—	—	5.1	9.8
Pneumonia (J12-J18)	19.4	4.5	—	0.4	—	0.4	1.5	2.6	13.7	20.6	73.5	523.4
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	0.6	—	1.0	—
Acute bronchitis (J20-J21) ¹⁷	0.1	—	—	—	—	—	—	—	0.6	—	1.0	—
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	52.6	—	—	—	—	—	1.8	9.8	56.8	183.6	392.9	513.7

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Symptoms & Signs (R00-R99)³¹	18.2	44.5	—	0.4	—	0.4	—	2.3	7.5	24.7	66.3	469.6
Senility (R54)	3.9	—	—	—	—	—	—	—	—	—	7.1	154.1
Sudden infant death syndrome (R95)	0.5	40.1	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	40.6	44.5	16.8	5.8	30.1	23.3	34.1	50.0	29.9	34.6	85.7	391.4
Accidents (V01-X59, Y85-Y86)	30.0	31.2	15.7	5.4	23.8	13.6	20.5	26.5	19.3	29.6	70.4	366.9
Transport accidents (V01-V99, Y85)	11.1	4.5	6.7	4.2	20.0	8.1	10.6	11.4	8.1	14.0	14.3	26.9
Motor vehicle acc. (Many codes) ³²	10.4	4.5	6.7	3.7	20.0	7.6	10.3	9.5	5.6	14.0	13.3	26.9
Water transport accidents (V90-V94)	0.2	—	—	—	—	0.4	—	0.8	—	—	1.0	—
Air transport accidents (V95-V97)	0.1	—	—	—	—	—	—	0.4	0.6	—	—	—
Nontransport accidents (W00-X59, Y86)	18.9	26.7	9.0	1.2	3.8	5.5	9.9	15.1	11.2	15.6	56.1	340.0
Falls (W00-W19)	9.5	—	1.1	0.8	0.4	0.4	0.7	1.1	3.7	9.1	41.8	249.5
Firearms (W32-W34)	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) ..	0.6	4.5	4.5	0.4	0.4	0.8	0.7	—	—	—	—	—
Exposure to smoke & fire (X00-X09) ..	0.7	—	3.4	—	—	—	0.4	0.4	1.2	1.6	2.0	4.9
Poisoning (X40-X49) ³³	4.8	4.5	—	—	2.9	4.2	7.7	13.2	5.6	0.8	—	4.9
Suicide (X60-X84, Y87.0)	6.2	—	—	—	3.8	3.8	10.6	13.2	7.5	3.3	10.2	7.3
Poisoning (X60-X69)	2.7	—	—	—	1.3	1.3	5.5	6.1	2.5	1.6	4.1	2.4
Hanging/suffocation (X70)	1.0	—	—	—	1.3	0.4	1.5	2.3	—	0.8	1.0	2.4
Firearm discharge (X72-X74)	2.1	—	—	—	1.3	2.1	2.9	3.4	4.4	—	4.1	2.4
Homicide (X85-Y09, Y87.1)	1.6	—	1.1	—	1.7	3.8	1.1	2.3	1.2	—	1.0	4.9
Firearm discharge (X93-X95)	0.5	—	—	—	0.4	1.3	—	1.5	—	—	—	2.4
Legal intervention (Y35, Y89.0)	0.1	—	—	—	0.4	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.0	13.4	—	—	0.4	2.1	1.8	6.8	1.9	—	—	—
War and its sequelae (Y36, Y89.1) ³⁴	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complications (Y40-Y84, Y88) ..	0.8	—	—	0.4	—	—	—	1.1	—	1.6	4.1	12.2
<i>Injury by firearms (Many codes)³⁵</i>	2.6	—	—	—	2.1	3.4	2.9	4.9	4.4	—	4.1	4.9
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	8.7	—	—	—	0.4	1.3	10.3	17.8	25.0	17.3	15.3	2.4
<i>Drug-induced deaths (Many codes)^{38,39}</i>	9.8	—	—	—	5.0	8.1	16.1	24.6	10.6	6.6	6.1	9.8
<i>Injury at work⁴⁰</i>	0.1	—	—	—	—	—	0.4	—	0.6	—	—	—

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

- 6 Including immunoproliferative neoplasms.
- 7 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 8 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 9 Including metabolic diseases.
- 10 Including behavioral disorders.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis, etc.
- 26 The ICD-10 codes are N00-N01, and N04. This category also includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 The ICD-10 codes are N02-N03, N05-N07, and N26. This category also includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Including late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to the Center for Health Statistics.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, poliomyelopathy, gastritis, liver disease, chronic pancreatitis, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, K86.0, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 38 Including: mental and behavioral disorders (except amnesia) due to psychoactive substance use; accidental poisoning with drugs; intentional self-poisoning with drugs; assault with drugs; poisoning of undetermined intent with drugs.
- 39 The ICD 10 codes for the above categories are: F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14.
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
— Quantity is 0.