

**TABLE 7-14. Perinatal Death Rates by County of Residence,  
Oregon Residents, Birth Cohort 2001-2003**

County of Residence	Perinatal I <sup>1</sup>			Perinatal II <sup>2</sup>			Neonatal <sup>3</sup>	
	No.	Rate	Ratio	No.	Rate	Ratio	No.	Rate
<b>Total</b>	786	5.7	5.8	1,093	8.0	8.0	497	3.6
Baker	4	—	—	4	—	—	3	—
Benton	10	4.2	4.2	13	5.5	5.5	5	2.1
Clackamas	60	4.9	4.9	77	6.3	6.3	32	2.6
Clatsop	10	8.4	8.5	13	11.0	11.0	5	4.2
Columbia	8	5.1	5.1	12	7.6	7.6	4	—
Coos	13	7.0	7.1	18	9.7	9.8	6	3.3
Crook	5	7.2	7.2	8	11.5	11.6	3	—
Curry	2	—	—	3	—	—	2	—
Deschutes	27	5.9	5.9	34	7.5	7.5	19	4.2
Douglas	27	8.3	8.4	35	10.8	10.8	21	6.5
Gilliam	—	—	—	—	—	—	—	—
Grant	3	—	—	3	—	—	3	—
Harney	2	—	—	3	—	—	2	—
Hood River	3	—	—	4	—	—	2	—
Jackson	45	7.0	7.0	62	9.7	9.7	31	4.9
Jefferson	7	7.5	7.6	9	9.7	9.7	5	5.4
Josephine	18	7.8	7.9	27	11.7	11.8	10	4.4
Klamath	21	8.6	8.7	27	11.1	11.2	10	4.1
Lake	2	—	—	3	—	—	2	—
Lane	70	6.4	6.5	88	8.1	8.1	48	4.4
Lincoln	3	—	—	7	5.5	5.5	4	—
Linn	18	4.4	4.4	31	7.5	7.6	15	3.7
Malheur	17	12.0	12.1	23	16.2	16.3	11	7.8
Marion	85	6.2	6.2	118	8.6	8.7	49	3.6
Morrow	7	13.3	13.4	9	17.1	17.3	4	—
Multnomah	150	5.4	5.4	219	7.8	7.8	86	3.1
Polk	6	2.6	2.6	13	5.6	5.7	10	4.4
Sherman	—	—	—	—	—	—	—	—
Tillamook	1	—	—	2	—	—	—	—
Umatilla	14	4.3	4.3	20	6.2	6.2	10	3.1
Union	3	—	—	6	6.5	6.5	2	—
Wallowa	—	—	—	—	—	—	—	—
Wasco	4	—	—	8	9.5	9.5	4	—
Washington	118	5.2	5.2	163	7.1	7.2	72	3.2
Wheeler	—	—	—	—	—	—	—	—
Yamhill	23	6.5	6.5	31	8.7	8.7	17	4.8
Not Stated	—	—	—	—	—	—	—	—

— Quantity is zero or rate/ratio is based on fewer than five occurrences.

<sup>1</sup> Perinatal Definition I includes fetal deaths at 28 weeks of gestation or more and infant deaths of less than 7 days.

<sup>2</sup> Perinatal Definition II includes fetal deaths at 20 weeks of gestation or more and infant deaths of less than 28 days.

<sup>3</sup> Neonatal deaths include infant deaths of less than 28 days.

Perinatal I and Perinatal II ratios and Neonatal rates are per 1,000 births. Perinatal I rates include all live births and fetal deaths at 28 weeks gestation or more. Perinatal II rates include all live births and fetal deaths at 20 weeks of gestation or more.