

**TABLE 7-8. Early Neonatal Deaths<sup>1</sup> by Weeks of Gestation and Weight  
Oregon Residents, Birth Cohort 2004**

Birthweight (In Grams)	Total	Weeks of Gestation								
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+
<b>Total .....</b>	131	8	61	15	8	15	3	13	5	3
001-349 .....	17	8	8	1	—	—	—	—	—	—
350-499 .....	27	—	27	—	—	—	—	—	—	—
<500 .....	44	8	35	1	—	—	—	—	—	—
500-749 .....	30	—	24	4	2	—	—	—	—	—
750-999 .....	9	—	2	7	—	—	—	—	—	—
1000-1249 .....	6	—	—	3	1	1	—	1	—	—
1250-1499 .....	3	—	—	—	1	2	—	—	—	—
1500-1999 .....	9	—	—	—	2	6	—	1	—	—
2000-2499 .....	9	—	—	—	1	4	1	3	—	—
<2500 .....	110	8	61	15	7	13	1	5	—	—
2500-2999 .....	6	—	—	—	1	1	1	1	1	1
3000-3499 .....	3	—	—	—	—	—	1	1	—	1
3500-3999 .....	6	—	—	—	—	—	—	3	3	—
4000-4499 .....	6	—	—	—	—	1	—	3	1	1
4500+ .....	—	—	—	—	—	—	—	—	—	—

— Quantity is zero.

<sup>1</sup> Early neonatal death is defined as less than 7 days old.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.