

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	31,304	269	53	78	363	429	859	2,232	3,529	4,773	8,572	10,146
Male	15,425	145	31	45	261	291	533	1,363	2,086	2,628	4,257	3,784
Female	15,879	124	22	33	102	138	326	869	1,443	2,145	4,315	6,362
Infections & Parasitic Disease (A00-B99)	509	3	2	2	3	10	47	88	93	55	88	118
Male	283	2	2	1	2	7	34	61	53	28	48	45
Female	226	1	—	1	1	3	13	27	40	27	40	73
Tuberculosis (A16-A19)	7	—	—	—	—	1	—	1	—	—	1	4
Male	3	—	—	—	—	1	—	1	—	—	—	1
Female	4	—	—	—	—	—	—	—	—	—	1	3
Meningococcal infection (A39)	3	—	1	—	1	—	—	—	—	1	—	—
Male	2	—	1	—	1	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	1	—	—
Septicemia (A40-A41)	193	—	—	2	1	3	9	10	26	30	45	67
Male	90	—	—	1	—	—	3	5	12	14	26	29
Female	103	—	—	1	1	3	6	5	14	16	19	38
Creutzfeldt-Jacob disease (A81.0)	6	—	—	—	—	—	—	—	2	—	3	1
Male	4	—	—	—	—	—	—	—	1	—	3	—
Female	2	—	—	—	—	—	—	—	1	—	—	1
Viral hepatitis (B15-B19)	90	—	—	—	—	1	8	35	34	9	2	1
Male	61	—	—	—	—	1	5	27	21	5	1	1
Female	29	—	—	—	—	—	3	8	13	4	1	—
HIV/AIDS (B20-B24) ²	50	—	—	—	—	5	24	11	7	3	—	—
Male	46	—	—	—	—	5	21	10	7	3	—	—
Female	4	—	—	—	—	—	3	1	—	—	—	—
Malignant Neoplasms (C00-C97)	7,295	—	5	10	23	51	146	556	1,325	1,717	2,205	1,257
Male	3,698	—	3	4	13	23	65	274	697	880	1,140	599
Female	3,597	—	2	6	10	28	81	282	628	837	1,065	658
Lip, oral cavity & pharynx (C00-C14)	96	—	—	—	1	—	2	14	22	18	24	15
Male	68	—	—	—	—	—	1	12	20	9	19	7
Female	28	—	—	—	1	—	1	2	2	9	5	8
Digestive Organs (C15-C26)	1,674	—	—	—	4	8	37	134	329	367	504	291
Male	927	—	—	—	1	5	20	95	217	201	268	120
Female	747	—	—	—	3	3	17	39	112	166	236	171
Esophagus (C15)	209	—	—	—	—	2	1	16	48	41	64	37
Male	162	—	—	—	—	2	1	15	41	29	51	23
Female	47	—	—	—	—	—	—	1	7	12	13	14

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	113	—	—	—	—	1	5	6	18	19	43	21
Male	60	—	—	—	—	—	2	4	9	9	24	12
Female	53	—	—	—	—	1	3	2	9	10	19	9
Colon, rectum & anus (C18-C21)	630	—	—	—	2	3	14	50	113	122	186	140
Male	311	—	—	—	1	2	8	30	71	58	92	49
Female	319	—	—	—	1	1	6	20	42	64	94	91
Colon (C18)	505	—	—	—	2	2	10	35	83	98	155	120
Male	238	—	—	—	1	2	5	22	49	47	72	40
Female	267	—	—	—	1	—	5	13	34	51	83	80
Rectosigmoid junction (C19)	31	—	—	—	—	1	2	3	10	2	9	4
Male	18	—	—	—	—	—	1	2	8	1	5	1
Female	13	—	—	—	—	1	1	1	2	1	4	3
Rectum (C20)	84	—	—	—	—	—	1	12	17	19	20	15
Male	50	—	—	—	—	—	1	6	12	9	15	7
Female	34	—	—	—	—	—	—	6	5	10	5	8
Liver & intrahepatic bile ducts (C22)	184	—	—	—	2	1	8	26	54	39	42	12
Male	121	—	—	—	—	—	5	24	39	27	20	6
Female	63	—	—	—	2	1	3	2	15	12	22	6
Pancreas (C25)	461	—	—	—	—	—	6	32	79	129	145	70
Male	228	—	—	—	—	—	2	19	47	66	67	27
Female	233	—	—	—	—	—	4	13	32	63	78	43
Respiratory, intrathoracic organs (C30-C39) ...	2,152	—	—	—	—	1	20	128	391	632	732	248
Male	1,127	—	—	—	—	1	8	72	213	341	370	122
Female	1,025	—	—	—	—	—	12	56	178	291	362	126
Larynx (C32)	25	—	—	—	—	—	—	1	7	6	10	1
Male	20	—	—	—	—	—	—	1	7	5	6	1
Female	5	—	—	—	—	—	—	—	—	1	4	—
Trachea, bronchus & lung (C33-C34)	2,114	—	—	—	—	1	20	126	383	623	717	244
Male	1,100	—	—	—	—	1	8	70	206	334	361	120
Female	1,014	—	—	—	—	—	12	56	177	289	356	124
Bronchus & lung (C34)	2,114	—	—	—	—	1	20	126	383	623	717	244
Male	1,100	—	—	—	—	1	8	70	206	334	361	120
Female	1,014	—	—	—	—	—	12	56	177	289	356	124
Skin (C43-C44)	163	—	—	—	—	3	11	19	33	33	36	28
Male	111	—	—	—	—	2	5	10	24	25	24	21
Female	52	—	—	—	—	1	6	9	9	8	12	7

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	118	—	—	—	—	3	10	16	25	25	24	15
Male	77	—	—	—	—	2	4	8	18	17	18	10
Female	41	—	—	—	—	1	6	8	7	8	6	5
Mesothelioma (C45)	46	—	—	—	—	—	—	2	6	13	16	9
Male	36	—	—	—	—	—	—	1	4	12	13	6
Female	10	—	—	—	—	—	—	1	2	1	3	3
Breast (C50)	521	—	—	—	—	6	25	74	115	93	116	92
Male	3	—	—	—	—	—	—	—	—	—	2	1
Female	518	—	—	—	—	6	25	74	115	93	114	91
Female genital organs (C51-C58)	363	—	—	—	—	8	9	36	81	85	92	52
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	363	—	—	—	—	8	9	36	81	85	92	52
Cervix uteri (C53)	37	—	—	—	—	5	1	10	9	2	6	4
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	37	—	—	—	—	5	1	10	9	2	6	4
Corpus uteri (C54-C55) ³	91	—	—	—	—	—	3	8	19	24	20	17
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	91	—	—	—	—	—	3	8	19	24	20	17
Ovary (C56)	213	—	—	—	—	2	5	15	51	53	61	26
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	213	—	—	—	—	2	5	15	51	53	61	26
Male genital organs (C60-C63)	426	—	—	—	—	—	3	11	35	83	147	147
Male	426	—	—	—	—	—	3	11	35	83	147	147
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	421	—	—	—	—	—	1	9	34	83	147	147
Male	421	—	—	—	—	—	1	9	34	83	147	147
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	161	—	—	—	—	2	1	17	33	42	42	24
Male	106	—	—	—	—	1	1	9	24	27	30	14
Female	55	—	—	—	—	1	—	8	9	15	12	10
Bladder (C67)	170	—	—	—	—	—	1	6	15	37	60	51
Male	113	—	—	—	—	—	—	5	11	25	44	28
Female	57	—	—	—	—	—	1	1	4	12	16	23
Brain, etc. (C70-C72) ⁴	175	—	1	2	2	3	8	33	49	39	31	7
Male	95	—	—	1	1	2	5	16	29	21	17	3
Female	80	—	1	1	1	1	3	17	20	18	14	4

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	31	—	2	3	—	1	1	4	7	2	5	6
Male	10	—	1	1	—	—	—	3	1	—	3	1
Female	21	—	1	2	—	1	1	1	6	2	2	5
Lymphoid & hematopoietic (C81-C96)	743	—	1	5	13	13	14	36	114	151	236	160
Male	400	—	1	2	8	7	13	21	67	76	136	69
Female	343	—	—	3	5	6	1	15	47	75	100	91
Hodgkin's disease (C81)	15	—	—	—	1	1	—	2	5	1	5	—
Male	7	—	—	—	1	—	—	1	3	1	1	—
Female	8	—	—	—	—	1	—	1	2	—	4	—
Non-Hodgkin's lymphoma (C82-C85)	268	—	—	1	4	2	3	11	48	48	94	57
Male	139	—	—	1	2	2	3	8	30	20	48	25
Female	129	—	—	—	2	—	—	3	18	28	46	32
Leukemia (C91-C95)	302	—	1	4	8	10	7	16	34	61	91	70
Male	182	—	1	1	5	5	7	7	24	37	63	32
Female	120	—	—	3	3	5	—	9	10	24	28	38
Lymphoid leukemia (C91)	100	—	—	4	2	4	3	4	8	14	26	35
Male	64	—	—	1	2	2	3	2	7	11	20	16
Female	36	—	—	3	—	2	—	2	1	3	6	19
Myeloid leukemia (C92)	145	—	1	—	5	4	2	12	20	32	47	22
Male	84	—	1	—	3	2	2	5	12	14	32	13
Female	61	—	—	—	2	2	—	7	8	18	15	9
Multiple myeloma (C88, C90) ⁵	156	—	—	—	—	—	4	7	26	41	45	33
Male	71	—	—	—	—	—	3	5	9	18	24	12
Female	85	—	—	—	—	—	1	2	17	23	21	21
Neoplas. Not Specif. as Malign. (D00-D48)⁶ ..	223	—	1	1	1	3	7	9	17	37	72	75
Male	104	—	1	—	—	3	4	5	6	18	30	37
Female	119	—	—	1	1	—	3	4	11	19	42	38
Myelodysplastic syndromes (D46)	83	—	—	—	—	1	—	1	3	12	26	40
Male	50	—	—	—	—	1	—	—	1	9	16	23
Female	33	—	—	—	—	—	—	1	2	3	10	17
Diseases of the Blood (D50-89)⁷	90	1	—	1	—	—	3	8	8	12	22	35
Male	39	—	—	—	—	—	1	3	3	7	8	17
Female	51	1	—	1	—	—	2	5	5	5	14	18
Anemias (D50-D64)	44	1	—	—	—	—	1	2	3	3	8	26
Male	21	—	—	—	—	—	1	1	2	2	3	12
Female	23	1	—	—	—	—	—	1	1	1	5	14

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,601	1	3	5	6	18	54	128	220	324	444	398
Male	774	—	1	4	3	7	31	73	125	186	203	141
Female	827	1	2	1	3	11	23	55	95	138	241	257
Diabetes mellitus (E10-E14)	1,139	—	—	—	5	9	36	78	165	238	339	269
Male	565	—	—	—	3	1	24	45	94	136	151	111
Female	574	—	—	—	2	8	12	33	71	102	188	158
Nutritional deficiencies (E40-E64)	38	—	—	1	—	—	2	4	1	5	10	15
Male	14	—	—	1	—	—	—	2	1	3	5	2
Female	24	—	—	—	—	—	2	2	—	2	5	13
Malnutrition (E40-E46)	35	—	—	—	—	—	2	4	1	5	9	14
Male	12	—	—	—	—	—	—	2	1	3	4	2
Female	23	—	—	—	—	—	2	2	—	2	5	12
Mental Disorders (F01-F99)⁹	1,694	—	—	—	7	14	32	99	91	87	391	972
Male	625	—	—	—	7	11	23	65	68	43	170	237
Female	1,069	—	—	—	—	3	9	34	23	44	221	735
Organic dementia (F01, F03)¹⁰	1,358	—	—	—	—	—	1	3	18	50	349	937
Male	410	—	—	—	—	—	—	1	11	24	147	227
Female	948	—	—	—	—	—	1	2	7	26	202	710
Due to alcohol (F10)¹¹	165	—	—	—	2	5	13	61	49	23	8	3
Male	130	—	—	—	2	4	12	45	42	17	6	1
Female	35	—	—	—	—	1	1	16	7	6	2	2
Due to psychoactive substance (F11-F19)	105	—	—	—	5	8	18	27	16	10	14	7
Male	63	—	—	—	5	7	11	14	10	1	9	6
Female	42	—	—	—	—	1	7	13	6	9	5	1
Nervous System Disease (G00-G99)	2,064	7	2	7	7	9	18	83	113	186	614	1,018
Male	802	3	2	5	4	3	8	35	63	91	274	314
Female	1,262	4	—	2	3	6	10	48	50	95	340	704
Meningitis (G00, G03)	7	—	—	—	—	—	—	2	2	1	—	2
Male	3	—	—	—	—	—	—	—	2	—	—	1
Female	4	—	—	—	—	—	—	2	—	1	—	1
Amyotrophic lateral sclerosis (G12.2)	107	—	—	—	1	—	1	11	27	28	26	13
Male	56	—	—	—	1	—	—	7	18	16	9	5
Female	51	—	—	—	—	—	1	4	9	12	17	8
Parkinson's disease (G20-G21)	346	—	—	—	—	—	—	2	9	29	157	149
Male	187	—	—	—	—	—	—	2	6	17	93	69
Female	159	—	—	—	—	—	—	—	3	12	64	80

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30)	1,228	—	—	—	—	1	—	2	9	52	364	800
Male	384	—	—	—	—	—	—	—	5	21	140	218
Female	844	—	—	—	—	1	—	2	4	31	224	582
Multiple sclerosis (G35)	73	—	—	—	—	1	2	17	18	15	15	5
Male	27	—	—	—	—	—	—	4	11	6	6	—
Female	46	—	—	—	—	1	2	13	7	9	9	5
Epilepsy (G40-G41)	18	—	1	—	1	3	2	5	1	2	1	2
Male	9	—	1	—	1	2	1	1	1	2	—	—
Female	9	—	—	—	—	1	1	4	—	—	1	2
Ear & Mastoid Process Dis. (H60-H95)	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Circulatory System Diseases (I00-I99)	9,396	3	—	5	15	31	112	444	790	1,253	2,770	3,973
Male	4,686	1	—	3	6	17	78	322	559	795	1,413	1,492
Female	4,710	2	—	2	9	14	34	122	231	458	1,357	2,481
Major cardiovascular disease (I00-I78)	9,351	3	—	5	14	30	110	439	785	1,246	2,758	3,961
Male	4,663	1	—	3	6	16	77	320	557	792	1,406	1,485
Female	4,688	2	—	2	8	14	33	119	228	454	1,352	2,476
Heart disease (I00-I09, I11, I13, I20-I51)	6,588	3	—	4	9	25	81	342	594	911	1,868	2,751
Male	3,480	1	—	2	4	14	60	259	436	601	1,009	1,094
Female	3,108	2	—	2	5	11	21	83	158	310	859	1,657
Rheumatic heart disease (I00-I09) ¹²	79	—	—	—	—	—	—	1	7	10	23	38
Male	16	—	—	—	—	—	—	—	3	2	5	6
Female	63	—	—	—	—	—	—	1	4	8	18	32
Hypertensive heart disease (I11)	250	—	—	—	—	2	5	15	16	15	65	132
Male	87	—	—	—	—	2	4	11	14	6	24	26
Female	163	—	—	—	—	—	1	4	2	9	41	106
Hypertensive heart & renal dis. (I13)	45	—	—	—	—	—	1	—	—	2	12	30
Male	15	—	—	—	—	—	—	—	—	1	6	8
Female	30	—	—	—	—	—	1	—	—	1	6	22
Ischemic heart disease (I20-I25)	4,042	1	—	—	2	3	49	235	446	685	1,170	1,451
Male	2,425	1	—	—	2	2	37	194	338	473	717	661
Female	1,617	—	—	—	—	1	12	41	108	212	453	790
Myocardial infarction (I21-I22)	1,288	1	—	—	—	1	9	60	152	259	391	415
Male	756	1	—	—	—	1	5	49	112	173	236	179
Female	532	—	—	—	—	—	4	11	40	86	155	236

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other acute ischemic hrt. dis. (I24)	22	—	—	—	1	—	1	1	2	5	5	7
Male	13	—	—	—	1	—	1	1	1	4	2	3
Female	9	—	—	—	—	—	—	—	1	1	3	4
Chronic isch. heart dis. (I20, I25)	2,732	—	—	—	1	2	39	174	292	421	774	1,029
Male	1,656	—	—	—	1	1	31	144	225	296	479	479
Female	1,076	—	—	—	—	1	8	30	67	125	295	550
Atheroscler. cardiovascular dis. ¹³ ...	276	—	—	—	—	—	8	28	35	41	70	94
Male	156	—	—	—	—	—	5	22	28	30	35	36
Female	120	—	—	—	—	—	3	6	7	11	35	58
Other chr. ischemic heart dis. ¹⁴	2,456	—	—	—	1	2	31	146	257	380	704	935
Male	1,500	—	—	—	1	1	26	122	197	266	444	443
Female	956	—	—	—	—	1	5	24	60	114	260	492
Nonrheumatic mitral valve dis. (I34)	59	—	—	—	—	1	—	4	2	3	17	32
Male	23	—	—	—	—	—	—	3	1	—	8	11
Female	36	—	—	—	—	1	—	1	1	3	9	21
Nonrheumatic aortic valve dis. (I35)	352	—	—	—	—	—	2	4	8	22	106	210
Male	130	—	—	—	—	—	2	2	6	11	38	71
Female	222	—	—	—	—	—	—	2	2	11	68	139
Cardiomyopathy (I42)	208	1	—	—	2	7	11	23	22	32	55	55
Male	120	—	—	—	—	5	8	14	17	20	32	24
Female	88	1	—	—	2	2	3	9	5	12	23	31
Heart failure (I50)	782	—	—	—	—	1	1	16	23	50	198	493
Male	342	—	—	—	—	—	1	8	17	29	92	195
Female	440	—	—	—	—	1	—	8	6	21	106	298
Congestive heart failure (I50.0)	742	—	—	—	—	1	1	12	21	41	192	474
Male	324	—	—	—	—	—	1	5	15	26	89	188
Female	418	—	—	—	—	1	—	7	6	15	103	286
Left ventricular heart failure (I50.1)	2	—	—	—	—	—	—	—	—	—	1	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	1	—	—	—	—	—	—	—	—	—	1	—
Heart failure, unspecified (I50.9)	37	—	—	—	—	—	—	4	2	8	5	18
Male	17	—	—	—	—	—	—	3	2	3	3	6
Female	20	—	—	—	—	—	—	1	—	5	2	12
Hypertension & hyp. renal dis. (I10, I12)	362	—	—	—	1	—	4	15	28	49	93	172
Male	140	—	—	—	1	—	3	13	19	23	36	45
Female	222	—	—	—	—	—	1	2	9	26	57	127

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Cerebrovascular disease (I60-I69) ¹⁰	1,973	—	—	1	3	4	22	67	127	213	651	885
Male	827	—	—	1	1	2	13	38	75	120	292	285
Female	1,146	—	—	—	2	2	9	29	52	93	359	600
Subarachnoid hemorrhage (I60)	76	—	—	—	2	1	8	14	18	14	9	10
Male	23	—	—	—	—	1	5	5	4	3	2	3
Female	53	—	—	—	2	—	3	9	14	11	7	7
Intracerebral hemorrhage (I61-I62) ¹⁵	331	—	—	—	1	1	8	28	35	49	121	88
Male	150	—	—	—	1	1	5	16	18	29	54	26
Female	181	—	—	—	—	—	3	12	17	20	67	62
Cerebral infarction (I63)	84	—	—	—	—	—	3	1	7	8	36	29
Male	37	—	—	—	—	—	1	1	4	5	18	8
Female	47	—	—	—	—	—	2	—	3	3	18	21
Stroke (type not specified) (I64)	1,100	—	—	—	—	1	3	17	58	113	360	548
Male	453	—	—	—	—	—	2	12	43	64	159	173
Female	647	—	—	—	—	1	1	5	15	49	201	375
Atherosclerosis (I70)	118	—	—	—	—	—	—	4	8	11	30	65
Male	54	—	—	—	—	—	—	2	7	8	13	24
Female	64	—	—	—	—	—	—	2	1	3	17	41
Aortic aneurysm & dissection (I71)	207	—	—	—	1	1	3	9	17	40	77	59
Male	115	—	—	—	—	—	1	8	14	25	39	28
Female	92	—	—	—	1	1	2	1	3	15	38	31
Diseases of arteries (I72-I78) ¹⁶	103	—	—	—	—	—	—	2	11	22	39	29
Male	47	—	—	—	—	—	—	—	6	15	17	9
Female	56	—	—	—	—	—	—	2	5	7	22	20
Respiratory System Diseases (J00-J99)	2,902	7	3	—	5	8	14	99	262	564	1,021	919
Male	1,404	3	1	—	3	4	10	57	130	281	514	401
Female	1,498	4	2	—	2	4	4	42	132	283	507	518
Influenza & pneumonia (J10-J18)	522	2	—	—	2	4	6	15	24	54	139	276
Male	257	1	—	—	1	2	4	8	15	30	74	122
Female	265	1	—	—	1	2	2	7	9	24	65	154
Influenza (J10-J11)	5	—	—	—	1	—	—	—	—	—	2	2
Male	2	—	—	—	—	—	—	—	—	—	—	2
Female	3	—	—	—	1	—	—	—	—	—	2	—
Pneumonia (J12-J18)	517	2	—	—	1	4	6	15	24	54	137	274
Male	255	1	—	—	1	2	4	8	15	30	74	120
Female	262	1	—	—	—	2	2	7	9	24	63	154

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups											
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Other acute lower resp. infect'ns (J20-J22)	1	—	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	—	1
Chronic lower respiratory dis. (J40-J47) ¹⁷	1,820	1	1	—	1	1	7	56	197	428	694	434	
Male	874	—	—	—	1	1	6	35	97	202	336	196	
Female	946	1	1	—	—	—	1	21	100	226	358	238	
Bronchitis, chronic & unspec. (J40-J42)	9	1	—	—	—	—	—	1	1	1	2	3	
Male	—	—	—	—	—	—	—	—	—	—	—	—	
Female	9	1	—	—	—	—	—	1	1	1	2	3	
Emphysema (J43)	213	—	—	—	—	—	—	6	26	52	98	31	
Male	102	—	—	—	—	—	—	3	13	25	47	14	
Female	111	—	—	—	—	—	—	3	13	27	51	17	
Asthma (J45-J46)	77	—	1	—	1	1	6	11	10	8	19	20	
Male	33	—	—	—	1	1	6	5	3	5	6	6	
Female	44	—	1	—	—	—	—	6	7	3	13	14	
Other CLRD (J44, J47)	1,521	—	—	—	—	—	1	38	160	367	575	380	
Male	739	—	—	—	—	—	—	27	81	172	283	176	
Female	782	—	—	—	—	—	1	11	79	195	292	204	
Bronchiectasis (J47)	18	—	—	—	—	—	—	1	—	3	4	10	
Male	7	—	—	—	—	—	—	—	—	1	4	2	
Female	11	—	—	—	—	—	—	1	—	2	—	8	
Pneumoconioses (J60-J66, J68) ¹⁸	13	—	—	—	—	—	—	—	—	1	9	3	
Male	12	—	—	—	—	—	—	—	—	1	9	2	
Female	1	—	—	—	—	—	—	—	—	—	—	1	
Pneumonitis due to solids & liquids (J69)	164	—	—	—	2	—	—	9	5	23	35	90	
Male	83	—	—	—	1	—	—	6	2	10	22	42	
Female	81	—	—	—	1	—	—	3	3	13	13	48	
Digestive System Diseases (K00-K92)	1,318	3	—	2	4	6	61	190	202	203	281	366	
Male	643	1	—	—	1	4	40	123	120	107	118	129	
Female	675	2	—	2	3	2	21	67	82	96	163	237	
Peptic ulcer (K25-K28)	65	—	—	—	—	1	—	8	7	8	10	31	
Male	24	—	—	—	—	—	—	1	4	4	4	11	
Female	41	—	—	—	—	1	—	7	3	4	6	20	
Diseases of the appendix (K35-K38)	8	—	—	—	—	—	—	—	—	2	2	4	
Male	5	—	—	—	—	—	—	—	—	1	1	3	
Female	3	—	—	—	—	—	—	—	—	1	1	1	

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Appendicitis (K35-K37)	8	—	—	—	—	—	—	—	—	2	2	4
Male	5	—	—	—	—	—	—	—	—	1	1	3
Female	3	—	—	—	—	—	—	—	—	1	1	1
Hernia (K40-K46)	25	—	—	—	—	—	—	—	2	1	8	14
Male	14	—	—	—	—	—	—	—	—	1	4	9
Female	11	—	—	—	—	—	—	—	2	—	4	5
Vascular disorders of the intestine (K55)	123	—	—	—	1	—	—	8	13	20	44	37
Male	43	—	—	—	1	—	—	3	8	9	11	11
Female	80	—	—	—	—	—	—	5	5	11	33	26
Chronic liver disease (K70, K73-K74) ¹⁹	425	—	—	—	—	3	44	124	123	74	49	8
Male	269	—	—	—	—	3	28	88	76	46	23	5
Female	156	—	—	—	—	—	16	36	47	28	26	3
Alcoholic liver disease (K70) ²⁰	289	—	—	—	—	2	39	98	89	46	14	1
Male	205	—	—	—	—	2	26	70	59	35	12	1
Female	84	—	—	—	—	—	13	28	30	11	2	—
Cholelithiasis (K80-K82) ²¹	40	—	—	—	1	—	—	—	2	6	11	20
Male	20	—	—	—	—	—	—	—	2	4	5	9
Female	20	—	—	—	1	—	—	—	—	2	6	11
Diseases of the Skin (L00-L98) ²²	48	—	—	—	—	—	—	4	6	5	15	18
Male	24	—	—	—	—	—	—	4	4	2	7	7
Female	24	—	—	—	—	—	—	—	2	3	8	11
Musculoskeletal Disease (M00-M99) ²³	296	—	—	—	—	5	7	23	17	34	84	126
Male	89	—	—	—	—	3	3	9	4	10	25	35
Female	207	—	—	—	—	2	4	14	13	24	59	91
Genitourinary System Dis. (N00-N99)	571	1	—	1	1	3	11	18	38	65	192	241
Male	266	1	—	1	1	2	8	11	17	32	97	96
Female	305	—	—	—	—	1	3	7	21	33	95	145
Nephritis (N00-N07, N17-N19, N25-N27) ²⁴	351	1	—	1	1	3	10	12	27	53	115	128
Male	178	1	—	1	1	2	8	6	15	29	60	55
Female	173	—	—	—	—	1	2	6	12	24	55	73
Acute nephrotic syndr. (N00-N01, N04) ²⁵ ..	3	—	—	—	—	1	—	—	—	—	2	—
Male	2	—	—	—	—	1	—	—	—	—	1	—
Female	1	—	—	—	—	—	—	—	—	—	1	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁶ ..	35	—	—	1	—	—	1	—	3	3	9	18
Male	15	—	—	1	—	—	1	—	3	1	3	6
Female	20	—	—	—	—	—	—	—	—	2	6	12

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Renal failure (N17-N19)	313	1	—	—	1	2	9	12	24	50	104	110
Male	161	1	—	—	1	1	7	6	12	28	56	49
Female	152	—	—	—	—	1	2	6	12	22	48	61
Kidney infect'ns (N10-N12, N13.6, N15.1)	9	—	—	—	—	—	—	—	1	1	1	6
Male	3	—	—	—	—	—	—	—	—	—	1	2
Female	6	—	—	—	—	—	—	—	1	1	—	4
Urinary tract infection (N39.0)	163	—	—	—	—	—	1	3	7	7	54	91
Male	53	—	—	—	—	—	—	3	2	1	19	28
Female	110	—	—	—	—	—	1	—	5	6	35	63
Hyperplasia of prostate (N40)	14	—	—	—	—	—	—	—	—	1	5	8
Male	14	—	—	—	—	—	—	—	—	1	5	8
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁷	1	—	—	—	—	—	—	1	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	1	—	—	—	—
Pregnancy & Childbirth (O00-O99)²⁸	9	—	—	—	1	5	3	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	9	—	—	—	1	5	3	—	—	—	—	—
Perinatal Conditions (P00-P96)	121	120	1	—	—	—	—	—	—	—	—	—
Male	68	67	1	—	—	—	—	—	—	—	—	—
Female	53	53	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)²⁹	137	68	4	5	3	9	6	8	13	5	7	9
Male	67	31	3	3	3	6	3	3	6	3	3	3
Female	70	37	1	2	—	3	3	5	7	2	4	6
Malformation of the heart (Q20-Q24)	40	15	1	1	2	4	3	4	3	1	2	4
Male	24	7	1	—	2	4	2	2	2	1	1	2
Female	16	8	—	1	—	—	1	2	1	—	1	2
Other malf. of the circul. sys. (Q25-Q28)	9	2	—	1	—	—	—	—	1	1	1	3
Male	4	1	—	1	—	—	—	—	—	—	1	1
Female	5	1	—	—	—	—	—	—	1	1	—	2
Malf. of the respiratory system (Q30-Q34)	3	3	—	—	—	—	—	—	—	—	—	—
Male	1	1	—	—	—	—	—	—	—	—	—	—
Female	2	2	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³⁰	605	35	3	1	1	7	9	32	51	64	115	287
Male	255	22	1	1	—	4	7	19	34	38	46	83
Female	350	13	2	—	1	3	2	13	17	26	69	204

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Senility (R54)	124	—	—	—	—	—	—	—	—	4	20	100
Male	35	—	—	—	—	—	—	—	—	1	7	27
Female	89	—	—	—	—	—	—	—	—	3	13	73
Sudden infant death syndrome (R95)	30	30	—	—	—	—	—	—	—	—	—	—
Male	20	20	—	—	—	—	—	—	—	—	—	—
Female	10	10	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,421	20	29	38	286	250	329	442	283	162	251	331
Male	1,596	14	16	23	218	197	218	299	197	107	161	146
Female	825	6	13	15	68	53	111	143	86	55	90	185
Accidents (V01-X59, Y85-Y86)	1,579	10	20	31	177	145	173	255	170	113	184	301
Male	985	5	11	18	132	106	112	174	118	68	112	129
Female	594	5	9	13	45	39	61	81	52	45	72	172
Transport accidents (V01-V99, Y85)	553	1	12	15	124	70	71	106	66	45	25	18
Male	392	1	5	7	85	52	51	78	55	31	17	10
Female	161	—	7	8	39	18	20	28	11	14	8	8
Motor vehicle acc. (Many codes) ³¹	505	1	12	14	120	65	62	95	55	39	24	18
Male	354	1	5	6	82	48	43	68	46	28	17	10
Female	151	—	7	8	38	17	19	27	9	11	7	8
Motor veh. traf. acc. (Many codes) ³² ...	476	1	10	13	114	62	61	94	47	35	23	16
Male	329	1	4	5	76	46	42	67	38	25	17	8
Female	147	—	6	8	38	16	19	27	9	10	6	8
Water transport accidents (V90-V94)	21	—	—	—	2	4	5	2	6	2	—	—
Male	19	—	—	—	1	4	4	2	6	2	—	—
Female	2	—	—	—	1	—	1	—	—	—	—	—
Air transport accidents (V95-V97)	11	—	—	—	—	1	2	2	3	3	—	—
Male	7	—	—	—	—	—	2	2	2	1	—	—
Female	4	—	—	—	—	1	—	—	1	2	—	—
Nontransport accidents (W00-X59, Y86)	1,026	9	8	16	53	75	102	149	104	68	159	283
Male	593	4	6	11	47	54	61	96	63	37	95	119
Female	433	5	2	5	6	21	41	53	41	31	64	164
Falls (W00-W19)	351	—	—	1	5	—	6	17	25	32	98	167
Male	176	—	—	1	5	—	5	10	16	18	59	62
Female	175	—	—	—	—	—	1	7	9	14	39	105
Firearms (W32-W34)	2	—	—	—	—	1	1	—	—	—	—	—
Male	1	—	—	—	—	—	1	—	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Drowning & submersion (W65-W74)	68	—	3	9	15	6	8	9	8	4	4	2
Male	50	—	1	5	14	6	6	5	6	2	3	2
Female	18	—	2	4	1	—	2	4	2	2	1	—
Exposure to smoke & fire (X00-X09)	29	—	2	2	3	—	2	1	8	3	3	5
Male	16	—	2	2	2	—	1	1	4	—	—	4
Female	13	—	—	—	1	—	1	—	4	3	3	1
Poisoning (X40-X49) ³³	310	—	—	1	22	64	69	103	38	7	3	3
Male	192	—	—	—	19	44	33	64	25	4	2	1
Female	118	—	—	1	3	20	36	39	13	3	1	2
Suicide (X60-X84, Y87.0)	573	—	—	2	73	74	107	135	79	38	51	14
Male	438	—	—	2	59	65	77	94	56	30	42	13
Female	135	—	—	—	14	9	30	41	23	8	9	1
Poisoning (X60-X69)	127	—	—	—	11	8	34	46	20	3	3	2
Male	58	—	—	—	6	6	14	22	8	1	—	1
Female	69	—	—	—	5	2	20	24	12	2	3	1
Hanging/suffocation (X70)	97	—	—	1	20	20	23	18	8	4	3	—
Male	77	—	—	1	15	18	18	15	8	1	1	—
Female	20	—	—	—	5	2	5	3	—	3	2	—
Firearm discharge (X72-X74)	307	—	—	1	37	42	40	60	43	29	44	11
Male	269	—	—	1	34	37	35	49	34	27	41	11
Female	38	—	—	—	3	5	5	11	9	2	3	—
Homicide (X85-Y09, Y87.1)	111	4	7	5	25	14	19	15	13	4	3	2
Male	78	4	3	3	20	12	16	8	8	3	—	1
Female	33	—	4	2	5	2	3	7	5	1	3	1
Firearm discharge (X93-X95)	60	—	—	3	19	12	11	8	3	1	2	1
Male	44	—	—	2	16	10	9	4	2	1	—	—
Female	16	—	—	1	3	2	2	4	1	—	2	1
Legal intervention (Y35, Y89.0) ³⁴	14	—	—	—	4	5	2	3	—	—	—	—
Male	13	—	—	—	4	4	2	3	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	106	5	1	—	7	11	28	33	14	4	2	1
Male	63	4	1	—	3	9	11	20	10	3	2	—
Female	43	1	—	—	4	2	17	13	4	1	—	1
Medical care complica'ns (Y40-Y84, Y88)	38	1	1	—	—	1	—	1	7	3	11	13
Male	19	1	1	—	—	1	—	—	5	3	5	3
Female	19	—	—	—	—	—	—	1	2	—	6	10

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<i>Injury by firearms (Many codes)</i> ³⁵	381	—	—	4	59	60	54	70	46	30	46	12
Male	325	—	—	3	53	51	47	55	36	28	41	11
Female	56	—	—	1	6	9	7	15	10	2	5	1
<i>Alcohol-induced deaths (Many codes)</i> ^{36,37}	473	—	—	—	2	7	54	164	141	74	26	4
Male	350	—	—	—	2	6	39	119	104	56	21	2
Female	123	—	—	—	—	1	15	45	37	18	5	2
<i>Drug-induced deaths (Many codes)</i> ^{38,39}	579	—	—	—	42	83	132	195	79	20	18	10
Male	333	—	—	—	30	58	59	112	49	7	12	6
Female	246	—	—	—	12	25	73	83	30	13	6	4
<i>Injury at work</i> ⁴⁰	77	—	—	—	7	11	17	20	12	5	2	3
Male	68	—	—	—	7	10	16	18	10	4	1	2
Female	9	—	—	—	—	1	1	2	2	1	1	1

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

2 Human immunodeficiency virus/Acquired immune deficiency syndrome.

3 Including uterus, part unspecified.

4 Including meninges and other parts of the central nervous system.

5 Including immunoproliferative neoplasms.

6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.

8 Including metabolic diseases.

9 Including behavioral disorders.

10 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.

11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

12 Including acute rheumatic fever.

13 The ICD-10 code is I25.0.

14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

15 Including other intracranial hemorrhages.

16 Including diseases of the arterioles and capillaries.

17 Formerly chronic obstructive pulmonary disease (COPD).

18 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.

19 Including liver cirrhosis.

20 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

21 Including other diseases of the gallbladder.

22 Including subcutaneous tissues.

23 Including connective tissue.

24 Including nephrotic syndrome and nephrosis.

- 25 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 26 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 27 Inflammatory diseases of female pelvic organs.
- 28 Including the puerperium.
- 29 Including congenital deformations and chromosomal abnormalities.
- 30 Including abnormal clinical and laboratory findings not elsewhere classified.
- 31 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 32 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 33 Including exposure to noxious substances.
- 34 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 37 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 38 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
- 39 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
- * Including unknown age.
- Quantity is 0.