

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011

| Selected Causes of Death (and their ICD-10 codes) | Baker | | Benton | | Clackamas | | Clatsop | |
|--|-------|-------------------|--------|-------------------|-----------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 197 | 1214.9 | 555 | 645.4 | 2,987 | 789.2 | 364 | 979.9 |
| Infections & parasitic disease (A00-B99) | 1 | 6.2 | 5 | 5.8 | 62 | 16.4 | 9 | 24.2 |
| Septicemia (A40-A41) | 1 | 6.2 | 1 | 1.2 | 24 | 6.3 | 4 | 10.8 |
| Viral Hepatitis (B15-B19) | — | — | 2 | 2.3 | 12 | 3.2 | — | — |
| HIV disease (B20-B24) | — | — | — | — | — | — | — | — |
| Malignant neoplasms (C00-C97) | 47 | 289.9 | 152 | 176.8 | 745 | 196.8 | 85 | 228.8 |
| Colon (C18) | 5 | 30.8 | 13 | 15.1 | 54 | 14.3 | 5 | 13.5 |
| Pancreas (C25) | 4 | 24.7 | 9 | 10.5 | 49 | 12.9 | 7 | 18.8 |
| Bronchus & lung (C34) | 15 | 92.5 | 36 | 41.9 | 208 | 55.0 | 26 | 70.0 |
| Skin (C43-44) | 3 | 18.5 | 3 | 3.5 | 26 | 6.9 | 2 | 5.4 |
| Breast (C50) | 3 | 18.5 | 11 | 12.8 | 54 | 14.3 | 3 | 8.1 |
| Cervical (C53) | — | — | 2 | 2.3 | 5 | 1.3 | 1 | 2.7 |
| Uterine (C54-C55) | — | — | 2 | 2.3 | 6 | 1.6 | — | — |
| Ovarian (C56) | 1 | 6.2 | 7 | 8.1 | 22 | 5.8 | 4 | 10.8 |
| Prostate (C61) | 3 | 18.5 | 9 | 10.5 | 32 | 8.5 | 6 | 16.2 |
| Kidney & renal pelvis (C64-C65) | 2 | 12.3 | 4 | 4.7 | 14 | 3.7 | 3 | 8.1 |
| Bladder (C67) | 1 | 6.2 | 4 | 4.7 | 15 | 4.0 | 3 | 8.1 |
| Brain (C70-C72) | 3 | 18.5 | 4 | 4.7 | 26 | 6.9 | 3 | 8.1 |
| Lymphatic (C81-C96) | 2 | 12.3 | 22 | 25.6 | 72 | 19.0 | 7 | 18.8 |
| Non-Hodgkin's lymphoma (C82-C85) | — | — | 7 | 8.1 | 23 | 6.1 | 2 | 5.4 |
| Leukemia (C91-C95) | 2 | 12.3 | 10 | 11.6 | 30 | 7.9 | 3 | 8.1 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 6.2 | 4 | 4.7 | 20 | 5.3 | 2 | 5.4 |
| Diabetes mellitus (E10-E14) | 3 | 18.5 | 19 | 22.1 | 99 | 26.2 | 13 | 35.0 |
| Organic dementia (F01 F03) | 8 | 49.3 | 19 | 22.1 | 222 | 58.7 | 7 | 18.8 |
| Parkinson's disease (G20-G21) | 3 | 18.5 | 4 | 4.7 | 32 | 8.5 | 2 | 5.4 |
| Alzheimer's disease (G30) | 4 | 24.7 | 27 | 31.4 | 132 | 34.9 | 15 | 40.4 |
| Diseases of the circulatory system (I00-I99) | 57 | 351.5 | 161 | 187.2 | 802 | 211.9 | 114 | 306.9 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 48 | 296.0 | 110 | 127.9 | 558 | 147.4 | 85 | 228.8 |
| Ischemic heart disease (I20-I25) | 32 | 197.3 | 50 | 58.1 | 269 | 71.1 | 59 | 158.8 |
| Cerebrovascular disease (I60-I69) | 7 | 43.2 | 41 | 47.7 | 180 | 47.6 | 22 | 59.2 |
| Intracerebral hemorrhage, etc. (I61-I62) | — | — | 5 | 5.8 | 34 | 9.0 | 7 | 18.8 |
| Cerebral infarction (I63) | 1 | 6.2 | 1 | 1.2 | 8 | 2.1 | — | — |
| Stroke of unspecified type (I64) | 3 | 18.5 | 19 | 22.1 | 106 | 28.0 | 11 | 29.6 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 6.2 | 4 | 4.7 | 34 | 9.0 | 6 | 16.2 |
| Aortic aneurysm (I71) | — | — | 1 | 1.2 | 13 | 3.4 | — | — |
| Influenza & pneumonia (J09-J18) | 1 | 6.2 | 16 | 18.6 | 35 | 9.2 | 5 | 13.5 |
| Chronic lower respiratory diseases (J40-J47) | 23 | 141.8 | 27 | 31.4 | 154 | 40.7 | 17 | 45.8 |
| Diseases of the digestive system (K00-K92) | 5 | 30.8 | 20 | 23.3 | 118 | 31.2 | 17 | 45.8 |
| Diseases of the genitourinary sys. (N00-N99) | 6 | 37.0 | 11 | 12.8 | 55 | 14.5 | 7 | 18.8 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 18.5 | 7 | 8.1 | 32 | 8.5 | 4 | 10.8 |
| Perinatal conditions (P00-P96) | — | — | 1 | 1.2 | 8 | 2.1 | 1 | 2.7 |
| Congenital malformations (Q00-Q99) | — | — | 2 | 2.3 | 12 | 3.2 | 3 | 8.1 |
| Sudden infant death syndrome (R95) | — | — | — | — | 1 | 0.3 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 17 | 104.8 | 27 | 31.4 | 144 | 38.0 | 28 | 75.4 |
| Suicide (X60-X84, Y87.0) | 3 | 18.5 | 11 | 12.8 | 54 | 14.3 | 2 | 5.4 |
| Homicide (X85-Y09, Y87.1) | — | — | 3 | 3.5 | 5 | 1.3 | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 1 | 1.2 | 7 | 1.8 | 3 | 8.1 |
| <i>Alcohol-induced</i> ² | 3 | 18.5 | 10 | 11.6 | 48 | 12.7 | 9 | 24.2 |
| <i>Drug-induced</i> ² | 6 | 37.0 | 10 | 11.6 | 54 | 14.3 | 12 | 32.3 |
| <i>Injury by firearms</i> ² | 1 | 6.2 | 5 | 5.8 | 28 | 7.4 | 2 | 5.4 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Columbia | | Coos | | Crook | | Curry | |
|--|----------|-------------------|------|-------------------|-------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 428 | 862.5 | 862 | 1369.1 | 227 | 1088.5 | 337 | 1508.8 |
| Infections & parasitic disease (A00-B99) | 11 | 22.2 | 12 | 19.1 | 2 | 9.6 | 6 | 26.9 |
| Septicemia (A40-A41) | 4 | 8.1 | 4 | 6.4 | — | — | 4 | 17.9 |
| Viral Hepatitis (B15-B19) | 2 | 4.0 | 4 | 6.4 | 1 | 4.8 | 2 | 9.0 |
| HIV disease (B20-B24) | 1 | 2.0 | — | — | — | — | — | — |
| Malignant neoplasms (C00-C97) | 112 | 225.7 | 208 | 330.4 | 47 | 225.4 | 90 | 403.0 |
| Colon (C18) | 9 | 18.1 | 9 | 14.3 | 5 | 24.0 | 8 | 35.8 |
| Pancreas (C25) | 6 | 12.1 | 7 | 11.1 | 3 | 14.4 | 7 | 31.3 |
| Bronchus & lung (C34) | 38 | 76.6 | 75 | 119.1 | 17 | 81.5 | 21 | 94.0 |
| Skin (C43-44) | 4 | 8.1 | 3 | 4.8 | 3 | 14.4 | — | — |
| Breast (C50) | 5 | 10.1 | 8 | 12.7 | — | — | 6 | 26.9 |
| Cervical (C53) | — | — | 2 | 3.2 | — | — | — | — |
| Uterine (C54-C55) | 1 | 2.0 | 4 | 6.4 | 1 | 4.8 | 2 | 9.0 |
| Ovarian (C56) | 2 | 4.0 | 6 | 9.5 | 2 | 9.6 | — | — |
| Prostate (C61) | 9 | 18.1 | 23 | 36.5 | 3 | 14.4 | 3 | 13.4 |
| Kidney & renal pelvis (C64-C65) | — | — | 6 | 9.5 | 1 | 4.8 | 2 | 9.0 |
| Bladder (C67) | 2 | 4.0 | 5 | 7.9 | 1 | 4.8 | 3 | 13.4 |
| Brain (C70-C72) | 6 | 12.1 | 3 | 4.8 | 1 | 4.8 | 2 | 9.0 |
| Lymphatic (C81-C96) | 8 | 16.1 | 18 | 28.6 | 4 | 19.2 | 8 | 35.8 |
| Non-Hodgkin's lymphoma (C82-C85) | 2 | 4.0 | 8 | 12.7 | 2 | 9.6 | 3 | 13.4 |
| Leukemia (C91-C95) | 6 | 12.1 | 7 | 11.1 | 1 | 4.8 | 5 | 22.4 |
| Benign & uncertain neoplasms (D00-D48) | 4 | 8.1 | 7 | 11.1 | 5 | 24.0 | 5 | 22.4 |
| Diabetes mellitus (E10-E14) | 17 | 34.3 | 31 | 49.2 | 6 | 28.8 | 11 | 49.3 |
| Organic dementia (F01 F03) | 18 | 36.3 | 46 | 73.1 | 9 | 43.2 | 16 | 71.6 |
| Parkinson's disease (G20-G21) | 4 | 8.1 | 9 | 14.3 | 4 | 19.2 | 2 | 9.0 |
| Alzheimer's disease (G30) | 9 | 18.1 | 25 | 39.7 | 3 | 14.4 | 6 | 26.9 |
| Diseases of the circulatory system (I00-I99) | 121 | 243.8 | 257 | 408.2 | 73 | 350.0 | 92 | 411.9 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 85 | 171.3 | 188 | 298.6 | 35 | 167.8 | 71 | 317.9 |
| Ischemic heart disease (I20-I25) | 47 | 94.7 | 115 | 182.7 | 18 | 86.3 | 42 | 188.0 |
| Cerebrovascular disease (I60-I69) | 27 | 54.4 | 37 | 58.8 | 9 | 43.2 | 16 | 71.6 |
| Intracerebral hemorrhage, etc. (I61-I62) | 7 | 14.1 | 9 | 14.3 | — | — | 3 | 13.4 |
| Cerebral infarction (I63) | 1 | 2.0 | 1 | 1.6 | — | — | — | — |
| Stroke of unspecified type (I64) | 12 | 24.2 | 22 | 34.9 | 4 | 19.2 | 9 | 40.3 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 5 | 10.1 | 17 | 27.0 | 2 | 9.6 | 3 | 13.4 |
| Aortic aneurysm (I71) | 1 | 2.0 | 6 | 9.5 | 2 | 9.6 | 1 | 4.5 |
| Influenza & pneumonia (J09-J18) | 4 | 8.1 | 3 | 4.8 | 2 | 9.6 | 5 | 22.4 |
| Chronic lower respiratory diseases (J40-J47) | 29 | 58.4 | 60 | 95.3 | 28 | 134.3 | 33 | 147.8 |
| Diseases of the digestive system (K00-K92) | 16 | 32.2 | 34 | 54.0 | 12 | 57.5 | 16 | 71.6 |
| Diseases of the genitourinary sys. (N00-N99) | 5 | 10.1 | 13 | 20.6 | 3 | 14.4 | 2 | 9.0 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 6.0 | 6 | 9.5 | 3 | 14.4 | 1 | 4.5 |
| Perinatal conditions (P00-P96) | — | — | 1 | 1.6 | — | — | 2 | 9.0 |
| Congenital malformations (Q00-Q99) | — | — | 3 | 4.8 | 2 | 9.6 | 2 | 9.0 |
| Sudden infant death syndrome (R95) | — | — | 2 | 3.2 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 28 | 56.4 | 52 | 82.6 | 8 | 38.4 | 14 | 62.7 |
| Suicide (X60-X84, Y87.0) | 10 | 20.2 | 14 | 22.2 | 7 | 33.6 | 5 | 22.4 |
| Homicide (X85-Y09, Y87.1) | 1 | 2.0 | 4 | 6.4 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 5 | 7.9 | — | — | 2 | 9.0 |
| <i>Alcohol-induced</i> ² | 9 | 18.1 | 18 | 28.6 | 3 | 14.4 | 3 | 13.4 |
| <i>Drug-induced</i> ² | 7 | 14.1 | 12 | 19.1 | 2 | 9.6 | 5 | 22.4 |
| <i>Injury by firearms</i> ² | 8 | 16.1 | 12 | 19.1 | 3 | 14.4 | 4 | 17.9 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Deschutes | | Douglas | | Gilliam | | Grant | |
|--|-----------|-------------------|---------|-------------------|---------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,255 | 789.9 | 1,401 | 1299.7 | 19 | 1010.6 | 87 | 1167.8 |
| Infections & parasitic disease (A00-B99) | 14 | 8.8 | 32 | 29.7 | 1 | 53.2 | 1 | 13.4 |
| Septicemia (A40-A41) | 4 | 2.5 | 3 | 2.8 | — | — | 1 | 13.4 |
| Viral Hepatitis (B15-B19) | 3 | 1.9 | 18 | 16.7 | 1 | 53.2 | — | — |
| HIV disease (B20-B24) | — | — | 1 | 0.9 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 296 | 186.3 | 347 | 321.9 | 6 | 319.1 | 22 | 295.3 |
| Colon (C18) | 11 | 6.9 | 20 | 18.6 | 1 | 53.2 | 2 | 26.8 |
| Pancreas (C25) | 34 | 21.4 | 19 | 17.6 | 1 | 53.2 | — | — |
| Bronchus & lung (C34) | 58 | 36.5 | 108 | 100.2 | 2 | 106.4 | 4 | 53.7 |
| Skin (C43-44) | 9 | 5.7 | 5 | 4.6 | — | — | 2 | 26.8 |
| Breast (C50) | 18 | 11.3 | 10 | 9.3 | — | — | 2 | 26.8 |
| Cervical (C53) | 4 | 2.5 | 2 | 1.9 | — | — | — | — |
| Uterine (C54-C55) | 4 | 2.5 | 7 | 6.5 | — | — | — | — |
| Ovarian (C56) | 12 | 7.6 | 8 | 7.4 | — | — | — | — |
| Prostate (C61) | 23 | 14.5 | 15 | 13.9 | — | — | — | — |
| Kidney & renal pelvis (C64-C65) | 13 | 8.2 | 6 | 5.6 | — | — | 1 | 13.4 |
| Bladder (C67) | 8 | 5.0 | 11 | 10.2 | — | — | — | — |
| Brain (C70-C72) | 13 | 8.2 | 10 | 9.3 | — | — | 2 | 26.8 |
| Lymphatic (C81-C96) | 36 | 22.7 | 33 | 30.6 | — | — | 3 | 40.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 11 | 6.9 | 9 | 8.3 | — | — | 2 | 26.8 |
| Leukemia (C91-C95) | 14 | 8.8 | 17 | 15.8 | — | — | 1 | 13.4 |
| Benign & uncertain neoplasms (D00-D48) | 10 | 6.3 | 9 | 8.3 | — | — | 1 | 13.4 |
| Diabetes mellitus (E10-E14) | 45 | 28.3 | 54 | 50.1 | 2 | 106.4 | 3 | 40.3 |
| Organic dementia (F01-F03) | 83 | 52.2 | 74 | 68.6 | 3 | 159.6 | 7 | 94.0 |
| Parkinson's disease (G20-G21) | 13 | 8.2 | 15 | 13.9 | — | — | 3 | 40.3 |
| Alzheimer's disease (G30) | 45 | 28.3 | 77 | 71.4 | 2 | 106.4 | 1 | 13.4 |
| Diseases of the circulatory system (I00-I99) | 343 | 215.9 | 373 | 346.0 | 2 | 106.4 | 22 | 295.3 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 239 | 150.4 | 262 | 243.1 | 1 | 53.2 | 18 | 241.6 |
| Ischemic heart disease (I20-I25) | 127 | 79.9 | 153 | 141.9 | 1 | 53.2 | 7 | 94.0 |
| Cerebrovascular disease (I60-I69) | 76 | 47.8 | 75 | 69.6 | 1 | 53.2 | 2 | 26.8 |
| Intracerebral hemorrhage, etc. (I61-I62) | 7 | 4.4 | 14 | 13.0 | — | — | — | — |
| Cerebral infarction (I63) | 5 | 3.1 | 7 | 6.5 | — | — | — | — |
| Stroke of unspecified type (I64) | 48 | 30.2 | 34 | 31.5 | 1 | 53.2 | 2 | 26.8 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 15 | 9.4 | 20 | 18.6 | — | — | — | — |
| Aortic aneurysm (I71) | 6 | 3.8 | 10 | 9.3 | — | — | 2 | 26.8 |
| Influenza & pneumonia (J09-J18) | 16 | 10.1 | 15 | 13.9 | — | — | 3 | 40.3 |
| Chronic lower respiratory diseases (J40-J47) | 83 | 52.2 | 96 | 89.1 | — | — | 9 | 120.8 |
| Diseases of the digestive system (K00-K92) | 61 | 38.4 | 55 | 51.0 | — | — | 5 | 67.1 |
| Diseases of the genitourinary sys. (N00-N99) | 13 | 8.2 | 26 | 24.1 | — | — | — | — |
| Nephritis (N00-N07, N17-N19, N25-N27) | 8 | 5.0 | 17 | 15.8 | — | — | — | — |
| Perinatal conditions (P00-P96) | 4 | 2.5 | 3 | 2.8 | — | — | — | — |
| Congenital malformations (Q00-Q99) | 2 | 1.3 | 3 | 2.8 | — | — | — | — |
| Sudden infant death syndrome (R95) | 2 | 1.3 | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 62 | 39.0 | 60 | 55.7 | 1 | 53.2 | 2 | 26.8 |
| Suicide (X60-X84, Y87.0) | 32 | 20.1 | 23 | 21.3 | 1 | 53.2 | 2 | 26.8 |
| Homicide (X85-Y09, Y87.1) | 3 | 1.9 | 3 | 2.8 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 4 | 2.5 | 3 | 2.8 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 33 | 20.8 | 19 | 17.6 | — | — | 1 | 13.4 |
| <i>Drug-induced</i> ² | 19 | 12.0 | 19 | 17.6 | — | — | — | — |
| <i>Injury by firearms</i> ² | 20 | 12.6 | 19 | 17.6 | 1 | 53.2 | 1 | 13.4 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Harney | | Hood River | | Jackson | | Jefferson | |
|--|--------|-------------------|------------|-------------------|---------|-------------------|-----------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 83 | 1125.4 | 184 | 813.3 | 2,126 | 1042.4 | 190 | 869.8 |
| Infections & parasitic disease (A00-B99) | 3 | 40.7 | 1 | 4.4 | 38 | 18.6 | 3 | 13.7 |
| Septicemia (A40-A41) | 1 | 13.6 | — | — | 11 | 5.4 | 1 | 4.6 |
| Viral Hepatitis (B15-B19) | — | — | — | — | 11 | 5.4 | 1 | 4.6 |
| HIV disease (B20-B24) | 1 | 13.6 | 1 | 4.4 | 2 | 1.0 | — | — |
| Malignant neoplasms (C00-C97) | 21 | 284.7 | 44 | 194.5 | 497 | 243.7 | 36 | 164.8 |
| Colon (C18) | 2 | 27.1 | 4 | 17.7 | 37 | 18.1 | 5 | 22.9 |
| Pancreas (C25) | 3 | 40.7 | 1 | 4.4 | 37 | 18.1 | 4 | 18.3 |
| Bronchus & lung (C34) | 4 | 54.2 | 10 | 44.2 | 113 | 55.4 | 11 | 50.4 |
| Skin (C43-44) | 1 | 13.6 | 1 | 4.4 | 16 | 7.8 | — | — |
| Breast (C50) | 4 | 54.2 | 3 | 13.3 | 31 | 15.2 | 2 | 9.2 |
| Cervical (C53) | — | — | — | — | 3 | 1.5 | — | — |
| Uterine (C54-C55) | — | — | 4 | 17.7 | 6 | 2.9 | — | — |
| Ovarian (C56) | — | — | 1 | 4.4 | 14 | 6.9 | 1 | 4.6 |
| Prostate (C61) | — | — | 1 | 4.4 | 35 | 17.2 | 1 | 4.6 |
| Kidney & renal pelvis (C64-C65) | — | — | — | — | 12 | 5.9 | — | — |
| Bladder (C67) | — | — | 1 | 4.4 | 15 | 7.4 | — | — |
| Brain (C70-C72) | — | — | 1 | 4.4 | 13 | 6.4 | 2 | 9.2 |
| Lymphatic (C81-C96) | 2 | 27.1 | 2 | 8.8 | 55 | 27.0 | 4 | 18.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 13.6 | 2 | 8.8 | 24 | 11.8 | 2 | 9.2 |
| Leukemia (C91-C95) | 1 | 13.6 | — | — | 18 | 8.8 | 1 | 4.6 |
| Benign & uncertain neoplasms (D00-D48) | — | — | 1 | 4.4 | 19 | 9.3 | 4 | 18.3 |
| Diabetes mellitus (E10-E14) | 3 | 40.7 | 5 | 22.1 | 57 | 27.9 | 16 | 73.2 |
| Organic dementia (F01-F03) | 3 | 40.7 | 16 | 70.7 | 119 | 58.3 | 7 | 32.0 |
| Parkinson's disease (G20-G21) | 1 | 13.6 | 7 | 30.9 | 22 | 10.8 | 1 | 4.6 |
| Alzheimer's disease (G30) | — | — | 7 | 30.9 | 93 | 45.6 | 8 | 36.6 |
| Diseases of the circulatory system (I00-I99) | 27 | 366.1 | 52 | 229.8 | 599 | 293.7 | 35 | 160.2 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 17 | 230.5 | 36 | 159.1 | 402 | 197.1 | 23 | 105.3 |
| Ischemic heart disease (I20-I25) | 9 | 122.0 | 18 | 79.6 | 224 | 109.8 | 13 | 59.5 |
| Cerebrovascular disease (I60-I69) | 7 | 94.9 | 10 | 44.2 | 141 | 69.1 | 7 | 32.0 |
| Intracerebral hemorrhage, etc. (I61-I62) | 1 | 13.6 | 2 | 8.8 | 21 | 10.3 | 1 | 4.6 |
| Cerebral infarction (I63) | — | — | — | — | 12 | 5.9 | — | — |
| Stroke of unspecified type (I64) | 4 | 54.2 | 7 | 30.9 | 71 | 34.8 | 5 | 22.9 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 13.6 | 4 | 17.7 | 36 | 17.7 | 3 | 13.7 |
| Aortic aneurysm (I71) | — | — | 2 | 8.8 | 8 | 3.9 | 1 | 4.6 |
| Influenza & pneumonia (J09-J18) | — | — | 3 | 13.3 | 24 | 11.8 | 1 | 4.6 |
| Chronic lower respiratory diseases (J40-J47) | 4 | 54.2 | 10 | 44.2 | 153 | 75.0 | 10 | 45.8 |
| Diseases of the digestive system (K00-K92) | 3 | 40.7 | 9 | 39.8 | 102 | 50.0 | 19 | 87.0 |
| Diseases of the genitourinary sys. (N00-N99) | 1 | 13.6 | 1 | 4.4 | 43 | 21.1 | 3 | 13.7 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 1 | 13.6 | 1 | 4.4 | 29 | 14.2 | 1 | 4.6 |
| Perinatal conditions (P00-P96) | — | — | — | — | 4 | 2.0 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 1 | 4.4 | 2 | 1.0 | 1 | 4.6 |
| Sudden infant death syndrome (R95) | — | — | — | — | 3 | 1.5 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 4 | 54.2 | 12 | 53.0 | 115 | 56.4 | 18 | 82.4 |
| Suicide (X60-X84, Y87.0) | — | — | 3 | 13.3 | 42 | 20.6 | 4 | 18.3 |
| Homicide (X85-Y09, Y87.1) | — | — | 1 | 4.4 | 10 | 4.9 | 2 | 9.2 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | — | — | 5 | 2.5 | — | — |
| <i>Alcohol-induced</i> ² | 3 | 40.7 | 2 | 8.8 | 42 | 20.6 | 15 | 68.7 |
| <i>Drug-induced</i> ² | — | — | 1 | 4.4 | 35 | 17.2 | 2 | 9.2 |
| <i>Injury by firearms</i> ² | — | — | 3 | 13.3 | 29 | 14.2 | 3 | 13.7 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Josephine | | Klamath | | Lake | | Lane | |
|--|-----------|-------------------|---------|-------------------|------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,264 | 1526.2 | 705 | 1058.9 | 76 | 963.9 | 3,279 | 928.5 |
| Infections & parasitic disease (A00-B99) | 26 | 31.4 | 15 | 22.5 | 1 | 12.7 | 62 | 17.6 |
| Septicemia (A40-A41) | 3 | 3.6 | 4 | 6.0 | — | — | 26 | 7.4 |
| Viral Hepatitis (B15-B19) | 13 | 15.7 | 2 | 3.0 | — | — | 18 | 5.1 |
| HIV disease (B20-B24) | 1 | 1.2 | 2 | 3.0 | — | — | 3 | 0.8 |
| Malignant neoplasms (C00-C97) | 310 | 374.3 | 158 | 237.3 | 16 | 202.9 | 758 | 214.6 |
| Colon (C18) | 21 | 25.4 | 12 | 18.0 | 1 | 12.7 | 67 | 19.0 |
| Pancreas (C25) | 24 | 29.0 | 5 | 7.5 | — | — | 42 | 11.9 |
| Bronchus & lung (C34) | 92 | 111.1 | 49 | 73.6 | 4 | 50.7 | 194 | 54.9 |
| Skin (C43-44) | 11 | 13.3 | 6 | 9.0 | 1 | 12.7 | 14 | 4.0 |
| Breast (C50) | 19 | 22.9 | 11 | 16.5 | 1 | 12.7 | 56 | 15.9 |
| Cervical (C53) | 4 | 4.8 | 2 | 3.0 | — | — | 10 | 2.8 |
| Uterine (C54-C55) | 4 | 4.8 | 4 | 6.0 | 1 | 12.7 | 6 | 1.7 |
| Ovarian (C56) | 3 | 3.6 | 4 | 6.0 | — | — | 30 | 8.5 |
| Prostate (C61) | 22 | 26.6 | 6 | 9.0 | 3 | 38.0 | 36 | 10.2 |
| Kidney & renal pelvis (C64-C65) | 8 | 9.7 | 3 | 4.5 | 1 | 12.7 | 19 | 5.4 |
| Bladder (C67) | 8 | 9.7 | 5 | 7.5 | — | — | 38 | 10.8 |
| Brain (C70-C72) | 4 | 4.8 | 4 | 6.0 | — | — | 17 | 4.8 |
| Lymphatic (C81-C96) | 26 | 31.4 | 14 | 21.0 | 3 | 38.0 | 69 | 19.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 5 | 6.0 | 6 | 9.0 | 1 | 12.7 | 23 | 6.5 |
| Leukemia (C91-C95) | 11 | 13.3 | 5 | 7.5 | 2 | 25.4 | 36 | 10.2 |
| Benign & uncertain neoplasms (D00-D48) | 10 | 12.1 | 5 | 7.5 | — | — | 21 | 5.9 |
| Diabetes mellitus (E10-E14) | 35 | 42.3 | 19 | 28.5 | 4 | 50.7 | 102 | 28.9 |
| Organic dementia (F01-F03) | 98 | 118.3 | 40 | 60.1 | 2 | 25.4 | 209 | 59.2 |
| Parkinson's disease (G20-G21) | 13 | 15.7 | 5 | 7.5 | 4 | 50.7 | 34 | 9.6 |
| Alzheimer's disease (G30) | 41 | 49.5 | 25 | 37.5 | 6 | 76.1 | 160 | 45.3 |
| Diseases of the circulatory system (I00-I99) | 356 | 429.8 | 187 | 280.9 | 19 | 241.0 | 868 | 245.8 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 242 | 292.2 | 128 | 192.2 | 13 | 164.9 | 592 | 167.6 |
| Ischemic heart disease (I20-I25) | 143 | 172.7 | 76 | 114.1 | 5 | 63.4 | 313 | 88.6 |
| Cerebrovascular disease (I60-I69) | 85 | 102.6 | 46 | 69.1 | 5 | 63.4 | 182 | 51.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 9 | 10.9 | 9 | 13.5 | 1 | 12.7 | 34 | 9.6 |
| Cerebral infarction (I63) | 2 | 2.4 | — | — | — | — | 10 | 2.8 |
| Stroke of unspecified type (I64) | 48 | 58.0 | 26 | 39.1 | 4 | 50.7 | 99 | 28.0 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 15 | 18.1 | 7 | 10.5 | — | — | 48 | 13.6 |
| Aortic aneurysm (I71) | 4 | 4.8 | 3 | 4.5 | 1 | 12.7 | 17 | 4.8 |
| Influenza & pneumonia (J09-J18) | 8 | 9.7 | 9 | 13.5 | 3 | 38.0 | 35 | 9.9 |
| Chronic lower respiratory diseases (J40-J47) | 91 | 109.9 | 39 | 58.6 | 6 | 76.1 | 235 | 66.5 |
| Diseases of the digestive system (K00-K92) | 43 | 51.9 | 38 | 57.1 | 3 | 38.0 | 161 | 45.6 |
| Diseases of the genitourinary sys. (N00-N99) | 24 | 29.0 | 10 | 15.0 | — | — | 65 | 18.4 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 15 | 18.1 | 4 | 6.0 | — | — | 37 | 10.5 |
| Perinatal conditions (P00-P96) | 1 | 1.2 | 2 | 3.0 | — | — | 6 | 1.7 |
| Congenital malformations (Q00-Q99) | 3 | 3.6 | 1 | 1.5 | — | — | 8 | 2.3 |
| Sudden infant death syndrome (R95) | 1 | 1.2 | 3 | 4.5 | — | — | 1 | 0.3 |
| Unintentional injuries (V01-X59, Y85-Y86) | 53 | 64.0 | 37 | 55.6 | 1 | 12.7 | 178 | 50.4 |
| Suicide (X60-X84, Y87.0) | 25 | 30.2 | 12 | 18.0 | 2 | 25.4 | 68 | 19.3 |
| Homicide (X85-Y09, Y87.1) | 4 | 4.8 | 2 | 3.0 | — | — | 8 | 2.3 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 8 | 9.7 | 3 | 4.5 | — | — | 13 | 3.7 |
| <i>Alcohol-induced</i> ² | 20 | 24.1 | 21 | 31.5 | — | — | 68 | 19.3 |
| <i>Drug-induced</i> ² | 17 | 20.5 | 13 | 19.5 | 2 | 25.4 | 56 | 15.9 |
| <i>Injury by firearms</i> ² | 21 | 25.4 | 8 | 12.0 | — | — | 49 | 13.9 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Lincoln | | Linn | | Malheur | | Marion | |
|--|---------|-------------------|-------|-------------------|---------|-------------------|--------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 586 | 1269.6 | 1,142 | 973.2 | 317 | 1008.1 | 2,527 | 794.3 |
| Infections & parasitic disease (A00-B99) | 13 | 28.2 | 17 | 14.5 | 5 | 15.9 | 56 | 17.6 |
| Septicemia (A40-A41) | 6 | 13.0 | 3 | 2.6 | 2 | 6.4 | 14 | 4.4 |
| Viral Hepatitis (B15-B19) | 7 | 15.2 | 5 | 4.3 | 3 | 9.5 | 16 | 5.0 |
| HIV disease (B20-B24) | — | — | 1 | 0.9 | — | — | 2 | 0.6 |
| Malignant neoplasms (C00-C97) | 174 | 377.0 | 281 | 239.5 | 64 | 203.5 | 565 | 177.6 |
| Colon (C18) | 10 | 21.7 | 17 | 14.5 | 8 | 25.4 | 40 | 12.6 |
| Pancreas (C25) | 11 | 23.8 | 13 | 11.1 | 3 | 9.5 | 32 | 10.1 |
| Bronchus & lung (C34) | 60 | 130.0 | 85 | 72.4 | 12 | 38.2 | 149 | 46.8 |
| Skin (C43-44) | 4 | 8.7 | 5 | 4.3 | — | — | 9 | 2.8 |
| Breast (C50) | 14 | 30.3 | 22 | 18.7 | 4 | 12.7 | 32 | 10.1 |
| Cervical (C53) | — | — | 1 | 0.9 | — | — | 3 | 0.9 |
| Uterine (C54-C55) | — | — | 1 | 0.9 | 2 | 6.4 | 14 | 4.4 |
| Ovarian (C56) | 3 | 6.5 | 8 | 6.8 | 2 | 6.4 | 16 | 5.0 |
| Prostate (C61) | 6 | 13.0 | 17 | 14.5 | 5 | 15.9 | 29 | 9.1 |
| Kidney & renal pelvis (C64-C65) | 8 | 17.3 | 6 | 5.1 | 4 | 12.7 | 17 | 5.3 |
| Bladder (C67) | 8 | 17.3 | 11 | 9.4 | — | — | 17 | 5.3 |
| Brain (C70-C72) | 2 | 4.3 | 8 | 6.8 | 2 | 6.4 | 13 | 4.1 |
| Lymphatic (C81-C96) | 10 | 21.7 | 37 | 31.5 | 5 | 15.9 | 57 | 17.9 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 6.5 | 14 | 11.9 | 1 | 3.2 | 18 | 5.7 |
| Leukemia (C91-C95) | 4 | 8.7 | 17 | 14.5 | 2 | 6.4 | 23 | 7.2 |
| Benign & uncertain neoplasms (D00-D48) | 5 | 10.8 | 9 | 7.7 | 2 | 6.4 | 18 | 5.7 |
| Diabetes mellitus (E10-E14) | 18 | 39.0 | 41 | 34.9 | 14 | 44.5 | 118 | 37.1 |
| Organic dementia (F01-F03) | 25 | 54.2 | 73 | 62.2 | 14 | 44.5 | 191 | 60.0 |
| Parkinson's disease (G20-G21) | 8 | 17.3 | 9 | 7.7 | 3 | 9.5 | 29 | 9.1 |
| Alzheimer's disease (G30) | 27 | 58.5 | 58 | 49.4 | 7 | 22.3 | 74 | 23.3 |
| Diseases of the circulatory system (I00-I99) | 160 | 346.7 | 343 | 292.3 | 96 | 305.3 | 675 | 212.2 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 116 | 251.3 | 223 | 190.0 | 71 | 225.8 | 440 | 138.3 |
| Ischemic heart disease (I20-I25) | 68 | 147.3 | 138 | 117.6 | 51 | 162.2 | 231 | 72.6 |
| Cerebrovascular disease (I60-I69) | 34 | 73.7 | 80 | 68.2 | 15 | 47.7 | 167 | 52.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 9 | 19.5 | 19 | 16.2 | 1 | 3.2 | 31 | 9.7 |
| Cerebral infarction (I63) | 2 | 4.3 | 3 | 2.6 | 1 | 3.2 | 5 | 1.6 |
| Stroke of unspecified type (I64) | 20 | 43.3 | 40 | 34.1 | 9 | 28.6 | 90 | 28.3 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 4 | 8.7 | 17 | 14.5 | 3 | 9.5 | 30 | 9.4 |
| Aortic aneurysm (I71) | — | — | 12 | 10.2 | 3 | 9.5 | 12 | 3.8 |
| Influenza & pneumonia (J09-J18) | 5 | 10.8 | 11 | 9.4 | 5 | 15.9 | 38 | 11.9 |
| Chronic lower respiratory diseases (J40-J47) | 42 | 91.0 | 60 | 51.1 | 34 | 108.1 | 145 | 45.6 |
| Diseases of the digestive system (K00-K92) | 28 | 60.7 | 32 | 27.3 | 8 | 25.4 | 123 | 38.7 |
| Diseases of the genitourinary sys. (N00-N99) | 6 | 13.0 | 19 | 16.2 | 8 | 25.4 | 41 | 12.9 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 4 | 8.7 | 9 | 7.7 | 6 | 19.1 | 24 | 7.5 |
| Perinatal conditions (P00-P96) | — | — | 3 | 2.6 | 4 | 12.7 | 16 | 5.0 |
| Congenital malformations (Q00-Q99) | 6 | 13.0 | 6 | 5.1 | 1 | 3.2 | 18 | 5.7 |
| Sudden infant death syndrome (R95) | 1 | 2.2 | 1 | 0.9 | — | — | 1 | 0.3 |
| Unintentional injuries (V01-X59, Y85-Y86) | 19 | 41.2 | 59 | 50.3 | 19 | 60.4 | 136 | 42.7 |
| Suicide (X60-X84, Y87.0) | 7 | 15.2 | 20 | 17.0 | 8 | 25.4 | 42 | 13.2 |
| Homicide (X85-Y09, Y87.1) | 3 | 6.5 | 2 | 1.7 | 1 | 3.2 | 10 | 3.1 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 5 | 4.3 | — | — | 7 | 2.2 |
| <i>Alcohol-induced</i> ² | 11 | 23.8 | 15 | 12.8 | 4 | 12.7 | 56 | 17.6 |
| <i>Drug-induced</i> ² | 6 | 13.0 | 25 | 21.3 | 4 | 12.7 | 36 | 11.3 |
| <i>Injury by firearms</i> ² | 7 | 15.2 | 16 | 13.6 | 6 | 19.1 | 32 | 10.1 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Morrow | | Multnomah | | Polk | | Sherman | |
|--|--------|-------------------|-----------|-------------------|------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 80 | 709.8 | 5,436 | 732.7 | 605 | 796.4 | 11 | 623.2 |
| Infections & parasitic disease (A00-B99) | 2 | 17.7 | 130 | 17.5 | 11 | 14.5 | — | — |
| Septicemia (A40-A41) | — | — | 38 | 5.1 | 6 | 7.9 | — | — |
| Viral Hepatitis (B15-B19) | 1 | 8.9 | 44 | 5.9 | 2 | 2.6 | — | — |
| HIV disease (B20-B24) | — | — | 15 | 2.0 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 27 | 239.6 | 1,257 | 169.4 | 150 | 197.5 | 3 | 170.0 |
| Colon (C18) | 1 | 8.9 | 83 | 11.2 | 8 | 10.5 | 1 | 56.7 |
| Pancreas (C25) | 1 | 8.9 | 73 | 9.8 | 13 | 17.1 | — | — |
| Bronchus & lung (C34) | 7 | 62.1 | 340 | 45.8 | 30 | 39.5 | — | — |
| Skin (C43-44) | — | — | 33 | 4.4 | 10 | 13.2 | — | — |
| Breast (C50) | 2 | 17.7 | 87 | 11.7 | 11 | 14.5 | — | — |
| Cervical (C53) | — | — | 9 | 1.2 | — | — | — | — |
| Uterine (C54-C55) | — | — | 19 | 2.6 | 2 | 2.6 | — | — |
| Ovarian (C56) | 2 | 17.7 | 34 | 4.6 | 3 | 3.9 | — | — |
| Prostate (C61) | — | — | 57 | 7.7 | 10 | 13.2 | 1 | 56.7 |
| Kidney & renal pelvis (C64-C65) | 1 | 8.9 | 27 | 3.6 | 4 | 5.3 | — | — |
| Bladder (C67) | 1 | 8.9 | 30 | 4.0 | 4 | 5.3 | 1 | 56.7 |
| Brain (C70-C72) | 1 | 8.9 | 36 | 4.9 | 7 | 9.2 | — | — |
| Lymphatic (C81-C96) | 2 | 17.7 | 114 | 15.4 | 12 | 15.8 | — | — |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 8.9 | 41 | 5.5 | 5 | 6.6 | — | — |
| Leukemia (C91-C95) | — | — | 41 | 5.5 | 2 | 2.6 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 1 | 8.9 | 33 | 4.4 | 8 | 10.5 | — | — |
| Diabetes mellitus (E10-E14) | 2 | 17.7 | 176 | 23.7 | 20 | 26.3 | — | — |
| Organic dementia (F01-F03) | 2 | 17.7 | 312 | 42.1 | 35 | 46.1 | 1 | 56.7 |
| Parkinson's disease (G20-G21) | — | — | 57 | 7.7 | 4 | 5.3 | — | — |
| Alzheimer's disease (G30) | 1 | 8.9 | 229 | 30.9 | 17 | 22.4 | — | — |
| Diseases of the circulatory system (I00-I99) | 16 | 142.0 | 1,501 | 202.3 | 167 | 219.8 | 3 | 170.0 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 10 | 88.7 | 1,034 | 139.4 | 112 | 147.4 | 1 | 56.7 |
| Ischemic heart disease (I20-I25) | 8 | 71.0 | 557 | 75.1 | 63 | 82.9 | 1 | 56.7 |
| Cerebrovascular disease (I60-I69) | 2 | 17.7 | 316 | 42.6 | 39 | 51.3 | 2 | 113.3 |
| Intracerebral hemorrhage, etc. (I61-I62) | — | — | 53 | 7.1 | 7 | 9.2 | — | — |
| Cerebral infarction (I63) | 1 | 8.9 | 11 | 1.5 | 3 | 3.9 | — | — |
| Stroke of unspecified type (I64) | — | — | 179 | 24.1 | 20 | 26.3 | 1 | 56.7 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 2 | 17.7 | 80 | 10.8 | 11 | 14.5 | — | — |
| Aortic aneurysm (I71) | 1 | 8.9 | 22 | 3.0 | 3 | 3.9 | — | — |
| Influenza & pneumonia (J09-J18) | 1 | 8.9 | 78 | 10.5 | 4 | 5.3 | — | — |
| Chronic lower respiratory diseases (J40-J47) | 5 | 44.4 | 328 | 44.2 | 27 | 35.5 | 1 | 56.7 |
| Diseases of the digestive system (K00-K92) | 2 | 17.7 | 234 | 31.5 | 26 | 34.2 | 1 | 56.7 |
| Diseases of the genitourinary sys. (N00-N99) | 1 | 8.9 | 73 | 9.8 | 10 | 13.2 | — | — |
| Nephritis (N00-N07, N17-N19, N25-N27) | 1 | 8.9 | 44 | 5.9 | 6 | 7.9 | — | — |
| Perinatal conditions (P00-P96) | 1 | 8.9 | 15 | 2.0 | — | — | — | — |
| Congenital malformations (Q00-Q99) | — | — | 28 | 3.8 | 1 | 1.3 | — | — |
| Sudden infant death syndrome (R95) | — | — | 6 | 0.8 | 1 | 1.3 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 5 | 44.4 | 325 | 43.8 | 31 | 40.8 | 1 | 56.7 |
| Suicide (X60-X84, Y87.0) | 1 | 8.9 | 111 | 15.0 | 10 | 13.2 | 1 | 56.7 |
| Homicide (X85-Y09, Y87.1) | 1 | 8.9 | 24 | 3.2 | 2 | 2.6 | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 10 | 1.3 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 1 | 8.9 | 111 | 15.0 | 13 | 17.1 | 1 | 56.7 |
| <i>Drug-induced</i> ² | 2 | 17.7 | 165 | 22.2 | 4 | 5.3 | — | — |
| <i>Injury by firearms</i> ² | 1 | 8.9 | 58 | 7.8 | 7 | 9.2 | 1 | 56.7 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Tillamook | | Umatilla | | Union | | Wallowa | |
|--|-----------|-------------------|----------|-------------------|-------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 272 | 1077.0 | 636 | 830.5 | 273 | 1050.8 | 90 | 1286.6 |
| Infections & parasitic disease (A00-B99) | 3 | 11.9 | 10 | 13.1 | 8 | 30.8 | 1 | 14.3 |
| Septicemia (A40-A41) | — | — | 4 | 5.2 | 3 | 11.5 | — | — |
| Viral Hepatitis (B15-B19) | 1 | 4.0 | 3 | 3.9 | 2 | 7.7 | — | — |
| HIV disease (B20-B24) | — | — | 2 | 2.6 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 61 | 241.5 | 146 | 190.7 | 57 | 219.4 | 17 | 243.0 |
| Colon (C18) | 5 | 19.8 | 13 | 17.0 | 5 | 19.2 | 1 | 14.3 |
| Pancreas (C25) | 8 | 31.7 | 7 | 9.1 | 2 | 7.7 | 3 | 42.9 |
| Bronchus & lung (C34) | 15 | 59.4 | 36 | 47.0 | 19 | 73.1 | 2 | 28.6 |
| Skin (C43-44) | — | — | 3 | 3.9 | 2 | 7.7 | 1 | 14.3 |
| Breast (C50) | 3 | 11.9 | 13 | 17.0 | 3 | 11.5 | 1 | 14.3 |
| Cervical (C53) | — | — | 1 | 1.3 | 1 | 3.8 | — | — |
| Uterine (C54-C55) | 1 | 4.0 | 3 | 3.9 | — | — | — | — |
| Ovarian (C56) | 3 | 11.9 | 3 | 3.9 | 1 | 3.8 | 1 | 14.3 |
| Prostate (C61) | 7 | 27.7 | 7 | 9.1 | 1 | 3.8 | 1 | 14.3 |
| Kidney & renal pelvis (C64-C65) | 4 | 15.8 | 5 | 6.5 | 1 | 3.8 | 1 | 14.3 |
| Bladder (C67) | 3 | 11.9 | 8 | 10.4 | 1 | 3.8 | 1 | 14.3 |
| Brain (C70-C72) | 1 | 4.0 | 1 | 1.3 | 1 | 3.8 | 1 | 14.3 |
| Lymphatic (C81-C96) | 4 | 15.8 | 12 | 15.7 | 6 | 23.1 | 2 | 28.6 |
| Non-Hodgkin's lymphoma (C82-C85) | 2 | 7.9 | 3 | 3.9 | 2 | 7.7 | 1 | 14.3 |
| Leukemia (C91-C95) | 1 | 4.0 | 3 | 3.9 | 3 | 11.5 | 1 | 14.3 |
| Benign & uncertain neoplasms (D00-D48) | 3 | 11.9 | 5 | 6.5 | 3 | 11.5 | 1 | 14.3 |
| Diabetes mellitus (E10-E14) | 7 | 27.7 | 27 | 35.3 | 8 | 30.8 | 5 | 71.5 |
| Organic dementia (F01-F03) | 12 | 47.5 | 26 | 34.0 | 20 | 77.0 | 6 | 85.8 |
| Parkinson's disease (G20-G21) | 6 | 23.8 | 3 | 3.9 | 2 | 7.7 | 3 | 42.9 |
| Alzheimer's disease (G30) | 7 | 27.7 | 23 | 30.0 | 12 | 46.2 | 1 | 14.3 |
| Diseases of the circulatory system (I00-I99) | 77 | 304.9 | 190 | 248.1 | 65 | 250.2 | 31 | 443.2 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 49 | 194.0 | 133 | 173.7 | 43 | 165.5 | 21 | 300.2 |
| Ischemic heart disease (I20-I25) | 26 | 102.9 | 83 | 108.4 | 29 | 111.6 | 15 | 214.4 |
| Cerebrovascular disease (I60-I69) | 18 | 71.3 | 35 | 45.7 | 16 | 61.6 | 5 | 71.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 11.9 | 8 | 10.4 | 2 | 7.7 | — | — |
| Cerebral infarction (I63) | 1 | 4.0 | 4 | 5.2 | — | — | — | — |
| Stroke of unspecified type (I64) | 12 | 47.5 | 20 | 26.1 | 12 | 46.2 | 4 | 57.2 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 5 | 19.8 | 11 | 14.4 | 3 | 11.5 | 4 | 57.2 |
| Aortic aneurysm (I71) | 1 | 4.0 | 5 | 6.5 | 2 | 7.7 | — | — |
| Influenza & pneumonia (J09-J18) | 3 | 11.9 | 4 | 5.2 | 11 | 42.3 | 1 | 14.3 |
| Chronic lower respiratory diseases (J40-J47) | 18 | 71.3 | 38 | 49.6 | 20 | 77.0 | 5 | 71.5 |
| Diseases of the digestive system (K00-K92) | 19 | 75.2 | 25 | 32.6 | 9 | 34.6 | 6 | 85.8 |
| Diseases of the genitourinary sys. (N00-N99) | 2 | 7.9 | 14 | 18.3 | 5 | 19.2 | 1 | 14.3 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 1 | 4.0 | 10 | 13.1 | 3 | 11.5 | 1 | 14.3 |
| Perinatal conditions (P00-P96) | 2 | 7.9 | 1 | 1.3 | 2 | 7.7 | 2 | 28.6 |
| Congenital malformations (Q00-Q99) | 1 | 4.0 | 2 | 2.6 | — | — | — | — |
| Sudden infant death syndrome (R95) | 1 | 4.0 | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 23 | 91.1 | 34 | 44.4 | 13 | 50.0 | 2 | 28.6 |
| Suicide (X60-X84, Y87.0) | 3 | 11.9 | 12 | 15.7 | 3 | 11.5 | 1 | 14.3 |
| Homicide (X85-Y09, Y87.1) | — | — | 5 | 6.5 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 1 | 4.0 | 4 | 5.2 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 9 | 35.6 | 8 | 10.4 | 5 | 19.2 | 2 | 28.6 |
| <i>Drug-induced</i> ² | 5 | 19.8 | 5 | 6.5 | — | — | — | — |
| <i>Injury by firearms</i> ² | 3 | 11.9 | 14 | 18.3 | 4 | 15.4 | 1 | 14.3 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2011 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Wasco | | Washington | | Wheeler | | Yamhill | |
|--|-------|-------------------|------------|-------------------|---------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 312 | 1233.2 | 2,917 | 543.8 | 21 | 1463.4 | 871 | 872.3 |
| Infections & parasitic disease (A00-B99) | 7 | 27.7 | 57 | 10.6 | — | — | 15 | 15.0 |
| Septicemia (A40-A41) | 4 | 15.8 | 21 | 3.9 | — | — | 6 | 6.0 |
| Viral Hepatitis (B15-B19) | 3 | 11.9 | 7 | 1.3 | — | — | — | — |
| HIV disease (B20-B24) | — | — | 6 | 1.1 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 63 | 249.0 | 694 | 129.4 | 4 | 278.7 | 207 | 207.3 |
| Colon (C18) | 5 | 19.8 | 44 | 8.2 | — | — | 15 | 15.0 |
| Pancreas (C25) | 9 | 35.6 | 53 | 9.9 | — | — | 13 | 13.0 |
| Bronchus & lung (C34) | 13 | 51.4 | 138 | 25.7 | 1 | 69.7 | 52 | 52.1 |
| Skin (C43-44) | — | — | 15 | 2.8 | — | — | 5 | 5.0 |
| Breast (C50) | 7 | 27.7 | 36 | 6.7 | — | — | 18 | 18.0 |
| Cervical (C53) | — | — | 2 | 0.4 | — | — | 1 | 1.0 |
| Uterine (C54-C55) | — | — | 14 | 2.6 | — | — | 3 | 3.0 |
| Ovarian (C56) | 1 | 4.0 | 26 | 4.8 | — | — | 5 | 5.0 |
| Prostate (C61) | 3 | 11.9 | 46 | 8.6 | — | — | 14 | 14.0 |
| Kidney & renal pelvis (C64-C65) | 1 | 4.0 | 15 | 2.8 | — | — | 2 | 2.0 |
| Bladder (C67) | 2 | 7.9 | 22 | 4.1 | — | — | 3 | 3.0 |
| Brain (C70-C72) | 2 | 7.9 | 22 | 4.1 | 1 | 69.7 | 7 | 7.0 |
| Lymphatic (C81-C96) | 3 | 11.9 | 72 | 13.4 | 2 | 139.4 | 24 | 24.0 |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 4.0 | 27 | 5.0 | 1 | 69.7 | 4 | 4.0 |
| Leukemia (C91-C95) | 1 | 4.0 | 24 | 4.5 | — | — | 14 | 14.0 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 4.0 | 21 | 3.9 | — | — | 7 | 7.0 |
| Diabetes mellitus (E10-E14) | 13 | 51.4 | 89 | 16.6 | — | — | 32 | 32.0 |
| Organic dementia (F01-F03) | 30 | 118.6 | 215 | 40.1 | 1 | 69.7 | 53 | 53.1 |
| Parkinson's disease (G20-G21) | 4 | 15.8 | 32 | 6.0 | — | — | 11 | 11.0 |
| Alzheimer's disease (G30) | 8 | 31.6 | 137 | 25.5 | — | — | 37 | 37.1 |
| Diseases of the circulatory system (I00-I99) | 105 | 415.0 | 751 | 140.0 | 11 | 766.6 | 252 | 252.4 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 72 | 284.6 | 533 | 99.4 | 9 | 627.2 | 193 | 193.3 |
| Ischemic heart disease (I20-I25) | 31 | 122.5 | 299 | 55.7 | 7 | 487.8 | 117 | 117.2 |
| Cerebrovascular disease (I60-I69) | 21 | 83.0 | 141 | 26.3 | — | — | 39 | 39.1 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 11.9 | 29 | 5.4 | — | — | 7 | 7.0 |
| Cerebral infarction (I63) | — | — | 6 | 1.1 | — | — | 2 | 2.0 |
| Stroke of unspecified type (I64) | 12 | 47.4 | 81 | 15.1 | — | — | 18 | 18.0 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 9 | 35.6 | 40 | 7.5 | 1 | 69.7 | 8 | 8.0 |
| Aortic aneurysm (I71) | 1 | 4.0 | 16 | 3.0 | — | — | 3 | 3.0 |
| Influenza & pneumonia (J09-J18) | 5 | 19.8 | 32 | 6.0 | — | — | 9 | 9.0 |
| Chronic lower respiratory diseases (J40-J47) | 24 | 94.9 | 134 | 25.0 | — | — | 43 | 43.1 |
| Diseases of the digestive system (K00-K92) | 13 | 51.4 | 134 | 25.0 | — | — | 39 | 39.1 |
| Diseases of the genitourinary sys. (N00-N99) | 7 | 27.7 | 52 | 9.7 | 1 | 69.7 | 14 | 14.0 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 5 | 19.8 | 32 | 6.0 | 1 | 69.7 | 11 | 11.0 |
| Perinatal conditions (P00-P96) | 1 | 4.0 | 28 | 5.2 | — | — | 2 | 2.0 |
| Congenital malformations (Q00-Q99) | 1 | 4.0 | 14 | 2.6 | — | — | 5 | 5.0 |
| Sudden infant death syndrome (R95) | — | — | 3 | 0.6 | — | — | 1 | 1.0 |
| Unintentional injuries (V01-X59, Y85-Y86) | 8 | 31.6 | 131 | 24.4 | 1 | 69.7 | 37 | 37.1 |
| Suicide (X60-X84, Y87.0) | 2 | 7.9 | 80 | 14.9 | 1 | 69.7 | 17 | 17.0 |
| Homicide (X85-Y09, Y87.1) | 1 | 4.0 | 8 | 1.5 | — | — | 3 | 3.0 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 1 | 4.0 | 6 | 1.1 | 1 | 69.7 | 1 | 1.0 |
| <i>Alcohol-induced</i> ² | 4 | 15.8 | 60 | 11.2 | — | — | 16 | 16.0 |
| <i>Drug-induced</i> ² | 3 | 11.9 | 53 | 9.9 | — | — | 12 | 12.0 |
| <i>Injury by firearms</i> ² | 1 | 4.0 | 35 | 6.5 | 2 | 139.4 | 12 | 12.0 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.