

TABLE 6-46t. Age-adjusted Death Rates¹ for Selected Causes, Oregon Residents, 2007-2011

Cause of Death	2007	2008	2009	2010	2011
Total	771.6	772.8	739.7	735.0	730.0
Infectious & parasitic disease (A00-B99)	14.9	13.7	14.4	14.8	14.1
Septicemia (A40-A41)	5.7	5.4	5.3	5.2	4.6
Viral hepatitis (B15-B19)	4.2	3.8	3.9	3.8	3.8
HIV disease (B20-B24) ²	1.5	1.0	1.1	1.2	0.9
Malignant neoplasms (C00-C97)	184.7	182.8	176.7	177.9	172.7
Lip, oral & pharynx (C00-C14)	2.3	2.6	2.4	2.2	2.3
Esophagus (C15)	5.1	4.6	4.6	4.4	4.2
Stomach (C16)	2.9	2.6	2.1	3.0	2.5
Colon, rectum & anus (C18-C21)	17.8	16.3	15.4	15.2	16.2
Liver & intrahepatic bile duct (C22)	4.8	5.6	6.2	6.1	6.1
Pancreas (C25)	11.8	11.5	10.2	11.6	11.0
Trachea, bronchus & lung (C33-C34)	51.5	51.4	49.6	48.5	45.6
Melanoma of skin (C43)	2.9	3.1	3.6	3.4	3.4
Breast (C50)	12.1	12.6	10.6	12.7	11.1
Cervix uteri (C53)	0.8	1.2	1.0	0.9	1.2
Corpus uteri (C54-C55) ²	2.2	2.2	2.0	2.4	2.5
Ovary (C56)	5.3	5.0	5.0	5.1	5.1
Prostate (C61)	10.3	10.8	10.4	9.3	9.7
Kidney & renal pelvis (C64-C65)	3.3	4.1	4.1	4.3	4.1
Bladder (C67)	4.7	4.8	4.8	5.1	5.1
Brain, etc. (C70-C72) ²	5.3	4.9	5.6	4.7	4.9
Lymphoid & hematopoietic (C81-C96)	18.7	18.8	17.8	17.8	17.0
Non-Hodgkin's lymphoma (C82-C85)	7.0	7.0	6.5	7.0	5.8
Leukemia (C91-C95)	6.8	7.5	7.2	7.0	7.0
Lymphoid leukemia (C91)	2.3	2.1	2.6	2.1	2.1
Myeloid leukemia (C92) ²	3.2	4.1	3.4	3.5	3.8
Multiple myeloma (C88, C90)	4.5	3.9	3.5	3.5	3.7
Anemias (D50-D64)	1.4	1.7	1.2	1.4	1.3
Diabetes mellitus (E10-E14)	27.9	24.8	25.3	24.2	24.8
Organic dementia (F01, F03) ²	33.2	38.3	37.8	41.6	43.4
Amyotrophic lateral sclerosis (G12.2)	2.3	3.0	2.7	2.8	2.7
Parkinson's disease (G20-G21)	8.1	8.7	8.3	8.5	8.0
Alzheimer's disease (G30)	28.0	30.5	27.7	28.7	28.8
Major cardiovascular diseases (I00-I78)	222.5	218.3	204.6	198.1	196.1
Heart disease (I00-I09, I11, I13, I20-I51)	159.7	154.4	143.0	139.7	136.2
Rheumatic heart disease (I00-I09) ²	1.5	1.5	1.6	1.3	1.6
Hypertensive heart disease (I11)	5.6	6.1	5.8	5.3	4.9
Hypertensive heart & renal disease (I13)	0.8	0.7	0.9	0.8	1.2
Ischemic heart disease (I20-I25)	95.4	92.6	84.5	79.9	75.8
Myocardial infarction (I21-I22)	31.2	31.0	27.2	25.3	23.8
Chronic ischemic heart disease (I20, I25)	63.6	61.0	56.6	54.0	51.4
Atherosclerotic cardiovascular dis. (I25.0) ²	6.0	5.5	4.2	4.2	4.3
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	57.6	55.5	52.4	49.8	47.1
Nonrheumatic mitral valve disease (I34)	1.8	1.3	1.1	1.2	1.0
Nonrheumatic aortic valve disease (I35)	9.7	8.4	8.4	8.7	9.1
Heart failure (I50)	16.7	16.9	14.8	15.4	16.2
Hypertension & hyp. renal disease (I10, I12, I15)	8.6	9.5	9.5	9.8	9.7
Cerebrovascular disease (I60-I69) ²	44.5	45.6	44.0	40.5	42.0
Subarachnoid hemorrhage (I60)	1.9	1.5	1.4	1.5	1.7
Intracerebral hemorrhage (I61-I62) ²	8.6	9.0	8.8	8.4	7.5
Cerebral infarction (I63)	2.1	1.6	1.6	1.8	2.0
Stroke (type not specified) (I64)	22.0	23.8	24.0	21.7	22.9

See footnotes at end of table.

TABLE 6-46t. Age-adjusted Death Rates¹ for Selected Causes, Oregon Residents, 2007-2011 — Continued

Cause of Death	2007	2008	2009	2010	2011
Atherosclerosis (I70)	3.0	2.2	1.8	1.6	2.0
Aortic aneurysm & dissection (I71)	4.2	3.6	3.7	3.5	3.5
Diseases of arteries (I72-I78) ²	2.5	2.9	2.7	2.9	2.8
Influenza & pneumonia (J09-J18)	11.4	12.3	12.0	9.3	8.7
Pneumonia (J12-J18)	11.3	11.8	10.4	9.2	8.4
Chronic lower respiratory disease (J40-J47) ²	47.5	48.2	46.4	46.5	45.6
Emphysema (J43)	6.1	5.8	5.6	5.0	3.9
Asthma (J45-J46)	1.6	1.6	1.7	1.4	1.0
Other CLRD (J44, J47)	39.5	40.5	39.0	39.8	40.5
Pneumonitis from solids & liquids (J69)	4.8	3.8	3.5	3.9	3.5
Peptic ulcer (K25-K28)	1.0	1.0	1.0	1.2	1.2
Vascular disorders of the intestine (K55)	2.6	3.0	2.6	3.1	2.9
Chronic liver disease & cirrhosis (K70, K73-K74) ²	11.3	11.1	11.8	11.4	12.2
Alcoholic liver disease (K70) ²	8.1	7.3	8.6	8.1	9.0
Cholelithiasis (K80-K82) ²	1.0	1.3	1.3	1.3	1.2
Musculoskeletal disease (M00-M99) ²	5.8	5.4	5.2	5.0	4.9
Genitourinary system disease (N00-N99)	16.1	13.9	13.6	13.7	11.9
Nephritis (N00-N07, N17-N19, N25-N27) ²	10.5	9.7	9.1	9.0	7.2
Renal failure (N17-N19)	9.2	8.3	7.5	7.5	6.3
Urinary tract infection (N59.0)	4.1	2.7	2.9	3.5	3.1
Perinatal conditions (P00-P96)	3.9	3.4	3.3	3.2	3.4
Congenital malformations (Q00-Q99) ²	3.4	3.6	2.6	3.2	3.5
Malformation of the heart (Q20-Q24)	0.8	1.1	0.7	1.0	1.1
Symptoms & signs NEC (R00-R99) ²	14.4	15.7	15.6	13.6	14.7
Unintentional injuries (V01-X59, Y85-Y86)	41.7	42.4	38.8	37.8	40.4
Transport accidents (V01-V99, Y85)	14.4	12.9	11.1	9.0	10.0
Motor vehicle accidents (many codes) ²	12.9	11.5	9.9	8.1	9.0
Motor vehicle traffic accidents (many codes) ²	12.1	10.6	9.3	7.7	8.4
Water & air, etc. (V90-V99, Y85)	1.0	1.0	0.9	0.6	0.7
Nontransport accidents (W00-X59, Y86)	27.2	29.5	27.7	28.8	30.4
Falls (W00-W19)	9.8	10.7	10.8	12.1	12.8
Drowning & submersion (W65-W74)	1.8	2.0	1.5	1.5	1.4
Exposure to smoke & fire (X00-X09)	0.9	0.8	0.6	*	1.0
Poisoning (X40-X49) ²	9.5	10.7	10.1	9.8	10.9
Suicide (X60-X84, Y87.0)	15.6	14.7	16.1	17.1	16.2
Poisoning (X60-X69)	2.9	2.5	3.0	3.5	2.7
Hanging/suffocation (X70)	2.7	3.0	3.3	3.1	3.8
Firearm discharge (X72-X74)	8.4	8.1	8.5	9.3	8.4
Homicide (X85-Y09, Y87.1)	2.1	2.6	2.6	2.9	2.8
Firearm discharge (X93-X95)	1.1	1.2	1.4	1.5	1.6
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	3.2	2.1	2.4	2.6	2.2
Alcohol-induced (many codes) ²	13.1	12.9	13.4	13.0	14.6
Drug-induced (many codes) ²	14.6	14.0	14.5	14.5	14.8
Injury by firearms (many codes) ²	10.0	9.8	10.3	11.4	10.4

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

TABLE 6-46m. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Males, 2007-2011

Cause of Death	2007	2008	2009	2010	2011
Total	897.0	903.7	860.3	849.2	856.3
Infectious & parasitic disease (A00-B99)	17.7	16.5	18.4	16.5	17.9
Septicemia (A40-A41)	6.0	5.9	6.1	4.9	5.5
Viral hepatitis (B15-B19)	5.4	4.8	5.7	4.9	5.3
HIV disease (B20-B24) ²	2.5	1.8	1.8	2.3	1.6
Malignant neoplasms (C00-C97)	219.4	214.2	210.2	206.5	203.0
Lip, oral & pharynx (C00-C14)	3.9	4.0	3.1	3.4	3.4
Esophagus (C15)	9.1	7.9	8.1	7.6	7.1
Stomach (C16)	4.6	3.4	3.0	3.8	3.4
Colon, rectum & anus (C18-C21)	21.2	18.3	18.0	18.1	18.1
Liver & intrahepatic bile duct (C22)	6.3	8.2	9.1	9.2	8.9
Pancreas (C25)	13.2	12.1	11.3	13.5	12.4
Trachea, bronchus & lung (C33-C34)	60.4	61.7	57.4	56.2	51.8
Melanoma of skin (C43)	4.0	4.2	4.3	4.7	4.9
Breast (C50)	*	*	*	—	*
Cervix uteri (C53)	—	—	—	—	—
Corpus uteri (C54-C55) ²	—	—	—	—	—
Ovary (C56)	—	—	—	—	—
Prostate (C61)	25.4	25.9	24.9	22.2	23.7
Kidney & renal pelvis (C64-C65)	4.7	6.0	5.8	6.2	6.0
Bladder (C67)	7.8	8.2	8.6	8.8	9.3
Brain, etc. (C70-C72) ²	6.6	5.8	7.8	5.5	6.2
Lymphoid & hematopoietic (C81-C96)	24.4	24.4	23.2	22.3	23.6
Non-Hodgkin's lymphoma (C82-C85)	9.1	8.6	8.5	9.1	7.7
Leukemia (C91-C95)	8.2	9.9	9.8	8.1	10.2
Lymphoid leukemia (C91)	2.8	2.9	3.6	2.4	3.1
Myeloid leukemia (C92) ²	4.0	5.3	4.2	4.4	5.3
Multiple myeloma (C88, C90)	6.5	5.3	4.3	4.6	4.9
Anemias (D50-D64)	1.6	1.7	*	1.4	1.3
Diabetes mellitus (E10-E14)	32.7	31.1	29.7	30.0	30.3
Organic dementia (F01, F03) ²	29.0	31.0	32.4	36.2	39.2
Amyotrophic lateral sclerosis (G12.2)	2.3	3.6	2.8	2.8	3.2
Parkinson's disease (G20-G21)	11.8	12.4	14.0	12.8	11.8
Alzheimer's disease (G30)	21.3	24.2	23.5	23.9	22.8
Major cardiovascular diseases (I00-I78)	266.7	264.3	245.1	237.7	240.3
Heart disease (I00-I09, I11, I13, I20-I51)	199.6	196.9	180.8	176.2	178.2
Rheumatic heart disease (I00-I09) ²	1.3	*	1.3	1.3	1.4
Hypertensive heart disease (I11)	4.8	5.6	5.4	5.4	4.3
Hypertensive heart & renal disease (I13)	*	*	*	*	1.4
Ischemic heart disease (I20-I25)	132.9	131.6	118.9	112.7	112.0
Myocardial infarction (I21-I22)	42.0	41.7	35.2	33.6	32.2
Chronic ischemic heart disease (I20, I25)	90.2	89.0	83.0	78.4	79.1
Atherosclerotic cardiovascular dis. (I25.0) ²	7.3	7.7	5.7	6.2	5.7
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	82.9	81.3	77.3	72.2	73.4
Nonrheumatic mitral valve disease (I34)	2.0	*	1.5	1.2	*
Nonrheumatic aortic valve disease (I35)	10.2	9.0	8.6	9.0	10.4
Heart failure (I50)	17.3	19.2	15.6	16.3	18.8
Hypertension & hyp. renal disease (I10, I12, I15)	8.5	10.2	9.2	9.5	10.0
Cerebrovascular disease (I60-I69) ²	46.4	45.8	46.1	42.2	41.8
Subarachnoid hemorrhage (I60)	1.9	*	*	1.5	1.4
Intracerebral hemorrhage (I61-I62) ²	9.5	10.4	10.7	9.4	8.1
Cerebral infarction (I63)	2.3	1.8	1.5	2.0	1.7
Stroke (type not specified) (I64)	21.5	22.5	23.6	21.5	21.9

See footnotes at end of table.

TABLE 6-46m. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Males, 2007-2011 — Continued

Cause of Death	2007	2008	2009	2010	2011
Atherosclerosis (I70)	3.8	2.7	1.9	1.8	2.3
Aortic aneurysm & dissection (I71)	5.8	5.3	4.2	4.9	4.8
Diseases of arteries (I72-I78) ²	2.6	3.4	2.9	3.2	3.2
Influenza & pneumonia (J09-J18)	13.9	15.2	13.8	10.6	10.8
Pneumonia (J12-J18)	13.7	14.7	12.0	10.5	10.5
Chronic lower respiratory disease (J40-J47) ²	53.7	56.5	51.0	51.6	50.3
Emphysema (J43)	6.9	7.6	6.4	6.3	4.2
Asthma (J45-J46)	1.3	1.2	1.3	*	*
Other CLRD (J44, J47)	45.4	47.2	43.2	44.3	45.1
Pneumonitis from solids & liquids (J69)	6.4	4.9	4.8	5.7	4.4
Peptic ulcer (K25-K28)	1.4	1.3	1.1	1.2	1.3
Vascular disorders of the intestine (K55)	2.2	2.1	2.3	2.4	2.5
Chronic liver disease & cirrhosis (K70, K73-K74) ²	14.7	14.4	15.8	14.8	15.9
Alcoholic liver disease (K70) ²	11.1	9.9	12.0	11.2	12.1
Cholelithiasis (K80-K82) ²	*	1.3	1.7	1.3	1.5
Musculoskeletal disease (M00-M99) ²	4.2	4.6	3.7	3.2	4.0
Genitourinary system disease (N00-N99)	16.5	16.5	14.9	15.6	13.2
Nephritis (N00-N07, N17-N19, N25-N27) ²	11.9	12.0	10.5	11.4	9.1
Renal failure (N17-N19)	10.2	10.4	8.1	9.8	7.9
Urinary tract infection (N59.0)	2.7	2.3	2.7	2.8	2.0
Perinatal conditions (P00-P96)	4.0	3.6	3.4	3.7	3.8
Congenital malformations (Q00-Q99) ²	3.2	3.7	2.8	3.4	3.0
Malformation of the heart (Q20-Q24)	*	1.1	*	*	*
Symptoms & signs NEC (R00-R99) ²	14.5	15.5	14.6	13.7	13.8
Unintentional injuries (V01-X59, Y85-Y86)	55.9	57.1	50.6	49.1	52.9
Transport accidents (V01-V99, Y85)	21.5	18.1	16.1	13.3	15.1
Motor vehicle accidents (many codes) ²	19.2	15.6	14.1	12.0	13.5
Motor vehicle traffic accidents (many codes) ²	17.9	14.3	13.0	11.4	12.4
Water & air, etc. (V90-V99, Y85)	1.5	1.8	1.6	*	1.1
Nontransport accidents (W00-X59, Y86)	34.3	39.0	34.5	35.8	37.8
Falls (W00-W19)	11.3	13.0	11.6	14.1	14.6
Drowning & submersion (W65-W74)	2.9	3.5	2.3	2.7	2.3
Exposure to smoke & fire (X00-X09)	*	1.2	*	*	1.1
Poisoning (X40-X49) ²	12.2	14.6	13.3	12.4	14.4
Suicide (X60-X84, Y87.0)	24.9	23.5	24.8	27.2	26.2
Poisoning (X60-X69)	3.6	2.8	3.1	3.8	2.7
Hanging/suffocation (X70)	4.1	4.7	5.1	4.8	6.2
Firearm discharge (X72-X74)	14.9	14.6	14.9	16.8	15.5
Homicide (X85-Y09, Y87.1)	3.2	4.1	3.3	3.3	4.2
Firearm discharge (X93-X95)	1.7	2.0	1.9	1.9	2.4
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	3.2	2.3	2.6	3.2	2.8
Alcohol-induced (many codes) ²	18.8	18.5	19.7	19.2	20.9
Drug-induced (many codes) ²	16.9	17.0	17.4	17.1	18.6
Injury by firearms (many codes) ²	17.5	17.3	17.6	19.8	18.7

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.

TABLE 6-46f. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Females, 2007-2011

Cause of Death	2007	2008	2009	2010	2011
Total	664.4	662.2	637.7	638.0	626.3
Infectious & parasitic disease (A00-B99)	12.1	10.9	10.9	13.2	10.9
Septicemia (A40-A41)	5.4	5.1	4.8	5.4	3.8
Viral hepatitis (B15-B19)	3.1	2.7	2.2	2.7	2.4
HIV disease (B20-B24) ²	*	*	*	—	*
Malignant neoplasms (C00-C97)	159.6	159.4	152.4	156.7	151.1
Lip, oral & pharynx (C00-C14)	1.0	1.3	1.8	1.2	1.5
Esophagus (C15)	1.9	1.8	1.6	1.7	1.7
Stomach (C16)	1.5	1.9	1.5	2.3	1.7
Colon, rectum & anus (C18-C21)	14.9	14.5	13.3	12.8	14.7
Liver & intrahepatic bile duct (C22)	3.6	3.2	3.6	3.3	3.7
Pancreas (C25)	10.6	10.8	9.3	10.0	9.9
Trachea, bronchus & lung (C33-C34)	44.5	43.2	43.6	42.5	40.8
Melanoma of skin (C43)	2.0	2.3	3.0	2.4	2.2
Breast (C50)	21.9	22.9	19.4	23.7	20.4
Cervix uteri (C53)	1.6	2.4	1.9	1.7	2.3
Corpus uteri (C54-C55) ²	4.0	4.0	3.6	4.4	4.6
Ovary (C56)	9.7	9.2	9.3	9.4	9.3
Prostate (C61)	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	2.3	2.5	2.6	2.8	2.6
Bladder (C67)	2.5	2.4	2.0	2.3	2.2
Brain, etc. (C70-C72) ²	4.2	4.2	3.6	3.9	3.7
Lymphoid & hematopoietic (C81-C96)	14.3	14.7	13.5	14.3	11.9
Non-Hodgkin's lymphoma (C82-C85)	5.4	5.8	4.9	5.3	4.3
Leukemia (C91-C95)	5.5	5.8	5.3	6.0	4.6
Lymphoid leukemia (C91)	1.9	1.6	1.8	1.8	1.4
Myeloid leukemia (C92) ²	2.5	3.3	2.8	2.8	2.6
Multiple myeloma (C88, C90)	2.9	2.7	2.9	2.7	2.6
Anemias (D50-D64)	1.3	1.9	1.4	1.4	1.2
Diabetes mellitus (E10-E14)	23.5	19.8	21.4	19.4	20.4
Organic dementia (F01, F03) ²	35.6	42.4	40.8	44.6	45.9
Amyotrophic lateral sclerosis (G12.2)	2.3	2.4	2.6	2.7	2.2
Parkinson's disease (G20-G21)	5.6	6.2	4.4	5.5	5.4
Alzheimer's disease (G30)	32.1	34.3	30.1	31.9	32.5
Major cardiovascular diseases (I00-I78)	185.1	180.5	170.8	165.0	160.3
Heart disease (I00-I09, I11, I13, I20-I51)	126.8	120.7	112.2	110.3	103.2
Rheumatic heart disease (I00-I09) ²	1.7	1.8	1.9	1.3	1.8
Hypertensive heart disease (I11)	5.9	6.1	5.8	5.0	5.0
Hypertensive heart & renal disease (I13)	0.9	*	0.9	0.9	1.1
Ischemic heart disease (I20-I25)	65.0	62.3	57.2	53.7	48.1
Myocardial infarction (I21-I22)	22.4	22.5	20.5	18.6	17.0
Chronic ischemic heart disease (I20, I25)	42.2	39.5	36.2	34.8	30.5
Atherosclerotic cardiovascular dis. (I25.0) ²	4.7	3.8	3.0	2.6	3.0
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	37.5	35.7	33.2	32.2	27.5
Nonrheumatic mitral valve disease (I34)	1.7	1.6	0.9	1.1	1.1
Nonrheumatic aortic valve disease (I35)	9.3	7.9	8.2	8.4	8.2
Heart failure (I50)	16.2	15.4	14.0	14.6	14.2
Hypertension & hyp. renal disease (I10, I12, I15)	8.2	8.5	9.3	9.8	9.0
Cerebrovascular disease (I60-I69) ²	42.5	44.6	42.1	38.4	41.5
Subarachnoid hemorrhage (I60)	1.9	1.9	1.8	1.5	2.0
Intracerebral hemorrhage (I61-I62) ²	7.7	8.0	7.3	7.5	7.0
Cerebral infarction (I63)	1.9	1.5	1.6	1.5	2.1
Stroke (type not specified) (I64)	22.0	24.1	24.0	21.4	23.2

See footnotes at end of table.

TABLE 6-46f. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Females, 2007-2011 — Continued

Cause of Death	2007	2008	2009	2010	2011
Atherosclerosis (I70)	2.3	1.8	1.7	1.3	1.8
Aortic aneurysm & dissection (I71)	3.0	2.4	3.2	2.4	2.4
Diseases of arteries (I72-I78) ²	2.3	2.5	2.4	2.8	2.5
Influenza & pneumonia (J09-J18)	9.7	10.4	10.5	8.6	7.6
Pneumonia (J12-J18)	9.5	10.0	9.2	8.6	7.2
Chronic lower respiratory disease (J40-J47) ²	43.2	42.4	43.6	42.8	42.9
Emphysema (J43)	5.6	4.5	5.1	4.1	3.8
Asthma (J45-J46)	1.8	1.8	1.9	1.9	1.4
Other CLRD (J44, J47)	35.5	35.9	36.4	36.5	37.6
Pneumonitis from solids & liquids (J69)	3.6	3.1	2.7	2.8	2.8
Peptic ulcer (K25-K28)	*	0.8	0.9	1.2	1.1
Vascular disorders of the intestine (K55)	2.9	3.7	2.9	3.7	3.2
Chronic liver disease & cirrhosis (K70, K73-K74) ²	8.0	8.0	8.1	8.1	8.8
Alcoholic liver disease (K70) ²	5.2	4.9	5.3	5.1	6.1
Cholelithiasis (K80-K82) ²	1.1	1.3	1.0	1.3	1.0
Musculoskeletal disease (M00-M99) ²	6.9	5.9	6.3	6.3	5.6
Genitourinary system disease (N00-N99)	15.9	12.0	12.8	12.7	11.1
Nephritis (N00-N07, N17-N19, N25-N27) ²	9.6	8.0	8.3	7.3	6.0
Renal failure (N17-N19)	8.6	6.8	7.2	5.9	5.2
Urinary tract infection (N59.0)	5.0	2.9	3.0	4.1	3.9
Perinatal conditions (P00-P96)	3.8	3.1	3.1	2.7	2.9
Congenital malformations (Q00-Q99) ²	3.5	3.4	2.3	2.9	3.8
Malformation of the heart (Q20-Q24)	*	1.1	*	*	1.3
Symptoms & signs NEC (R00-R99) ²	13.9	15.2	15.8	13.0	14.8
Unintentional injuries (V01-X59, Y85-Y86)	27.8	28.6	27.0	26.9	28.8
Transport accidents (V01-V99, Y85)	7.7	7.9	6.2	4.7	5.2
Motor vehicle accidents (many codes) ²	6.8	7.5	5.9	4.3	4.7
Motor vehicle traffic accidents (many codes) ²	6.5	7.1	5.7	4.0	4.6
Water & air, etc. (V90-V99, Y85)	*	*	*	*	*
Nontransport accidents (W00-X59, Y86)	20.1	20.8	20.8	22.2	23.6
Falls (W00-W19)	8.2	8.9	9.8	10.6	11.5
Drowning & submersion (W65-W74)	*	*	*	*	*
Exposure to smoke & fire (X00-X09)	*	*	*	*	1.0
Poisoning (X40-X49) ²	6.6	6.9	6.8	7.0	7.3
Suicide (X60-X84, Y87.0)	6.9	6.4	7.9	7.5	6.7
Poisoning (X60-X69)	2.3	2.2	2.9	3.3	2.6
Hanging/suffocation (X70)	1.3	1.2	1.7	1.4	1.5
Firearm discharge (X72-X74)	2.5	2.2	2.5	2.2	1.8
Homicide (X85-Y09, Y87.1)	*	1.1	1.9	2.5	1.3
Firearm discharge (X93-X95)	*	*	*	1.1	*
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	3.2	2.0	2.2	2.0	1.8
Alcohol-induced (many codes) ²	7.8	7.7	7.4	7.2	8.7
Drug-induced (many codes) ²	12.4	11.0	11.5	11.8	11.0
Injury by firearms (many codes) ²	3.0	2.7	3.4	3.4	2.7

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.