

TABLE 6-2. Leading causes of death for males and females by rank order, number, rate, percent and median age at death, Oregon residents, 2015

Cause of death in rank order	Rank	No.	Rate ¹	Pct.	Median age
Males					
Total		18,003	908.9	100.0	74
Malignant neoplasms	1	4,208	212.4	23.4	72
Diseases of the heart	2	3,618	182.7	20.1	79
Unintended injuries	3	1,212	61.2	6.7	58
Chronic lower respiratory disease	4	963	48.6	5.3	77
Cerebrovascular disease	5	770	38.9	4.3	81
Alcohol-induced	6	649	32.8	3.6	59
Diabetes mellitus	7	645	32.6	3.6	71
Suicide	8	576	29.1	3.2	49
Alzheimer's disease	9	518	26.2	2.9	86
Parkinson's disease	10	259	13.1	1.4	82
Hypertension & hyp. renal disease	11	255	12.9	1.4	76
Nephritis, nephrotic syndrome, etc.	12	218	11.0	1.2	80
Influenza & pneumonia	13	209	10.6	1.2	82
Neoplasms not known to be malignant	14	123	6.2	0.7	77
Viral hepatitis	15	122	6.2	0.7	61
Homicide	16	102	5.1	0.6	33
Septicemia	17	101	5.1	0.6	73
Pneumonitis due to solids & liquids	18	97	4.9	0.5	83
Aortic aneurysm	19	87	4.4	0.5	74
Amyotrophic lateral sclerosis	20	75	3.8	0.4	68
Females					
Total		17,706	870.9	100.0	82
Malignant neoplasms	1	3,886	191.1	21.9	73
Diseases of the heart	2	3,240	159.4	18.3	87
Chronic lower respiratory disease	3	1,155	56.8	6.5	78
Alzheimer's disease	4	1,132	55.7	6.4	88
Cerebrovascular disease	5	1,099	54.1	6.2	86
Unintended injuries	6	775	38.1	4.4	76
Diabetes mellitus	7	504	24.8	2.8	75
Hypertension & hyp. renal disease	8	312	15.3	1.8	86
Alcohol-induced	9	245	12.1	1.4	57
Influenza & pneumonia	10	244	12.0	1.4	87
Nephritis, nephrotic syndrome, etc.	11	191	9.4	1.1	84
Suicide	12	185	9.1	1.0	50
Parkinson's disease	13	169	8.3	1.0	84
Septicemia	14	129	6.3	0.7	76
Neoplasms not known to be malignant	15	98	4.8	0.6	82
Pneumonitis due to solids & liquids	16	75	3.7	0.4	85
Amyotrophic lateral sclerosis	17	73	3.6	0.4	68
Aortic aneurysm	18	65	3.2	0.4	79
Congenital malformations	19	64	3.1	0.4	38
Viral hepatitis	20	60	3.0	0.3	61

¹ All rates per 100,000 population.