

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016

| Selected causes of death (and their ICD-10 codes) | Baker | | Benton | | Clackamas | | Clatsop | |
|--|-------|-------------------|--------|-------------------|-----------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 191 | 1156.9 | 592 | 648.3 | 3,518 | 868.7 | 398 | 1041.2 |
| Infections & parasitic disease (A00-B99) | 4 | 24.2 | 6 | 6.6 | 66 | 16.3 | 5 | 13.1 |
| Septicemia (A40-A41) | 2 | 12.1 | 3 | 3.3 | 27 | 6.7 | 2 | 5.2 |
| Viral hepatitis (B15-B19) | — | — | — | — | 13 | 3.2 | — | — |
| HIV disease (B20-B24) | — | — | — | — | 2 | 0.5 | — | — |
| Malignant neoplasms (C00-C97) | 47 | 284.7 | 140 | 153.3 | 830 | 204.9 | 101 | 264.2 |
| Colon (C18) | 3 | 18.2 | 9 | 9.9 | 49 | 12.1 | 5 | 13.1 |
| Pancreas (C25) | 6 | 36.3 | 10 | 11.0 | 58 | 14.3 | 5 | 13.1 |
| Bronchus & lung (C34) | 14 | 84.8 | 30 | 32.9 | 195 | 48.2 | 31 | 81.1 |
| Skin (C43-44) | — | — | 7 | 7.7 | 17 | 4.2 | 3 | 7.8 |
| Breast (C50) | 7 | 42.4 | 11 | 12.0 | 74 | 18.3 | 7 | 18.3 |
| Cervical (C53) | — | — | — | — | 7 | 1.7 | 2 | 5.2 |
| Uterine (C54-C55) | 1 | 6.1 | — | — | 11 | 2.7 | 3 | 7.8 |
| Ovarian (C56) | 1 | 6.1 | 4 | 4.4 | 22 | 5.4 | 3 | 7.8 |
| Prostate (C61) | 2 | 12.1 | 11 | 12.0 | 49 | 12.1 | 7 | 18.3 |
| Kidney & renal pelvis (C64-C65) | 1 | 6.1 | 3 | 3.3 | 15 | 3.7 | — | — |
| Bladder (C67) | — | — | 4 | 4.4 | 26 | 6.4 | 4 | 10.5 |
| Brain (C70-C72) | — | — | 5 | 5.5 | 17 | 4.2 | 2 | 5.2 |
| Lymphatic (C81-C96) | 3 | 18.2 | 12 | 13.1 | 93 | 23.0 | 7 | 18.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 6.1 | 4 | 4.4 | 37 | 9.1 | 4 | 10.5 |
| Leukemia (C91-C95) | — | — | 5 | 5.5 | 36 | 8.9 | 2 | 5.2 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 6.1 | 2 | 2.2 | 23 | 5.7 | 3 | 7.8 |
| Diabetes mellitus (E10-E14) | 4 | 24.2 | 12 | 13.1 | 113 | 27.9 | 13 | 34.0 |
| Organic dementia (F01-F03) | 5 | 30.3 | 29 | 31.8 | 249 | 61.5 | 14 | 36.6 |
| Parkinson's disease (G20-G21) | 2 | 12.1 | 12 | 13.1 | 46 | 11.4 | 4 | 10.5 |
| Alzheimer's disease (G30) | 6 | 36.3 | 35 | 38.3 | 190 | 46.9 | 20 | 52.3 |
| Diseases of the circulatory system (I00-I99) | 52 | 315.0 | 172 | 188.3 | 909 | 224.5 | 129 | 337.5 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 45 | 272.6 | 125 | 136.9 | 631 | 155.8 | 95 | 248.5 |
| Ischemic heart disease (I20-I25) | 24 | 145.4 | 66 | 72.3 | 268 | 66.2 | 57 | 149.1 |
| Cerebrovascular disease (I60-I69) | 7 | 42.4 | 29 | 31.8 | 194 | 47.9 | 25 | 65.4 |
| Intracerebral hemorrhage, etc. (I61-I62) | 1 | 6.1 | 7 | 7.7 | 41 | 10.1 | 4 | 10.5 |
| Cerebral infarction (I63) | 2 | 12.1 | 1 | 1.1 | 18 | 4.4 | — | — |
| Stroke of unspecified type (I64) | 3 | 18.2 | 12 | 13.1 | 66 | 16.3 | 18 | 47.1 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | — | — | 14 | 15.3 | 47 | 11.6 | 4 | 10.5 |
| Aortic aneurysm (I71) | — | — | 2 | 2.2 | 16 | 4.0 | 2 | 5.2 |
| Influenza & pneumonia (J09-J18) | 1 | 6.1 | 9 | 9.9 | 40 | 9.9 | 4 | 10.5 |
| Chronic lower respiratory diseases (J40-J47) | 19 | 115.1 | 25 | 27.4 | 174 | 43.0 | 13 | 34.0 |
| Diseases of the digestive system (K00-K92) | 13 | 78.7 | 23 | 25.2 | 159 | 39.3 | 16 | 41.9 |
| Diseases of the genitourinary sys. (N00-N99) | 4 | 24.2 | 10 | 11.0 | 68 | 16.8 | 4 | 10.5 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 18.2 | 6 | 6.6 | 37 | 9.1 | 3 | 7.8 |
| Perinatal conditions (P00-P96) | 1 | 6.1 | 1 | 1.1 | 8 | 2.0 | 1 | 2.6 |
| Congenital malformations (Q00-Q99) | 1 | 6.1 | 3 | 3.3 | 12 | 3.0 | 1 | 2.6 |
| Sudden infant death syndrome (R95) | — | — | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 11 | 66.6 | 37 | 40.5 | 196 | 48.4 | 32 | 83.7 |
| Suicide (X60-X84, Y87.0) | 5 | 30.3 | 13 | 14.2 | 63 | 15.6 | 10 | 26.2 |
| Homicide (X85-Y09, Y87.1) | — | — | 2 | 2.2 | 7 | 1.7 | 2 | 5.2 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 2 | 12.1 | — | — | 5 | 1.2 | 1 | 2.6 |
| <i>Alcohol-induced</i> ² | 4 | 24.2 | 14 | 15.3 | 71 | 17.5 | 10 | 26.2 |
| <i>Drug-induced</i> ² | 2 | 12.1 | 10 | 11.0 | 51 | 12.6 | 12 | 31.4 |
| <i>Injury by firearms</i> ² | 2 | 12.1 | 6 | 6.6 | 43 | 10.6 | 9 | 23.5 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Columbia | | Coos | | Crook | | Curry | |
|--|----------|-------------------|------|-------------------|-------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 471 | 927.3 | 865 | 1368.9 | 256 | 1186.3 | 390 | 1725.7 |
| Infections & parasitic disease (A00-B99) | 10 | 19.7 | 26 | 41.1 | 2 | 9.3 | 11 | 48.7 |
| Septicemia (A40-A41) | 4 | 7.9 | 7 | 11.1 | — | — | 4 | 17.7 |
| Viral hepatitis (B15-B19) | 1 | 2.0 | 9 | 14.2 | — | — | 3 | 13.3 |
| HIV disease (B20-B24) | 1 | 2.0 | 1 | 1.6 | — | — | 1 | 4.4 |
| Malignant neoplasms (C00-C97) | 113 | 222.5 | 194 | 307.0 | 69 | 319.7 | 93 | 411.5 |
| Colon (C18) | 6 | 11.8 | 13 | 20.6 | 3 | 13.9 | 8 | 35.4 |
| Pancreas (C25) | 5 | 9.8 | 17 | 26.9 | 8 | 37.1 | 5 | 22.1 |
| Bronchus & lung (C34) | 37 | 72.8 | 49 | 77.5 | 20 | 92.7 | 19 | 84.1 |
| Skin (C43-44) | 2 | 3.9 | 1 | 1.6 | — | — | 1 | 4.4 |
| Breast (C50) | 5 | 9.8 | 11 | 17.4 | 5 | 23.2 | 7 | 31.0 |
| Cervical (C53) | 2 | 3.9 | 1 | 1.6 | — | — | — | — |
| Uterine (C54-C55) | 2 | 3.9 | 3 | 4.7 | 1 | 4.6 | — | — |
| Ovarian (C56) | 1 | 2.0 | 2 | 3.2 | 2 | 9.3 | 4 | 17.7 |
| Prostate (C61) | 5 | 9.8 | 9 | 14.2 | 3 | 13.9 | 4 | 17.7 |
| Kidney & renal pelvis (C64-C65) | — | — | 8 | 12.7 | 2 | 9.3 | 2 | 8.8 |
| Bladder (C67) | 4 | 7.9 | 6 | 9.5 | 2 | 9.3 | 4 | 17.7 |
| Brain (C70-C72) | 3 | 5.9 | 2 | 3.2 | 2 | 9.3 | 1 | 4.4 |
| Lymphatic (C81-C96) | 16 | 31.5 | 17 | 26.9 | 3 | 13.9 | 9 | 39.8 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 5.9 | 6 | 9.5 | 1 | 4.6 | 4 | 17.7 |
| Leukemia (C91-C95) | 11 | 21.7 | 8 | 12.7 | 1 | 4.6 | 2 | 8.8 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 2.0 | 5 | 7.9 | 4 | 18.5 | 3 | 13.3 |
| Diabetes mellitus (E10-E14) | 19 | 37.4 | 31 | 49.1 | 6 | 27.8 | 12 | 53.1 |
| Organic dementia (F01-F03) | 8 | 15.7 | 19 | 30.1 | 4 | 18.5 | 20 | 88.5 |
| Parkinson's disease (G20-G21) | 8 | 15.7 | 13 | 20.6 | 4 | 18.5 | 6 | 26.5 |
| Alzheimer's disease (G30) | 16 | 31.5 | 49 | 77.5 | 9 | 41.7 | 13 | 57.5 |
| Diseases of the circulatory system (I00-I99) | 151 | 297.3 | 240 | 379.8 | 79 | 366.1 | 116 | 513.3 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 102 | 200.8 | 177 | 280.1 | 64 | 296.6 | 78 | 345.1 |
| Ischemic heart disease (I20-I25) | 45 | 88.6 | 98 | 155.1 | 41 | 190.0 | 48 | 212.4 |
| Cerebrovascular disease (I60-I69) | 35 | 68.9 | 38 | 60.1 | 13 | 60.2 | 27 | 119.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 5 | 9.8 | 10 | 15.8 | 1 | 4.6 | 5 | 22.1 |
| Cerebral infarction (I63) | 6 | 11.8 | 4 | 6.3 | 2 | 9.3 | 2 | 8.8 |
| Stroke of unspecified type (I64) | 10 | 19.7 | 16 | 25.3 | 7 | 32.4 | 11 | 48.7 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 9 | 17.7 | 14 | 22.2 | 1 | 4.6 | 6 | 26.5 |
| Aortic aneurysm (I71) | 1 | 2.0 | 5 | 7.9 | 1 | 4.6 | 2 | 8.8 |
| Influenza & pneumonia (J09-J18) | 4 | 7.9 | 16 | 25.3 | 5 | 23.2 | 3 | 13.3 |
| Chronic lower respiratory diseases (J40-J47) | 29 | 57.1 | 57 | 90.2 | 16 | 74.1 | 37 | 163.7 |
| Diseases of the digestive system (K00-K92) | 16 | 31.5 | 37 | 58.6 | 10 | 46.3 | 13 | 57.5 |
| Diseases of the genitourinary sys. (N00-N99) | 9 | 17.7 | 20 | 31.7 | 2 | 9.3 | 3 | 13.3 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 4 | 7.9 | 11 | 17.4 | — | — | 2 | 8.8 |
| Perinatal conditions (P00-P96) | — | — | — | — | 1 | 4.6 | — | — |
| Congenital malformations (Q00-Q99) | 1 | 2.0 | 4 | 6.3 | — | — | 1 | 4.4 |
| Sudden infant death syndrome (R95) | 1 | 2.0 | — | — | — | — | 2 | 8.8 |
| Unintentional injuries (V01-X59, Y85-Y86) | 29 | 57.1 | 55 | 87.0 | 16 | 74.1 | 17 | 75.2 |
| Suicide (X60-X84, Y87.0) | 14 | 27.6 | 17 | 26.9 | 7 | 32.4 | 11 | 48.7 |
| Homicide (X85-Y09, Y87.1) | 1 | 2.0 | 2 | 3.2 | — | — | 1 | 4.4 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | — | — | — | — | 1 | 4.4 |
| <i>Alcohol-induced</i> ² | 12 | 23.6 | 25 | 39.6 | 3 | 13.9 | 5 | 22.1 |
| <i>Drug-induced</i> ² | 9 | 17.7 | 13 | 20.6 | 3 | 13.9 | 3 | 13.3 |
| <i>Injury by firearms</i> ² | 9 | 17.7 | 12 | 19.0 | 6 | 27.8 | 8 | 35.4 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Deschutes | | Douglas | | Gilliam | | Grant | |
|--|-----------|-------------------|---------|-------------------|---------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,474 | 834.5 | 1,452 | 1315.3 | 21 | 1060.6 | 95 | 1282.1 |
| Infections & parasitic disease (A00-B99) | 18 | 10.2 | 33 | 29.9 | 1 | 50.5 | 2 | 27.0 |
| Septicemia (A40-A41) | 5 | 2.8 | 13 | 11.8 | 1 | 50.5 | 1 | 13.5 |
| Viral hepatitis (B15-B19) | 5 | 2.8 | 6 | 5.4 | — | — | — | — |
| HIV disease (B20-B24) | — | — | 1 | 0.9 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 309 | 174.9 | 350 | 317.0 | 5 | 252.5 | 14 | 188.9 |
| Colon (C18) | 24 | 13.6 | 20 | 18.1 | 1 | 50.5 | 2 | 27.0 |
| Pancreas (C25) | 33 | 18.7 | 28 | 25.4 | — | — | 1 | 13.5 |
| Bronchus & lung (C34) | 55 | 31.1 | 92 | 83.3 | — | — | 5 | 67.5 |
| Skin (C43-44) | 5 | 2.8 | 8 | 7.2 | 1 | 50.5 | 1 | 13.5 |
| Breast (C50) | 18 | 10.2 | 22 | 19.9 | — | — | 1 | 13.5 |
| Cervical (C53) | 2 | 1.1 | 1 | 0.9 | 1 | 50.5 | — | — |
| Uterine (C54-C55) | 9 | 5.1 | 3 | 2.7 | — | — | — | — |
| Ovarian (C56) | 15 | 8.5 | 7 | 6.3 | — | — | — | — |
| Prostate (C61) | 13 | 7.4 | 29 | 26.3 | — | — | — | — |
| Kidney & renal pelvis (C64-C65) | 6 | 3.4 | 3 | 2.7 | 1 | 50.5 | — | — |
| Bladder (C67) | 9 | 5.1 | 15 | 13.6 | — | — | 2 | 27.0 |
| Brain (C70-C72) | 12 | 6.8 | 9 | 8.2 | — | — | — | — |
| Lymphatic (C81-C96) | 32 | 18.1 | 39 | 35.3 | 1 | 50.5 | — | — |
| Non-Hodgkin's lymphoma (C82-C85) | 16 | 9.1 | 10 | 9.1 | — | — | — | — |
| Leukemia (C91-C95) | 9 | 5.1 | 23 | 20.8 | 1 | 50.5 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 15 | 8.5 | 7 | 6.3 | — | — | — | — |
| Diabetes mellitus (E10-E14) | 33 | 18.7 | 75 | 67.9 | — | — | 4 | 54.0 |
| Organic dementia (F01-F03) | 86 | 48.7 | 82 | 74.3 | 1 | 50.5 | 5 | 67.5 |
| Parkinson's disease (G20-G21) | 34 | 19.2 | 23 | 20.8 | 1 | 50.5 | — | — |
| Alzheimer's disease (G30) | 90 | 51.0 | 59 | 53.4 | 1 | 50.5 | 2 | 27.0 |
| Diseases of the circulatory system (I00-I99) | 428 | 242.3 | 384 | 347.8 | 3 | 151.5 | 28 | 377.9 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 304 | 172.1 | 269 | 243.7 | 3 | 151.5 | 22 | 296.9 |
| Ischemic heart disease (I20-I25) | 175 | 99.1 | 160 | 144.9 | 1 | 50.5 | 13 | 175.4 |
| Cerebrovascular disease (I60-I69) | 94 | 53.2 | 77 | 69.7 | — | — | 4 | 54.0 |
| Intracerebral hemorrhage, etc. (I61-I62) | 13 | 7.4 | 13 | 11.8 | — | — | 2 | 27.0 |
| Cerebral infarction (I63) | 11 | 6.2 | 4 | 3.6 | — | — | — | — |
| Stroke of unspecified type (I64) | 43 | 24.3 | 43 | 39.0 | — | — | 2 | 27.0 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 13 | 7.4 | 23 | 20.8 | — | — | 1 | 13.5 |
| Aortic aneurysm (I71) | 4 | 2.3 | 3 | 2.7 | — | — | — | — |
| Influenza & pneumonia (J09-J18) | 21 | 11.9 | 21 | 19.0 | 1 | 50.5 | 3 | 40.5 |
| Chronic lower respiratory diseases (J40-J47) | 88 | 49.8 | 107 | 96.9 | 3 | 151.5 | 8 | 108.0 |
| Diseases of the digestive system (K00-K92) | 59 | 33.4 | 70 | 63.4 | — | — | 5 | 67.5 |
| Diseases of the genitourinary sys. (N00-N99) | 17 | 9.6 | 30 | 27.2 | 1 | 50.5 | 1 | 13.5 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 13 | 7.4 | 22 | 19.9 | — | — | — | — |
| Perinatal conditions (P00-P96) | 1 | 0.6 | 1 | 0.9 | — | — | — | — |
| Congenital malformations (Q00-Q99) | 4 | 2.3 | 5 | 4.5 | — | — | — | — |
| Sudden infant death syndrome (R95) | 2 | 1.1 | — | — | — | — | 1 | 13.5 |
| Unintentional injuries (V01-X59, Y85-Y86) | 90 | 51.0 | 65 | 58.9 | 1 | 50.5 | 12 | 161.9 |
| Suicide (X60-X84, Y87.0) | 33 | 18.7 | 30 | 27.2 | — | — | 3 | 40.5 |
| Homicide (X85-Y09, Y87.1) | 3 | 1.7 | 7 | 6.3 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 2 | 1.1 | 2 | 1.8 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 33 | 18.7 | 39 | 35.3 | — | — | 2 | 27.0 |
| <i>Drug-induced</i> ² | 33 | 18.7 | 17 | 15.4 | 1 | 50.5 | 2 | 27.0 |
| <i>Injury by firearms</i> ² | 17 | 9.6 | 20 | 18.1 | — | — | 2 | 27.0 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Harney | | Hood River | | Jackson | | Jefferson | |
|--|--------|-------------------|------------|-------------------|---------|-------------------|-----------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 100 | 1366.1 | 177 | 715.6 | 2,361 | 1104.5 | 207 | 908.3 |
| Infections & parasitic disease (A00-B99) | 1 | 13.7 | 3 | 12.1 | 42 | 19.6 | 1 | 4.4 |
| Septicemia (A40-A41) | 1 | 13.7 | 3 | 12.1 | 14 | 6.5 | — | — |
| Viral hepatitis (B15-B19) | — | — | — | — | 8 | 3.7 | — | — |
| HIV disease (B20-B24) | — | — | — | — | 3 | 1.4 | — | — |
| Malignant neoplasms (C00-C97) | 18 | 245.9 | 38 | 153.6 | 526 | 246.1 | 55 | 241.3 |
| Colon (C18) | 3 | 41.0 | 4 | 16.2 | 26 | 12.2 | 1 | 4.4 |
| Pancreas (C25) | — | — | 3 | 12.1 | 31 | 14.5 | 8 | 35.1 |
| Bronchus & lung (C34) | 3 | 41.0 | 8 | 32.3 | 133 | 62.2 | 17 | 74.6 |
| Skin (C43-44) | — | — | 2 | 8.1 | 10 | 4.7 | — | — |
| Breast (C50) | 2 | 27.3 | 4 | 16.2 | 32 | 15.0 | 4 | 17.6 |
| Cervical (C53) | 2 | 27.3 | — | — | 2 | 0.9 | — | — |
| Uterine (C54-C55) | — | — | 1 | 4.0 | 13 | 6.1 | — | — |
| Ovarian (C56) | — | — | 2 | 8.1 | 14 | 6.5 | — | — |
| Prostate (C61) | 3 | 41.0 | 4 | 16.2 | 30 | 14.0 | 5 | 21.9 |
| Kidney & renal pelvis (C64-C65) | — | — | 1 | 4.0 | 20 | 9.4 | — | — |
| Bladder (C67) | 1 | 13.7 | — | — | 11 | 5.1 | 3 | 13.2 |
| Brain (C70-C72) | — | — | — | — | 16 | 7.5 | 4 | 17.6 |
| Lymphatic (C81-C96) | 1 | 13.7 | — | — | 54 | 25.3 | 1 | 4.4 |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 13.7 | — | — | 17 | 8.0 | 1 | 4.4 |
| Leukemia (C91-C95) | — | — | — | — | 29 | 13.6 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 2 | 27.3 | — | — | 21 | 9.8 | 1 | 4.4 |
| Diabetes mellitus (E10-E14) | 5 | 68.3 | 4 | 16.2 | 70 | 32.7 | 10 | 43.9 |
| Organic dementia (F01 F03) | 4 | 54.6 | 20 | 80.9 | 151 | 70.6 | 10 | 43.9 |
| Parkinson's disease (G20-G21) | — | — | 2 | 8.1 | 30 | 14.0 | 1 | 4.4 |
| Alzheimer's disease (G30) | 3 | 41.0 | 7 | 28.3 | 110 | 51.5 | 5 | 21.9 |
| Diseases of the circulatory system (I00-I99) | 25 | 341.5 | 54 | 218.3 | 617 | 288.6 | 57 | 250.1 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 14 | 191.3 | 40 | 161.7 | 440 | 205.8 | 43 | 188.7 |
| Ischemic heart disease (I20-I25) | 5 | 68.3 | 17 | 68.7 | 184 | 86.1 | 31 | 136.0 |
| Cerebrovascular disease (I60-I69) | 10 | 136.6 | 11 | 44.5 | 116 | 54.3 | 11 | 48.3 |
| Intracerebral hemorrhage, etc. (I61-I62) | — | — | 1 | 4.0 | 30 | 14.0 | 2 | 8.8 |
| Cerebral infarction (I63) | 1 | 13.7 | 1 | 4.0 | 7 | 3.3 | — | — |
| Stroke of unspecified type (I64) | 4 | 54.6 | 7 | 28.3 | 47 | 22.0 | 3 | 13.2 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | — | — | 2 | 8.1 | 36 | 16.8 | 2 | 8.8 |
| Aortic aneurysm (I71) | — | — | — | — | 10 | 4.7 | 1 | 4.4 |
| Influenza & pneumonia (J09-J18) | 1 | 13.7 | 1 | 4.0 | 28 | 13.1 | 2 | 8.8 |
| Chronic lower respiratory diseases (J40-J47) | 7 | 95.6 | 7 | 28.3 | 147 | 68.8 | 11 | 48.3 |
| Diseases of the digestive system (K00-K92) | 6 | 82.0 | 6 | 24.3 | 119 | 55.7 | 12 | 52.7 |
| Diseases of the genitourinary sys. (N00-N99) | 2 | 27.3 | 2 | 8.1 | 53 | 24.8 | 3 | 13.2 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 27.3 | 2 | 8.1 | 29 | 13.6 | 3 | 13.2 |
| Perinatal conditions (P00-P96) | — | — | — | — | 6 | 2.8 | 1 | 4.4 |
| Congenital malformations (Q00-Q99) | — | — | 3 | 12.1 | 3 | 1.4 | — | — |
| Sudden infant death syndrome (R95) | — | — | — | — | 1 | 0.5 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 8 | 109.3 | 13 | 52.6 | 121 | 56.6 | 15 | 65.8 |
| Suicide (X60-X84, Y87.0) | 3 | 41.0 | — | — | 49 | 22.9 | 3 | 13.2 |
| Homicide (X85-Y09, Y87.1) | — | — | — | — | 7 | 3.3 | 4 | 17.6 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | — | — | 2 | 0.9 | — | — |
| <i>Alcohol-induced</i> ² | 3 | 41.0 | — | — | 50 | 23.4 | 5 | 21.9 |
| <i>Drug-induced</i> ² | 4 | 54.6 | 1 | 4.0 | 43 | 20.1 | 1 | 4.4 |
| <i>Injury by firearms</i> ² | 3 | 41.0 | — | — | 31 | 14.5 | 3 | 13.2 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Josephine | | Klamath | | Lake | | Lane | |
|--|-----------|-------------------|---------|-------------------|------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,246 | 1471.5 | 791 | 1173.4 | 114 | 1422.3 | 3,495 | 955.1 |
| Infections & parasitic disease (A00-B99) | 25 | 29.5 | 23 | 34.1 | 3 | 37.4 | 74 | 20.2 |
| Septicemia (A40-A41) | 6 | 7.1 | 7 | 10.4 | 2 | 25.0 | 23 | 6.3 |
| Viral hepatitis (B15-B19) | 7 | 8.3 | 4 | 5.9 | 1 | 12.5 | 13 | 3.6 |
| HIV disease (B20-B24) | — | — | 1 | 1.5 | — | — | 2 | 0.5 |
| Malignant neoplasms (C00-C97) | 301 | 355.5 | 162 | 240.3 | 25 | 311.9 | 760 | 207.7 |
| Colon (C18) | 16 | 18.9 | 10 | 14.8 | 1 | 12.5 | 34 | 9.3 |
| Pancreas (C25) | 18 | 21.3 | 10 | 14.8 | 2 | 25.0 | 55 | 15.0 |
| Bronchus & lung (C34) | 80 | 94.5 | 36 | 53.4 | 4 | 49.9 | 168 | 45.9 |
| Skin (C43-44) | 6 | 7.1 | 6 | 8.9 | 1 | 12.5 | 17 | 4.6 |
| Breast (C50) | 24 | 28.3 | 11 | 16.3 | 4 | 49.9 | 47 | 12.8 |
| Cervical (C53) | 1 | 1.2 | 2 | 3.0 | — | — | 3 | 0.8 |
| Uterine (C54-C55) | 5 | 5.9 | 4 | 5.9 | — | — | 11 | 3.0 |
| Ovarian (C56) | 10 | 11.8 | 4 | 5.9 | 1 | 12.5 | 28 | 7.7 |
| Prostate (C61) | 11 | 13.0 | 12 | 17.8 | 4 | 49.9 | 45 | 12.3 |
| Kidney & renal pelvis (C64-C65) | 9 | 10.6 | 5 | 7.4 | 1 | 12.5 | 18 | 4.9 |
| Bladder (C67) | 5 | 5.9 | 4 | 5.9 | — | — | 26 | 7.1 |
| Brain (C70-C72) | 5 | 5.9 | 2 | 3.0 | — | — | 22 | 6.0 |
| Lymphatic (C81-C96) | 35 | 41.3 | 17 | 25.2 | 2 | 25.0 | 75 | 20.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 12 | 14.2 | 8 | 11.9 | 1 | 12.5 | 25 | 6.8 |
| Leukemia (C91-C95) | 15 | 17.7 | 5 | 7.4 | — | — | 27 | 7.4 |
| Benign & uncertain neoplasms (D00-D48) | 8 | 9.4 | 4 | 5.9 | 1 | 12.5 | 23 | 6.3 |
| Diabetes mellitus (E10-E14) | 34 | 40.2 | 35 | 51.9 | 7 | 87.3 | 112 | 30.6 |
| Organic dementia (F01-F03) | 99 | 116.9 | 43 | 63.8 | 3 | 37.4 | 165 | 45.1 |
| Parkinson's disease (G20-G21) | 15 | 17.7 | 4 | 5.9 | — | — | 46 | 12.6 |
| Alzheimer's disease (G30) | 46 | 54.3 | 32 | 47.5 | 1 | 12.5 | 280 | 76.5 |
| Diseases of the circulatory system (I00-I99) | 293 | 346.0 | 207 | 307.1 | 22 | 274.5 | 898 | 245.4 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 188 | 222.0 | 157 | 232.9 | 18 | 224.6 | 623 | 170.2 |
| Ischemic heart disease (I20-I25) | 101 | 119.3 | 74 | 109.8 | 10 | 124.8 | 273 | 74.6 |
| Cerebrovascular disease (I60-I69) | 56 | 66.1 | 28 | 41.5 | 3 | 37.4 | 178 | 48.6 |
| Intracerebral hemorrhage, etc. (I61-I62) | 14 | 16.5 | 7 | 10.4 | 2 | 25.0 | 32 | 8.7 |
| Cerebral infarction (I63) | 5 | 5.9 | 2 | 3.0 | — | — | 11 | 3.0 |
| Stroke of unspecified type (I64) | 28 | 33.1 | 14 | 20.8 | — | — | 81 | 22.1 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 31 | 36.6 | 13 | 19.3 | 1 | 12.5 | 66 | 18.0 |
| Aortic aneurysm (I71) | 2 | 2.4 | 4 | 5.9 | — | — | 15 | 4.1 |
| Influenza & pneumonia (J09-J18) | 17 | 20.1 | 3 | 4.5 | — | — | 48 | 13.1 |
| Chronic lower respiratory diseases (J40-J47) | 86 | 101.6 | 65 | 96.4 | 14 | 174.7 | 196 | 53.6 |
| Diseases of the digestive system (K00-K92) | 62 | 73.2 | 43 | 63.8 | 7 | 87.3 | 159 | 43.4 |
| Diseases of the genitourinary sys. (N00-N99) | 22 | 26.0 | 13 | 19.3 | 2 | 25.0 | 70 | 19.1 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 15 | 17.7 | 11 | 16.3 | — | — | 42 | 11.5 |
| Perinatal conditions (P00-P96) | 2 | 2.4 | 2 | 3.0 | — | — | 7 | 1.9 |
| Congenital malformations (Q00-Q99) | 4 | 4.7 | 1 | 1.5 | — | — | 14 | 3.8 |
| Sudden infant death syndrome (R95) | 1 | 1.2 | 2 | 3.0 | 1 | 12.5 | 2 | 0.5 |
| Unintentional injuries (V01-X59, Y85-Y86) | 66 | 77.9 | 39 | 57.9 | 9 | 112.3 | 243 | 66.4 |
| Suicide (X60-X84, Y87.0) | 21 | 24.8 | 18 | 26.7 | 2 | 25.0 | 79 | 21.6 |
| Homicide (X85-Y09, Y87.1) | 6 | 7.1 | 7 | 10.4 | — | — | 9 | 2.5 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 2 | 2.4 | — | — | — | — | 7 | 1.9 |
| <i>Alcohol-induced</i> ² | 32 | 37.8 | 25 | 37.1 | 6 | 74.9 | 84 | 23.0 |
| <i>Drug-induced</i> ² | 12 | 14.2 | 10 | 14.8 | 2 | 25.0 | 86 | 23.5 |
| <i>Injury by firearms</i> ² | 20 | 23.6 | 17 | 25.2 | 2 | 25.0 | 53 | 14.5 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Lincoln | | Linn | | Malheur | | Marion | |
|--|---------|-------------------|-------|-------------------|---------|-------------------|--------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 611 | 1280.0 | 1,314 | 1074.3 | 298 | 939.9 | 2,846 | 852.2 |
| Infections & parasitic disease (A00-B99) | 15 | 31.4 | 27 | 22.1 | 9 | 28.4 | 54 | 16.2 |
| Septicemia (A40-A41) | 8 | 16.8 | 12 | 9.8 | 4 | 12.6 | 19 | 5.7 |
| Viral hepatitis (B15-B19) | 3 | 6.3 | 7 | 5.7 | 2 | 6.3 | 19 | 5.7 |
| HIV disease (B20-B24) | — | — | 1 | 0.8 | — | — | 1 | 0.3 |
| Malignant neoplasms (C00-C97) | 139 | 291.2 | 290 | 237.1 | 55 | 173.5 | 609 | 182.4 |
| Colon (C18) | 6 | 12.6 | 18 | 14.7 | 5 | 15.8 | 38 | 11.4 |
| Pancreas (C25) | 12 | 25.1 | 18 | 14.7 | 3 | 9.5 | 46 | 13.8 |
| Bronchus & lung (C34) | 38 | 79.6 | 78 | 63.8 | 9 | 28.4 | 149 | 44.6 |
| Skin (C43-44) | 2 | 4.2 | 6 | 4.9 | 1 | 3.2 | 13 | 3.9 |
| Breast (C50) | 6 | 12.6 | 17 | 13.9 | 8 | 25.2 | 54 | 16.2 |
| Cervical (C53) | — | — | 3 | 2.5 | 1 | 3.2 | 6 | 1.8 |
| Uterine (C54-C55) | 3 | 6.3 | 3 | 2.5 | — | — | 13 | 3.9 |
| Ovarian (C56) | 7 | 14.7 | 6 | 4.9 | 3 | 9.5 | 16 | 4.8 |
| Prostate (C61) | 4 | 8.4 | 20 | 16.4 | 3 | 9.5 | 34 | 10.2 |
| Kidney & renal pelvis (C64-C65) | 2 | 4.2 | 4 | 3.3 | 1 | 3.2 | 10 | 3.0 |
| Bladder (C67) | 6 | 12.6 | 4 | 3.3 | 2 | 6.3 | 16 | 4.8 |
| Brain (C70-C72) | 3 | 6.3 | 10 | 8.2 | — | — | 15 | 4.5 |
| Lymphatic (C81-C96) | 13 | 27.2 | 34 | 27.8 | 5 | 15.8 | 55 | 16.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 6 | 12.6 | 12 | 9.8 | — | — | 25 | 7.5 |
| Leukemia (C91-C95) | 2 | 4.2 | 13 | 10.6 | 4 | 12.6 | 18 | 5.4 |
| Benign & uncertain neoplasms (D00-D48) | 6 | 12.6 | 9 | 7.4 | 2 | 6.3 | 19 | 5.7 |
| Diabetes mellitus (E10-E14) | 24 | 50.3 | 56 | 45.8 | 8 | 25.2 | 141 | 42.2 |
| Organic dementia (F01-F03) | 21 | 44.0 | 63 | 51.5 | 7 | 22.1 | 168 | 50.3 |
| Parkinson's disease (G20-G21) | 3 | 6.3 | 20 | 16.4 | 6 | 18.9 | 28 | 8.4 |
| Alzheimer's disease (G30) | 23 | 48.2 | 56 | 45.8 | 24 | 75.7 | 109 | 32.6 |
| Diseases of the circulatory system (I00-I99) | 164 | 343.6 | 376 | 307.4 | 100 | 315.4 | 774 | 231.8 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 121 | 253.5 | 271 | 221.6 | 76 | 239.7 | 534 | 159.9 |
| Ischemic heart disease (I20-I25) | 75 | 157.1 | 130 | 106.3 | 45 | 141.9 | 284 | 85.0 |
| Cerebrovascular disease (I60-I69) | 27 | 56.6 | 66 | 54.0 | 22 | 69.4 | 168 | 50.3 |
| Intracerebral hemorrhage, etc. (I61-I62) | 4 | 8.4 | 12 | 9.8 | 6 | 18.9 | 32 | 9.6 |
| Cerebral infarction (I63) | 2 | 4.2 | 8 | 6.5 | 2 | 6.3 | 16 | 4.8 |
| Stroke of unspecified type (I64) | 16 | 33.5 | 24 | 19.6 | 8 | 25.2 | 78 | 23.4 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 11 | 23.0 | 28 | 22.9 | 1 | 3.2 | 47 | 14.1 |
| Aortic aneurysm (I71) | 1 | 2.1 | 4 | 3.3 | 1 | 3.2 | 8 | 2.4 |
| Influenza & pneumonia (J09-J18) | 7 | 14.7 | 14 | 11.4 | 2 | 6.3 | 39 | 11.7 |
| Chronic lower respiratory diseases (J40-J47) | 46 | 96.4 | 79 | 64.6 | 16 | 50.5 | 158 | 47.3 |
| Diseases of the digestive system (K00-K92) | 41 | 85.9 | 61 | 49.9 | 11 | 34.7 | 133 | 39.8 |
| Diseases of the genitourinary sys. (N00-N99) | 6 | 12.6 | 20 | 16.4 | 7 | 22.1 | 60 | 18.0 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 5 | 10.5 | 9 | 7.4 | 5 | 15.8 | 36 | 10.8 |
| Perinatal conditions (P00-P96) | 1 | 2.1 | 5 | 4.1 | 2 | 6.3 | 9 | 2.7 |
| Congenital malformations (Q00-Q99) | 2 | 4.2 | 9 | 7.4 | 2 | 6.3 | 17 | 5.1 |
| Sudden infant death syndrome (R95) | — | — | 1 | 0.8 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 33 | 69.1 | 90 | 73.6 | 13 | 41.0 | 165 | 49.4 |
| Suicide (X60-X84, Y87.0) | 24 | 50.3 | 30 | 24.5 | 7 | 22.1 | 56 | 16.8 |
| Homicide (X85-Y09, Y87.1) | 3 | 6.3 | — | — | 2 | 6.3 | 9 | 2.7 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 2 | 4.2 | 1 | 0.8 | — | — | 5 | 1.5 |
| <i>Alcohol-induced</i> ² | 20 | 41.9 | 29 | 23.7 | 3 | 9.5 | 69 | 20.7 |
| <i>Drug-induced</i> ² | 6 | 12.6 | 19 | 15.5 | 3 | 9.5 | 49 | 14.7 |
| <i>Injury by firearms</i> ² | 16 | 33.5 | 15 | 12.3 | 4 | 12.6 | 33 | 9.9 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Morrow | | Multnomah | | Polk | | Sherman | |
|--|--------|-------------------|-----------|-------------------|------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 77 | 655.6 | 5,683 | 718.8 | 680 | 852.9 | 20 | 1114.2 |
| Infections & parasitic disease (A00-B99) | 1 | 8.5 | 124 | 15.7 | 11 | 13.8 | — | — |
| Septicemia (A40-A41) | 1 | 8.5 | 44 | 5.6 | 4 | 5.0 | — | — |
| Viral hepatitis (B15-B19) | — | — | 30 | 3.8 | 5 | 6.3 | — | — |
| HIV disease (B20-B24) | — | — | 17 | 2.2 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 21 | 178.8 | 1,254 | 158.6 | 160 | 200.7 | 2 | 111.4 |
| Colon (C18) | 1 | 8.5 | 78 | 9.9 | 9 | 11.3 | — | — |
| Pancreas (C25) | — | — | 90 | 11.4 | 12 | 15.1 | — | — |
| Bronchus & lung (C34) | 6 | 51.1 | 299 | 37.8 | 40 | 50.2 | — | — |
| Skin (C43-44) | 1 | 8.5 | 26 | 3.3 | 2 | 2.5 | — | — |
| Breast (C50) | — | — | 77 | 9.7 | 8 | 10.0 | — | — |
| Cervical (C53) | — | — | 13 | 1.6 | 1 | 1.3 | — | — |
| Uterine (C54-C55) | — | — | 21 | 2.7 | 6 | 7.5 | — | — |
| Ovarian (C56) | 2 | 17.0 | 23 | 2.9 | 4 | 5.0 | — | — |
| Prostate (C61) | — | — | 83 | 10.5 | 6 | 7.5 | — | — |
| Kidney & renal pelvis (C64-C65) | 1 | 8.5 | 27 | 3.4 | 3 | 3.8 | — | — |
| Bladder (C67) | 1 | 8.5 | 32 | 4.0 | 3 | 3.8 | — | — |
| Brain (C70-C72) | — | — | 40 | 5.1 | 1 | 1.3 | — | — |
| Lymphatic (C81-C96) | 2 | 17.0 | 105 | 13.3 | 15 | 18.8 | — | — |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 8.5 | 41 | 5.2 | 6 | 7.5 | — | — |
| Leukemia (C91-C95) | — | — | 36 | 4.6 | 6 | 7.5 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 2 | 17.0 | 37 | 4.7 | 6 | 7.5 | — | — |
| Diabetes mellitus (E10-E14) | 1 | 8.5 | 181 | 22.9 | 32 | 40.1 | — | — |
| Organic dementia (F01-F03) | — | — | 297 | 37.6 | 45 | 56.4 | — | — |
| Parkinson's disease (G20-G21) | 1 | 8.5 | 65 | 8.2 | 14 | 17.6 | 1 | 55.7 |
| Alzheimer's disease (G30) | 2 | 17.0 | 253 | 32.0 | 34 | 42.6 | 1 | 55.7 |
| Diseases of the circulatory system (I00-I99) | 25 | 212.9 | 1,632 | 206.4 | 175 | 219.5 | 10 | 557.1 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 17 | 144.7 | 1,154 | 146.0 | 113 | 141.7 | 10 | 557.1 |
| Ischemic heart disease (I20-I25) | 11 | 93.7 | 558 | 70.6 | 61 | 76.5 | 6 | 334.3 |
| Cerebrovascular disease (I60-I69) | 5 | 42.6 | 319 | 40.3 | 42 | 52.7 | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 25.5 | 55 | 7.0 | 8 | 10.0 | — | — |
| Cerebral infarction (I63) | — | — | 14 | 1.8 | — | — | — | — |
| Stroke of unspecified type (I64) | 2 | 17.0 | 121 | 15.3 | 23 | 28.8 | — | — |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 8.5 | 98 | 12.4 | 12 | 15.1 | — | — |
| Aortic aneurysm (I71) | 1 | 8.5 | 26 | 3.3 | 1 | 1.3 | — | — |
| Influenza & pneumonia (J09-J18) | — | — | 74 | 9.4 | 11 | 13.8 | — | — |
| Chronic lower respiratory diseases (J40-J47) | 6 | 51.1 | 309 | 39.1 | 34 | 42.6 | 1 | 55.7 |
| Diseases of the digestive system (K00-K92) | 2 | 17.0 | 249 | 31.5 | 25 | 31.4 | — | — |
| Diseases of the genitourinary sys. (N00-N99) | 2 | 17.0 | 83 | 10.5 | 6 | 7.5 | — | — |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 17.0 | 50 | 6.3 | 4 | 5.0 | — | — |
| Perinatal conditions (P00-P96) | 1 | 8.5 | 21 | 2.7 | 7 | 8.8 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 21 | 2.7 | 3 | 3.8 | 1 | 55.7 |
| Sudden infant death syndrome (R95) | — | — | 4 | 0.5 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 2 | 17.0 | 355 | 44.9 | 47 | 58.9 | 1 | 55.7 |
| Suicide (X60-X84, Y87.0) | 2 | 17.0 | 120 | 15.2 | 7 | 8.8 | 2 | 111.4 |
| Homicide (X85-Y09, Y87.1) | 1 | 8.5 | 31 | 3.9 | 3 | 3.8 | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 21 | 2.7 | 2 | 2.5 | — | — |
| <i>Alcohol-induced</i> ² | — | — | 156 | 19.7 | 12 | 15.1 | — | — |
| <i>Drug-induced</i> ² | — | — | 162 | 20.5 | 9 | 11.3 | — | — |
| <i>Injury by firearms</i> ² | 3 | 25.5 | 79 | 10.0 | 7 | 8.8 | 2 | 111.4 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Tillamook | | Umatilla | | Union | | Wallowa | |
|--|-----------|-------------------|----------|-------------------|-------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 322 | 1242.3 | 696 | 871.3 | 263 | 983.4 | 85 | 1190.5 |
| Infections & parasitic disease (A00-B99) | 6 | 23.1 | 21 | 26.3 | 1 | 3.7 | — | — |
| Septicemia (A40-A41) | 2 | 7.7 | 13 | 16.3 | 1 | 3.7 | — | — |
| Viral hepatitis (B15-B19) | 4 | 15.4 | 3 | 3.8 | — | — | — | — |
| HIV disease (B20-B24) | — | — | — | — | — | — | — | — |
| Malignant neoplasms (C00-C97) | 85 | 327.9 | 178 | 222.8 | 54 | 201.9 | 11 | 154.1 |
| Colon (C18) | 5 | 19.3 | 15 | 18.8 | 7 | 26.2 | 1 | 14.0 |
| Pancreas (C25) | 8 | 30.9 | 12 | 15.0 | 4 | 15.0 | 1 | 14.0 |
| Bronchus & lung (C34) | 22 | 84.9 | 34 | 42.6 | 13 | 48.6 | 2 | 28.0 |
| Skin (C43-44) | 1 | 3.9 | 2 | 2.5 | — | — | — | — |
| Breast (C50) | 3 | 11.6 | 18 | 22.5 | 6 | 22.4 | 3 | 42.0 |
| Cervical (C53) | — | — | — | — | — | — | — | — |
| Uterine (C54-C55) | 4 | 15.4 | 6 | 7.5 | 1 | 3.7 | — | — |
| Ovarian (C56) | 2 | 7.7 | 9 | 11.3 | 2 | 7.5 | 1 | 14.0 |
| Prostate (C61) | 6 | 23.1 | 5 | 6.3 | 1 | 3.7 | — | — |
| Kidney & renal pelvis (C64-C65) | 1 | 3.9 | 6 | 7.5 | 3 | 11.2 | 1 | 14.0 |
| Bladder (C67) | 1 | 3.9 | 1 | 1.3 | 2 | 7.5 | 1 | 14.0 |
| Brain (C70-C72) | — | — | 4 | 5.0 | 2 | 7.5 | — | — |
| Lymphatic (C81-C96) | 10 | 38.6 | 14 | 17.5 | 4 | 15.0 | — | — |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 11.6 | 2 | 2.5 | 3 | 11.2 | — | — |
| Leukemia (C91-C95) | 5 | 19.3 | 10 | 12.5 | 1 | 3.7 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 3 | 11.6 | 1 | 1.3 | 1 | 3.7 | — | — |
| Diabetes mellitus (E10-E14) | 14 | 54.0 | 33 | 41.3 | 4 | 15.0 | 2 | 28.0 |
| Organic dementia (F01-F03) | 5 | 19.3 | 21 | 26.3 | 7 | 26.2 | 9 | 126.1 |
| Parkinson's disease (G20-G21) | — | — | 7 | 8.8 | 2 | 7.5 | 1 | 14.0 |
| Alzheimer's disease (G30) | 10 | 38.6 | 29 | 36.3 | 9 | 33.7 | 1 | 14.0 |
| Diseases of the circulatory system (I00-I99) | 83 | 320.2 | 178 | 222.8 | 89 | 332.8 | 34 | 476.2 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 55 | 212.2 | 123 | 154.0 | 70 | 261.7 | 29 | 406.2 |
| Ischemic heart disease (I20-I25) | 30 | 115.7 | 61 | 76.4 | 34 | 127.1 | 17 | 238.1 |
| Cerebrovascular disease (I60-I69) | 19 | 73.3 | 40 | 50.1 | 15 | 56.1 | 5 | 70.0 |
| Intracerebral hemorrhage, etc. (I61-I62) | 4 | 15.4 | 11 | 13.8 | 1 | 3.7 | — | — |
| Cerebral infarction (I63) | 2 | 7.7 | 3 | 3.8 | 1 | 3.7 | 1 | 14.0 |
| Stroke of unspecified type (I64) | 6 | 23.1 | 18 | 22.5 | 11 | 41.1 | 3 | 42.0 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 4 | 15.4 | 7 | 8.8 | 3 | 11.2 | — | — |
| Aortic aneurysm (I71) | 3 | 11.6 | 1 | 1.3 | — | — | — | — |
| Influenza & pneumonia (J09-J18) | 5 | 19.3 | 7 | 8.8 | 4 | 15.0 | 2 | 28.0 |
| Chronic lower respiratory diseases (J40-J47) | 24 | 92.6 | 47 | 58.8 | 20 | 74.8 | 6 | 84.0 |
| Diseases of the digestive system (K00-K92) | 15 | 57.9 | 28 | 35.1 | 14 | 52.3 | 1 | 14.0 |
| Diseases of the genitourinary sys. (N00-N99) | 3 | 11.6 | 14 | 17.5 | 12 | 44.9 | 2 | 28.0 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 7.7 | 6 | 7.5 | 8 | 29.9 | 2 | 28.0 |
| Perinatal conditions (P00-P96) | 1 | 3.9 | 3 | 3.8 | 2 | 7.5 | — | — |
| Congenital malformations (Q00-Q99) | 1 | 3.9 | 1 | 1.3 | 2 | 7.5 | — | — |
| Sudden infant death syndrome (R95) | — | — | 2 | 2.5 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 20 | 77.2 | 43 | 53.8 | 15 | 56.1 | 6 | 84.0 |
| Suicide (X60-X84, Y87.0) | 10 | 38.6 | 15 | 18.8 | 3 | 11.2 | 1 | 14.0 |
| Homicide (X85-Y09, Y87.1) | 1 | 3.9 | 9 | 11.3 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | — | — | — | — | — | — |
| <i>Alcohol-induced</i> ² | 8 | 30.9 | 13 | 16.3 | 7 | 26.2 | 2 | 28.0 |
| <i>Drug-induced</i> ² | 5 | 19.3 | 6 | 7.5 | 4 | 15.0 | — | — |
| <i>Injury by firearms</i> ² | 7 | 27.0 | 19 | 23.8 | 2 | 7.5 | — | — |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.

TABLE 6-42. Selected causes of death by county, Oregon residents, 2016 — Continued

| Selected causes of death (and their ICD-10 codes) | Wasco | | Washington | | Wheeler | | Yamhill | |
|--|-------|-------------------|------------|-------------------|---------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 322 | 1206.0 | 3,409 | 584.1 | 15 | 1023.9 | 944 | 899.1 |
| Infections & parasitic disease (A00-B99) | 3 | 11.2 | 67 | 11.5 | — | — | 18 | 17.1 |
| Septicemia (A40-A41) | 1 | 3.7 | 26 | 4.5 | — | — | 5 | 4.8 |
| Viral hepatitis (B15-B19) | — | — | 11 | 1.9 | — | — | 5 | 4.8 |
| HIV disease (B20-B24) | 1 | 3.7 | 5 | 0.9 | — | — | 1 | 1.0 |
| Malignant neoplasms (C00-C97) | 77 | 288.4 | 779 | 133.5 | 5 | 341.3 | 207 | 197.2 |
| Colon (C18) | 8 | 30.0 | 44 | 7.5 | 1 | 68.3 | 12 | 11.4 |
| Pancreas (C25) | 5 | 18.7 | 61 | 10.5 | — | — | 20 | 19.0 |
| Bronchus & lung (C34) | 14 | 52.4 | 152 | 26.0 | 1 | 68.3 | 38 | 36.2 |
| Skin (C43-44) | — | — | 20 | 3.4 | — | — | 4 | 3.8 |
| Breast (C50) | 7 | 26.2 | 75 | 12.9 | — | — | 13 | 12.4 |
| Cervical (C53) | 1 | 3.7 | 1 | 0.2 | — | — | — | — |
| Uterine (C54-C55) | — | — | 18 | 3.1 | — | — | 5 | 4.8 |
| Ovarian (C56) | 1 | 3.7 | 23 | 3.9 | — | — | 5 | 4.8 |
| Prostate (C61) | 4 | 15.0 | 47 | 8.1 | 1 | 68.3 | 15 | 14.3 |
| Kidney & renal pelvis (C64-C65) | 6 | 22.5 | 15 | 2.6 | — | — | 4 | 3.8 |
| Bladder (C67) | 4 | 15.0 | 28 | 4.8 | 1 | 68.3 | 7 | 6.7 |
| Brain (C70-C72) | 4 | 15.0 | 26 | 4.5 | — | — | 4 | 3.8 |
| Lymphatic (C81-C96) | 5 | 18.7 | 81 | 13.9 | 1 | 68.3 | 31 | 29.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 2 | 7.5 | 30 | 5.1 | — | — | 11 | 10.5 |
| Leukemia (C91-C95) | 2 | 7.5 | 32 | 5.5 | 1 | 68.3 | 13 | 12.4 |
| Benign & uncertain neoplasms (D00-D48) | 2 | 7.5 | 22 | 3.8 | — | — | 3 | 2.9 |
| Diabetes mellitus (E10-E14) | 12 | 44.9 | 106 | 18.2 | — | — | 27 | 25.7 |
| Organic dementia (F01-F03) | 18 | 67.4 | 211 | 36.2 | 1 | 68.3 | 55 | 52.4 |
| Parkinson's disease (G20-G21) | 6 | 22.5 | 35 | 6.0 | — | — | 12 | 11.4 |
| Alzheimer's disease (G30) | 5 | 18.7 | 205 | 35.1 | — | — | 51 | 48.6 |
| Diseases of the circulatory system (I00-I99) | 108 | 404.5 | 943 | 161.6 | 2 | 136.5 | 275 | 261.9 |
| Heart disease (I00-I09, I11, I13, I20-I51) | 77 | 288.4 | 679 | 116.3 | 2 | 136.5 | 203 | 193.4 |
| Ischemic heart disease (I20-I25) | 40 | 149.8 | 329 | 56.4 | 1 | 68.3 | 108 | 102.9 |
| Cerebrovascular disease (I60-I69) | 18 | 67.4 | 191 | 32.7 | — | — | 51 | 48.6 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 11.2 | 46 | 7.9 | — | — | 11 | 10.5 |
| Cerebral infarction (I63) | — | — | 16 | 2.7 | — | — | 4 | 3.8 |
| Stroke of unspecified type (I64) | 11 | 41.2 | 62 | 10.6 | — | — | 18 | 17.1 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 9 | 33.7 | 44 | 7.5 | — | — | 9 | 8.6 |
| Aortic aneurysm (I71) | 2 | 7.5 | 10 | 1.7 | — | — | 2 | 1.9 |
| Influenza & pneumonia (J09-J18) | 3 | 11.2 | 42 | 7.2 | — | — | 14 | 13.3 |
| Chronic lower respiratory diseases (J40-J47) | 17 | 63.7 | 155 | 26.6 | 2 | 136.5 | 52 | 49.5 |
| Diseases of the digestive system (K00-K92) | 15 | 56.2 | 140 | 24.0 | 1 | 68.3 | 47 | 44.8 |
| Diseases of the genitourinary sys. (N00-N99) | 4 | 15.0 | 65 | 11.1 | 1 | 68.3 | 16 | 15.2 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 11.2 | 48 | 8.2 | 1 | 68.3 | 13 | 12.4 |
| Perinatal conditions (P00-P96) | 1 | 3.7 | 13 | 2.2 | — | — | 3 | 2.9 |
| Congenital malformations (Q00-Q99) | — | — | 15 | 2.6 | 1 | 68.3 | 2 | 1.9 |
| Sudden infant death syndrome (R95) | — | — | 1 | 0.2 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 12 | 44.9 | 179 | 30.7 | 1 | 68.3 | 51 | 48.6 |
| Suicide (X60-X84, Y87.0) | 6 | 22.5 | 82 | 14.1 | — | — | 25 | 23.8 |
| Homicide (X85-Y09, Y87.1) | — | — | 11 | 1.9 | — | — | 1 | 1.0 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 6 | 1.0 | — | — | 1 | 1.0 |
| <i>Alcohol-induced</i> ² | 10 | 37.5 | 61 | 10.5 | — | — | 16 | 15.2 |
| <i>Drug-induced</i> ² | 4 | 15.0 | 61 | 10.5 | — | — | 6 | 5.7 |
| <i>Injury by firearms</i> ² | 4 | 15.0 | 41 | 7.0 | — | — | 15 | 14.3 |

— Quantity is zero.

¹ Rate per 100,000 population.

² See Table 6-6, footnotes 39-43, for a list of included conditions and their ICD codes.

WARNING: Rates based on less than five events are unreliable.