



## Exception to 72-hour Start Card Notification Requirement

Please send this completed form with the paper start card when submitting an exception to the 72-hr start card notification. You may also submit this form by e-mailing a completed copy to [wrd\\_dl\\_wcc\\_notifications@water.oregon.gov](mailto:wrd_dl_wcc_notifications@water.oregon.gov).

**Today's Date:** \_\_\_\_\_ **Start Card #:** \_\_\_\_\_ **Bonded License #:** \_\_\_\_\_

Reason for Work to Start < 72-hours:

- A 2<sup>nd</sup> or additional well drilled on the same or contiguous tax lot for the same landowner
- Water Emergency
- Casing Height Adjustment

Emergency Description:

---

---



## Exception to 72-hour Start Card Notification Requirement

Please send this completed form with the paper start card when submitting an exception to the 72-hr start card notification. You may also submit this form by e-mailing a completed copy to [wrd\\_dl\\_wcc\\_notifications@water.oregon.gov](mailto:wrd_dl_wcc_notifications@water.oregon.gov).

**Today's Date:** \_\_\_\_\_ **Start Card #:** \_\_\_\_\_ **Bonded License #:** \_\_\_\_\_

Reason for Work to Start < 72-hours:

- A 2<sup>nd</sup> or additional well drilled on the same or contiguous tax lot for the same landowner
- Water Emergency
- Casing Height Adjustment

Emergency Description:

---

---