

833 Rating Table - Link River (10/3/08)

<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>
0.39	54	0.82	193	1.25	437	1.68	795	2.11	1280	2.54	1930
0.40	56	0.83	198	1.26	444	1.69	805	2.12	1290	2.55	1940
0.41	59	0.84	202	1.27	451	1.70	815	2.13	1310	2.56	1960
0.42	61	0.85	207	1.28	458	1.71	825	2.14	1320	2.57	1980
0.43	63	0.86	211	1.29	465	1.72	835	2.15	1330	2.58	1990
0.44	66	0.87	216	1.30	473	1.73	845	2.16	1340	2.59	2010
0.45	68	0.88	221	1.31	480	1.74	855	2.17	1370	2.60	2020
0.46	70	0.89	225	1.32	487	1.75	865	2.18	1380	2.61	2040
0.47	73	0.90	230	1.33	495	1.76	875	2.19	1390	2.62	2070
0.48	75	0.91	235	1.34	502	1.77	885	2.20	1410	2.63	2090
0.49	78	0.92	240	1.35	510	1.78	895	2.21	1420	2.64	2100
0.5	81	0.93	245	1.36	517	1.79	906	2.22	1430	2.65	2120
0.51	83	0.94	250	1.37	525	1.80	916	2.23	1450	2.66	2130
0.52	86	0.95	255	1.38	532	1.81	926	2.24	1460	2.67	2150
0.53	89	0.96	260	1.39	540	1.82	937	2.25	1470	2.68	2170
0.54	92	0.97	265	1.40	548	1.83	947	2.26	1490	2.69	2180
0.55	94	0.98	270	1.41	556	1.84	958	2.27	1500	2.70	2200
0.56	97	0.99	275	1.42	564	1.85	969	2.28	1530	2.71	2210
0.57	100	1.00	281	1.43	572	1.86	980	2.29	1540	2.72	2230
0.58	103	1.01	286	1.44	580	1.87	990	2.30	1550	2.73	2260
0.59	106	1.02	292	1.45	589	1.88	1000	2.31	1570	2.74	2280
0.60	109	1.03	298	1.46	597	1.89	1010	2.32	1580	2.75	2300
0.61	112	1.04	303	1.47	605	1.90	1020	2.33	1590	2.76	2310
0.62	116	1.05	309	1.48	614	1.91	1030	2.34	1610	2.77	2330
0.63	119	1.06	315	1.49	622	1.92	1050	2.35	1620	2.78	2350
0.64	122	1.07	321	1.50	631	1.93	1060	2.36	1640	2.79	2360
0.65	126	1.08	327	1.51	640	1.94	1070	2.37	1650	2.80	2380
0.66	129	1.09	333	1.52	648	1.95	1080	2.38	1660	2.81	2400
0.67	133	1.10	339	1.53	657	1.96	1090	2.39	1690	2.82	2420
0.68	136	1.11	345	1.54	666	1.97	1100	2.40	1710	2.83	2430
0.69	140	1.12	351	1.55	675	1.98	1110	2.41	1720	2.84	2470
0.70	144	1.13	358	1.56	684	1.99	1120	2.42	1740	2.85	2480
0.71	148	1.14	364	1.57	693	2.00	1140	2.43	1750	2.86	2500
0.72	152	1.15	370	1.58	702	2.01	1150	2.44	1770	2.87	2520
0.73	156	1.16	377	1.59	711	2.02	1160	2.45	1780	2.88	2540
0.74	160	1.17	383	1.60	720	2.03	1170	2.46	1790	2.89	2550
0.75	164	1.18	390	1.61	729	2.04	1180	2.47	1810	2.90	2570
0.76	168	1.19	396	1.62	738	2.05	1200	2.48	1820	2.91	2590
0.77	172	1.20	403	1.63	748	2.06	1220	2.49	1840	2.92	2610
0.78	176	1.21	410	1.64	757	2.07	1230	2.50	1870	2.93	2630
0.79	180	1.22	417	1.65	767	2.08	1240	2.51	1880	2.94	2640
0.80	185	1.23	423	1.66	776	2.09	1260	2.52	1900	2.95	2680
0.81	189	1.24	430	1.67	786	2.10	1270	2.53	1910	2.96	2700

833 Rating Table - Link River (10/3/08)

<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>	<u>Staff</u>	<u>CFS</u>
2.97	2720	3.40	3560	3.83	4510	4.26	5590	4.69	6780	5.12	8090
2.98	2730	3.41	3580	3.84	4540	4.27	5620	4.70	6810	5.13	8130
2.99	2750	3.42	3600	3.85	4560	4.28	5640	4.71	6840	5.14	8160
3.00	2770	3.43	3620	3.86	4590	4.29	5670	4.72	6870	5.15	8190
3.01	2790	3.44	3640	3.87	4610	4.30	5700	4.73	6900	5.16	8220
3.02	2810	3.45	3660	3.88	4630	4.31	5720	4.74	6930	5.17	8250
3.03	2830	3.46	3680	3.89	4660	4.32	5750	4.75	6960	5.18	8290
3.04	2840	3.47	3700	3.90	4680	4.33	5780	4.76	6990	5.19	8320
3.05	2860	3.48	3730	3.91	4710	4.34	5800	4.77	7020	5.20	8350
3.06	2880	3.49	3750	3.92	4730	4.35	5830	4.78	7050	5.21	8380
3.07	2900	3.50	3770	3.93	4750	4.36	5860	4.79	7080	5.22	8420
3.08	2920	3.51	3790	3.94	4780	4.37	5880	4.80	7110	5.23	8450
3.09	2940	3.52	3810	3.95	4800	4.38	5910	4.81	7140	5.24	8480
3.10	2960	3.53	3830	3.96	4830	4.39	5940	4.82	7170	5.25	8510
3.11	2980	3.54	3860	3.97	4850	4.40	5960	4.83	7200	5.26	8550
3.12	3000	3.55	3880	3.98	4880	4.41	5990	4.84	7230	5.27	8580
3.13	3020	3.56	3900	3.99	4900	4.42	6020	4.85	7260	5.28	8610
3.14	3030	3.57	3920	4.00	4920	4.43	6050	4.86	7290	5.29	8650
3.15	3050	3.58	3940	4.01	4950	4.44	6070	4.87	7320	5.30	8680
3.16	3070	3.59	3970	4.02	4970	4.45	6100	4.88	7350	5.31	8710
3.17	3090	3.60	3990	4.03	5000	4.46	6130	4.89	7380	5.32	8750
3.18	3110	3.61	4010	4.04	5020	4.47	6160	4.90	7410	5.33	8780
3.19	3130	3.62	4030	4.05	5050	4.48	6180	4.91	7440	5.34	8810
3.20	3150	3.63	4050	4.06	5070	4.49	6210	4.92	7470	5.35	8850
3.21	3170	3.64	4080	4.07	5100	4.50	6240	4.93	7500	5.36	8880
3.22	3190	3.65	4100	4.08	5120	4.51	6270	4.94	7530	5.37	8910
3.23	3210	3.66	4120	4.09	5150	4.52	6300	4.95	7560	5.38	8950
3.24	3230	3.67	4140	4.10	5180	4.53	6320	4.96	7590	5.39	8980
3.25	3250	3.68	4170	4.11	5200	4.54	6350	4.97	7620	5.40	9010
3.26	3270	3.69	4190	4.12	5230	4.55	6380	4.98	7650	5.41	9050
3.27	3290	3.70	4210	4.13	5250	4.56	6410	4.99	7690	5.42	9080
3.28	3310	3.71	4240	4.14	5280	4.57	6440	5.00	7720	5.43	9110
3.29	3330	3.72	4260	4.15	5300	4.58	6470	5.01	7750	5.44	9150
3.30	3350	3.73	4280	4.16	5330	4.59	6490	5.02	7780	5.45	9180
3.31	3370	3.74	4300	4.17	5350	4.60	6520	5.03	7810	5.46	9220
3.32	3390	3.75	4330	4.18	5380	4.61	6550	5.04	7840	5.47	9250
3.33	3410	3.76	4350	4.19	5410	4.62	6580	5.05	7870	5.48	9280
3.34	3430	3.77	4370	4.20	5430	4.63	6610	5.06	7900	5.49	9320
3.35	3450	3.78	4400	4.21	5460	4.64	6640	5.07	7940	5.50	9350
3.36	3470	3.79	4420	4.22	5480	4.65	6670	5.08	7970	5.51	9390
3.37	3490	3.80	4440	4.23	5510	4.66	6700	5.09	8000	5.52	9420
3.38	3510	3.81	4470	4.24	5540	4.67	6720	5.10	8030	5.53	9460
3.39	3540	3.82	4490	4.25	5560	4.68	6750	5.11	8060	5.54	9490


833 Rating Table - Link River (10/3/08)

<u>Staff</u>	<u>CFS</u>	
5.55	9530	
5.56	9560	
5.57	9600	
5.58	9630	
5.59	9670	
5.60	9700	*

Link River Dam-Spillway Gate Discharge Rating Table
One Gate only CFS

Gate Opening Inches	Upper Klamath Lake Elevation													
	4143.3	4143	4142.5	4142	4141.5	4141	4140.5	4140	4139.5	4139				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	43	43	42	41	40	39	39	38	37	36				
12	86	85	83	82	80	78	76	74	72	70				
18	128	126	124	121	118	116	113	110	107	104				
24	169	167	163	160	156	152	148	144	140	136				
30	209	206	202	197	193	188	183	178	173	168				
36	248	245	240	234	228	223	217	211	204	198				
42	286	283	276	270	263	256	249	242	235	227				
48	324	319	312	305	297	289	281	272	264	255				
54	360	355	347	338	329	320	311	302	292	281				
60	396	390	381	371	361	351	340	330	318	307				
66	430	424	413	403	392	380	369	357	344	330				
72	464	457	445	433	421	409	396	382	368	354				
78	496	489	476	463	449	436	421	407	391	375				
84	528	519	506	491	477	462	446	430	413	395				

Chart 2



Estimated Maximum Discharge Capacity from Klamath Lake

(Elevations @ Pelican City Gage and Discharge as Controlled by Reef Upstream from Link

River Dam) Note: Data for Flows Above 8000 cfs is Based on Curves Supplied by the USBR on

3/20/74